IGNATIA AMARA- strychnos ignatii seed pellet Boiron

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

Ignatia amara 30C

Tube - Ignatia amara 30C** (contains 0.443 mg of the active ingredient per pellet)

Box - Ignatia amara 30C HPUS** (contains 0.443 mg of the active ingredient per pellet) (contains less than 10-14 mg strychnine alkaloids)

The letters "HPUS" indicate that the components in this product are officially monographed in the Homeopathic Pharmacopoeia of the United States.

Box - Relieves apprehension and hypersensitivity to stress*

Tube - Apprehension, Hypersensitivity To Stress*

Box - Temporarily relieves symptoms associated with occasional nervous tension such as: hypersensitivity, apprehension, irritability, grief or sadness, moodiness, lump in throat, nervous yawing*

Tube - Stop use and ask a doctor if symptoms persist for more than 3 days or worsen.

Box - Stop use and ask a doctor if symptoms persist for more than 3 days or worsen.

Tube - If pregnant or breast-feeding, ask a health professional before use.

Box - If pregnant or breast-feeding, ask a health professional before use.

Tube - Keep out of reach of children.

Box - Keep out of reach of children. In case of accidental overdose, get medical help or contact a Poison Control Center right away.

Tube - Do not use if pellet dispenser seal is broken.

Contains approx 80 pellets.

How to dispense pellets? Turn tube upside down. Twist until 5 pellets are dispensed into cap. Carefully remove the cap and use it to pour pellets under the tongue.

*CLAIMS BASED ON TRADITIONAL HOMEOPATHIC PRACTICE NOT ACCEPTED MEDICAL EVIDENCE. NOT FDA EVALUATED.

*C,K,CK, and X are homeopathic dilutions: see BoironUSA.com/info for details.

Box - Do not use if glued carton end flaps are open or if pellet dispenser seal is broken.

3 Tubes approx 80 pellets 16 Doses per tube Total 240 pellets

How to dispense pellets? Turn tube upside down. Twist until 5 pellets are dispensed. Remove cap and pour pellets under the tongue.

No known drug interactions

Non-drowsy

Meltaway pellets

*CLAIMS BASED ON TRADITIONAL HOMEOPATHIC PRACTICE NOT ACCEPTED MEDICAL EVIDENCE. NOT FDA EVALUATED.

*C,K,CK, and X are homeopathic dilutions: see BoironUSA.com/info for details.

Tube - lactose, sucrose

Box - lactose, sucrose

Tube - Adults and children: At the onset of symptoms, dissolve 5 pellets under the tongue 3 times a day until symptoms are relieved or as directed by a doctor.

Box - Adults and children 12 years of age and older: At the onset of symptoms, dissolve 5 pellets under the tongue 3 times a day until symptoms are relieved or as directed by a doctor. Children under 12 years of age: Ask a doctor.

Tube - 1-800-BOIRON-1 (1-800-264-7661),

BoironUSA.com Info@boiron.com Distributed by Boiron, Inc. Newtown Square, PA 19073

Box - 1-800-BOIRON-1 (1-800-264-7661),

BoironUSA.com Info@boiron.com Distributed by Boiron, Inc. Newtown Square, PA 19073





gnatia amara 30 c

HPUS NDC 0220-2598-41

BOIRON®

HOMEOPATHIC MEDICINE

Made in France

Apprehension, hypersensitivity to stress.*

Lot:

Exp:

3 06960 38413 7

Contains approx. 80 pellets. US

Peel for Drugs Facts and instructions for use.



Drug Facts

Active ingredient**: See product name on front panel (contains 0.443 mg of the active ingredient per pellet).

Uses: See symptoms on front panel.

Warnings: Stop use and ask a doctor if symptoms persist for more than 3 days or worsen. If pregnant or breastfeeding, ask a health professional before use. Keep out of reach of children.

Directions: Adults and children: At the onset of symptoms, dissolve 5 pellets under the tongue 3 times a day until symptoms are relieved or as directed by a doctor.

Other information: ■ Do not use if pellet dispenser seal is broken.

TED MEDICAL EVIDENCE, NOT FDA EVALUATED.

Drug Facts (continued) **Inactive ingredients:** lactose, sucrose

Questions or comments?

BoironUSA.com Info@Boiron.com 1-800-BOIRON-1 (1-800-264-7661)

**C, K, CK, and X are homeopathic dilutions: see BoironUSA.com/info for details.

Distributed by Boiron Inc. Newtown Square, PA 19073



IGNATIA AMARA

strychnos ignatii seed pellet

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0220-2598
Route of Administration	ORAL		

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
STRYCHNOS IGNATII SEED (UNII: 1NM3M2487K) (STRYCHNOS IGNATII SEED - UNII:1NM3M2487K)	STRYCHNOS IGNATII SEED	30 [hp_C] in 30 [hp_C]	

Inactive Ingredients		
Ingredient Name	Strength	
LACTOSE, UNSPECIFIED FORM (UNII: J2B2A4N98G)		
SUCROSE (UNII: C151H8M554)		

Product Characteristics			
Color	white	Score	
Shape	ROUND	Size	4mm
Flavor		Imprint Code	
Contains			

P	Packaging			
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0220-2598- 41	30 [hp_C] in 1 TUBE; Type 0: Not a Combination Product	03/03/1983	
2	NDC:0220-2598- 43	3 in 1 BOX	09/01/2020	
2		30 [hp_C] in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		03/03/1983	

Labeler - Boiron (282560473)

Registrant - Boiron, Inc. (014892269)

Establishment			
Name	Address	ID/FEI	Business Operations
Boiron		282560473	manufacture(0220-2598)

Revised: 1/2023 Boiron