AMINO ACID - amino acid concentrate Agri Laboratoies, Ltd.

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

AMINO ACID CONCENTRATE

ORAL SOLUTION

For Animal Use Only

Keep Out of Reach of Children

INDICATIONS

For use as a supplemental nutritive source of concentrated amino acids, electrolytes, B complex vitamins, and dextrose in cattle and horses.

DOSAGE UNDILUTED

Administer orally as a drench. The usual recommended dose in adult cattle and horses is 50 to 500 mL, depending on size and condition.

Not for Human use

STORE BETWEEN 15° and 30° C (59° and 86°F)

TAKE TIME OBSERVE LABEL DIRECTIONS

CONTENTS

Each 100 mL of aqueous solution contains:

Comprised of : Niacinamide, Pyridoxine Hydrochloride (B_6), Thiamine Hydrochloride (B_1), d-Panthenol, Riboflavin (B_2), Cyanocobalamin (B_{12}), L-Leucine, L-Lysine Hydrochloride, L-Glutamic Acid, L-Valine, L-Phenylalanine, L-Arginine Hydrochloride, L-Isoleucine, L-Threonine, L-Histidine Hydrochloride • H_2O , L-Methionine, L-Cysteine Hydrochloride • H_2O , with propylne glycol 2.5%, sorbitol 2.5%, lactic acid 0.16%, citric acid 0.1%, BHA 0.005%, methylparaben 0.18%, propylparaben 0.02%, and ehtylparaben 0.01% (preservatives).

INDICATIONS: For use as a supplemental nutritive source of concentrated amino acids, electrolytes, B complex vitamins, and dextrose in cattle and horses.

DOSAGE AND ADMINISTRATION:

Administer orally as a drench. The usual recommended dose in adult cattle and horses is 50 to 500 mL, depending on size and condition.

Not for Human use

Store between 15°C and 30°C (59°F and 86°F).

A-0020-06

Rev. 09-12

TAKE TIME

OBSERVE LABEL DIRECTIONS

® Registered Trademark of Agri Laboratories, Ltd.

Manufactured for Agri Laboratories, Ltd. St. Joseph, MO 64503

LOT NO.:

EXP. DATE:

NDC 57561-102-06

AMINO ACID CONCENTRATE

Oral Solution

For Animal Use Only
Keep Out of Reach of Children

Net Contents: 500 mL (16.9 oz)



COMPOSITION:

Each 100 mL of aqueous solution contains:

Dextrose • H ₂ O	5 a
Sodium Acetate • 3H ₂ O 250	
Magnesium Sulfate • 7H2O 200	mg
Potassium Chloride 200	mg
Calcium Chloride • 2H ₂ O 150	mg

Comprised of: Niacinamide, Pyridoxine Hydrochloride (B₁), 4-Panthenol, Riboflavin (B₂), Cyanocobalamin (B₁₂), L-Leucine, L-Lysine Hydrochloride, L-Glutamic Acid, L-Valine, L-Phenylalanine, L-Arginine Hydrochloride, L-Isoleucine, L-Threonine, L-Histidine Hydrochloride • H₂O, L-Methionine, L-Cysteine Hydrochloride • H₂O, with propylene glycol 2.5%, sorbitol 2.5%, lactic acid 0.16%, citric acid 0.1%, BHA 0.005%; methylparaben 0.18%, propylparaben 0.02%, and ethylparaben 0.01% (preservatives).



AMINO ACID

amino acid concentrate

Product Information

Product TypeOTC ANIMAL DRUGItem Code (Source)NDC:57561-102

Route of Administration ORAL

Active Ingredient/Active Moiety Ingredient Name Basis of Strength Strength CALCIUM CHLORIDE ANHYDROUS (UNII: OFM21057LP) (CALCIUM CATION -150 mg **CALCIUM CATION** in $100\ mL$ UNII:2M83C4R6ZB) DEXTROSE MONOHYDRATE (UNII: LX22YL083G) (ANHYDROUS DEXTROSE -DEXTROSE 5 g UNII:5SL0G7R0OK) MONOHYDRATE in 100 mL MAGNESIUM SULFATE HEPTAHYDRATE (UNII: SK47B8698T) (MAGNESIUM CATION -MAGNESIUM SULFATE 200 mg UNII:T6 V3LHY838) **HEPTAHYDRATE** in $100\ mL$ POTASSIUM CHLORIDE (UNII: 660 YQ98 I10) (CHLORIDE ION - UNII:Q32ZN48698, 200 mg POTASSIUM CHLORIDE POTASSIUM CATION - UNII:295053K152) in 100 mL SODIUM ACETATE ANHYDROUS (UNII: NVG71ZZ7P0) (SODIUM CATION -**SODIUM ACETATE** 250 mg UNII:LYR4M0NH37, ACETATE ION - UNII:569DQM74SC) **ANHYDROUS** in 100 mL

ı	Packaging			
ı	# Item Code	Package Description	Marketing Start Date	Marketing End Date
ı	1 NDC:57561-102-06	500 mL in 1 BOTTLE		

ı	Marketing Infor	mation		
ı	Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date

unapproved drug other	09/01/1991	

Labeler - Agri Laboratoies, Ltd. (155594450)

Revised: 6/2017 Agri Laboratoies, Ltd.