LEDUM PALUSTRE- rhododendron tomentosum leafy twig pellet Boiron

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

Ledum palustre 6C

Ledum palustre 6C

(**contains 0.443 mg of the active ingredient per pellet)

Insect bites or bruising*

Stop use and ask a doctor if symptoms persist for more than 3 days or worsen

If pregnant or breast-feeding ask a health professional before use

Keep out of reach of children

Do not use if pellet dispenser seal is broken.

Contains approx 80 pellets.

How to dispense pellets? Turn tube upside down. Twist until 5 pellets are dispensed into cap. Carefully remove the cap and use it to pour pellets under the tongue. *CLAIMS BASED ON TRADITIONAL HOMEOPATHIC PRACTICE NOT ACCEPTED MEDICAL EVIDENCE. NOT FDA EVALUATED.

*C,K,CK, and X are homeopathic dilutions: see BoironUSA.com/info for details.

lactose, sucrose

Adults and children: At the onset of symptoms, dissolve 5 pellets under the tongue 3 times a day until symptoms are relieved or as directed by a doctor.

1-800-BOIRON-1 (1-800-264-7661), BoironUSA.com Info@boiron.com Distributed by Boiron, Inc. Newtown Square, PA 19073





Drug Facts

Active ingredient**: See product name on front panel (contains 0.443 mg of the active ingredient per pellet).


Uses: See symptoms on front panel.

Warnings: Stop use and ask a doctor if symptoms persist for more than 3 days or worsen. If pregnant or breastfeeding, ask a health professional before use. Keep out of reach of children.

Directions: Adults and children: At the onset of symptoms, dissolve 5 pellets under the tongue 3 times a day until symptoms are relieved or as directed by a doctor.

Other information: Do not use if pellet dispenser seal is broken.

Drug Facts (continued) Inactive ingredients: lactose, sucrose



LEDUM PALUSTRE							
rhododendron tomentosum	leafy twig pellet						
Product Information							
Product Type	HUMAN OTC DRUG		Item Code (Source)		NDC:0220-3044		
Route of Administration	ORAL						
Active Ingredient/Active	Moiety						
Ingredient Name Basis of Stre						Strength	
RHODODENDRON TOMENTOSUM LEAFY TWIG (UNII: 877L01IZ0P)RHODODENDRON TOMENTOSUM LEAFY TWIG - UNII:877L01IZ0P)RHODODENDRON TOMENTOSUM LEAFY TWIG					-	6 [hp_C] in 6 [hp_C]	
Inactive Ingredients							
Ingredient Name						Strength	
SUCROSE (UNII: C151H8M554)							
LACTOSE, UNSPECIFIED FORM (UNII: J2B2A4N98G)							
Product Characteristics							
Color	white	Scor	e				
Shape	ROUND	Size			4m	im	

Flavor		Imprint	Imprint Code					
Contains								
Packaging								
#	ltem Code	Р	Package Description		Marketing Start Date	Marketing End Date		
1	NDC:0220-3044- 41	6 [hp_C] in 1 Product	[hp_C] in 1 TUBE; Type 0: Not a Combination oduct		3/03/1983			
Marketing Information								
•	5		pplication Number or Monograph Citation			Manulus the start		
••	Marketing Category	Applic		pn	Marketing Start Date	Marketing End Date		

Labeler - Boiron (282560473)

Registrant - Boiron, Inc. (014892269)

Establishment							
Name	Address	ID/FEI	Business Operations				
Boiron		282560473	manufacture(0220-3044)				

Revised: 1/2023

Boiron