## LYCOPODIUM CLAVATUM- lycopodium clavatum spore pellet Boiron

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

-----

## Lycopodium clavatum 12C

Lycopodium clavatum 12C

(\*\*contains 0.443 mg of the active ingredient per pellet)

Bloated Abdomen Improved By Passing Gas\*

Stop use and ask a doctor if symptoms persist for more than 3 days or worsen

If pregnant or breast-feeding ask a health professional before use

Keep out of reach of children

Do not use if pellet dispenser seal is broken.

Contains approx 80 pellets.

How to dispense pellets? Turn tube upside down. Twist until 5 pellets are dispensed into cap. Carefully remove the cap and use it to pour pellets under the tongue. \*CLAIMS BASED ON TRADITIONAL HOMEOPATHIC PRACTICE NOT ACCEPTED MEDICAL EVIDENCE. NOT FDA EVALUATED.

\*C,K,CK, and X are homeopathic dilutions: see BoironUSA.com/info for details.

lactose, sucrose

Adults and children: At the onset of symptoms, dissolve 5 pellets under the tongue 3 times a day until symptoms are relieved or as directed by a doctor.

1-800-BOIRON-1 (1-800-264-7661), BoironUSA.com Info@boiron.com Distributed by Boiron, Inc. Newtown Square, PA 19073





## **Drug Facts**

**Active ingredient**\*\*: See product name on front panel (contains 0.443 mg of the active ingredient per pellet).


**Uses:** See symptoms on front panel.

**Warnings:** Stop use and ask a doctor if symptoms persist for more than 3 days or worsen. If pregnant or breastfeeding, ask a health professional before use. Keep out of reach of children.

**Directions:** Adults and children: At the onset of symptoms, dissolve 5 pellets under the tongue 3 times a day until symptoms are relieved or as directed by a doctor.

**Other information:** Do not use if pellet dispenser seal is broken.

Drug Facts (continued) Inactive ingredients: lactose, sucrose



LYCOPODIUM CLAV	ATUM								
lycopodium clavatum spore pellet									
	•								
Product Information									
Product Type	HUMAN OTC DRUG	HUMAN OTC DRUG Item Code (Source)			NDC	:0220-3185			
Route of Administration	ORAL								
<b>Active Ingredient/Active</b>	e Moiety								
Ingredient Name Basis of						Strength			
				Strength		12 (ha 6)			
LYCOPODIUM CLAVATUM SPORE (UNII: C88X29Y479) (LYCOPODIUMLYCOPODIUMCLAVATUM SPORE - UNII:C88X29Y479)CLAVATUM SPORE					Ξ	12 [hp_C] in 12 [hp_C]			
-									
Inactive Ingredients									
Ingredient Name						Strength			
LACTOSE, UNSPECIFIED FORM (UNII: J2B2A4N98G)									
SUCROSE (UNII: C151H8M554)									
Product Characteristics									
Color	white	Scor	e						
Shape	ROUND	Size				4mm			

ns ging n Code 0220-3185-	Package Des   3185- 12 [hp_C] in 1 TUBE; Type 0	Not a Combination	Marketing Start Date 03/03/1983	Marketing End Date			
n Code	Package Des   3185- 12 [hp_C] in 1 TUBE; Type 0	Not a Combination	Date	-			
n Code	Package Des   3185- 12 [hp_C] in 1 TUBE; Type 0	Not a Combination	Date	-			
n Code	Package Des   3185- 12 [hp_C] in 1 TUBE; Type 0	Not a Combination	Date	-			
	3185- 12 [hp_C] in 1 TUBE; Type 0	Not a Combination	Date	-			
220-3185-		): Not a Combination	03/03/1983				
	Product						
otina	ng Information						
Marketing Information							
rketing tegory			Marketing Start Date	Marketing End Date			
/ed			03/03/1983				
rl te	<b>keti ego</b> ed	keting Application Numb egory Citat	keting egoryApplication Number or Monograph Citation	Application Number or Monograph Marketing Start   egory Citation 03/03/1983			

Labeler - Boiron (282560473)

Registrant - Boiron, Inc. (014892269)

Establishment							
Name	Address	ID/FEI	<b>Business Operations</b>				
Boiron		282560473	manufacture(0220-3185)				

Revised: 1/2023

Boiron