

LYCOPODIUM CLAVATUM- lycopodium clavatum spore pellet
Boiron

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

Lycopodium clavatum 30C

Tube - Lycopodium clavatum 30C (**contains 0.443 mg of the active ingredient per pellet)

Box - Lycopodium clavatum 30C HPUS (**contains 0.443 mg of the active ingredient in each pellet)

The letters "HPUS" indicate that the components in this product are officially monographed in the Homeopathic Pharmacopoeia of the United States.

Box - Relieves bloated abdomen improved by passing gas*

Tube - Bloated Abdomen Improved By Passing Gas*

Box - temporarily relieves symptoms referred to as gas such as: bloating, discomfort, pressure, gas due to constipation, slow digestion improved by passing gas

Tube - Stop use and ask a doctor if symptoms persist for more than 3 days or worsen.

Box - Stop use and ask a doctor if symptoms persist for more than 3 days or worsen.

Tube - If pregnant or breast-feeding, ask a health professional before use.

Box - If pregnant or breast-feeding, ask a health professional before use.

Tube - Keep out of reach of children.

Box - Keep out of reach of children. In case of accidental overdose, get medical help or contact a Poison Control Center right away.

Tube - Do not use if pellet dispenser seal is broken.

Contains approx 80 pellets.

How to dispense pellets? Turn tube upside down. Twist until 5 pellets are dispensed into cap. Carefully remove the cap and use it to pour pellets under the tongue.

*CLAIMS BASED ON TRADITIONAL HOMEOPATHIC PRACTICE NOT ACCEPTED MEDICAL EVIDENCE. NOT FDA EVALUATED.

*C,K,CK, and X are homeopathic dilutions: see BoironUSA.com/info for details.

Box - Do not use if glued carton end flaps are open or if pellet dispenser seal is broken.

3 Tubes approx 80 pellets 16 Doses per tube Total 240 pellets

How to dispense pellets? Turn tube upside down. Twist until 5 pellets are dispensed. Remove cap and pour pellets under the tongue.

Discreet & Portable Tube

Take before or after meals

Meltaway Pellets

*CLAIMS BASED ON TRADITIONAL HOMEOPATHIC PRACTICE NOT ACCEPTED MEDICAL EVIDENCE. NOT FDA EVALUATED.

*C,K,CK, and X are homeopathic dilutions: see BoironUSA.com/info for details.

Tube - lactose, sucrose

Box - lactose, sucrose

Tube - Adults and children: At the onset of symptoms, dissolve 5 pellets under the tongue 3 times a day until symptoms are relieved or as directed by a doctor.

Box - Adults and children: At the onset of symptoms, dissolve 5 pellets under the tongue 3 times a day until symptoms are relieved or as directed by a doctor. If desired, dissolve 5 pellets under the tongue 15 minutes before or after meals.

Tube - 1-800-BOIRON-1 (1-800-264-7661),

BoironUSA.com Info@boiron.com

Distributed by Boiron, Inc. Newtown Square, PA 19073

Box - 1-800-BOIRON-1 (1-800-264-7661),

BoironUSA.com Info@boiron.com

Distributed by Boiron, Inc. Newtown Square, PA 19073



**Lycopodium
clavatum**

HPUS NDC 0220-3187-41

30^c

HOMEOPATHIC MEDICINE

BOIRON®

Made in France

Lycopodium cl

***CLAIMS BASED ON TRADITION
NOT ACCEPTED MEDICAL EVIDENCE**

Bloated abdomen improved by passing gas.*



Lot:

Exp:

3

06960

44913

3

Contains approx. 80 pellets.

US

Peel for Drugs Facts and instructions for use.

avatum 30 c

AL HOMEOPATHIC PRACTICE,
ENCE. NOT FDA EVALUATED.

Drug Facts

Active ingredient:** See product name on front panel (contains 0.443 mg of the active ingredient per pellet).

Uses: See symptoms on front panel.

Warnings: Stop use and ask a doctor if symptoms persist for more than 3 days or worsen. If pregnant or breastfeeding, ask a health professional before use. Keep out of reach of children.

Directions: ■ Adults and children: At the onset of symptoms, dissolve 5 pellets under the tongue 3 times a day until symptoms are relieved or as directed by a doctor.

Other information: ■ Do not use if pellet dispenser seal is broken.

Drug Facts (continued)

Inactive ingredients: lactose, sucrose

Questions or comments?

BoironUSA.com Info@Boiron.com

1-800-BOIRON-1 (1-800-264-7661)

**C, K, CK, and X are homeopathic dilutions: see
BoironUSA.com/info for details.

Distributed by Boiron Inc.

Newtown Square, PA 19073

How to
dispense pellets?



Turn tube upside
down.



Twist until 5 pellets
are dispensed
into cap.



Carefully remove cap
and use it to pour pellets
under the tongue.

LYCOPODIUM CLAVATUM

lycopodium clavatum spore pellet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0220-3187
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LYCOPODIUM CLAVATUM SPORE (UNII: C88X29Y479) (LYCOPODIUM CLAVATUM SPORE - UNII:C88X29Y479)	LYCOPODIUM CLAVATUM SPORE	30 [hp_C] in 30 [hp_C]

Inactive Ingredients

Ingredient Name	Strength
LACTOSE, UNSPECIFIED FORM (UNII: J2B2A4N98G)	
SUCROSE (UNII: C151H8M554)	

Product Characteristics

Color	white	Score	
Shape	ROUND	Size	4mm

Flavor		Imprint Code		
Contains				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0220-3187-41	30 [hp_C] in 1 TUBE; Type 0: Not a Combination Product	03/03/1983	
2	NDC:0220-3187-43	3 in 1 BOX	09/01/2020	
2		30 [hp_C] in 1 TUBE; Type 0: Not a Combination Product		
Marketing Information				
Marketing Category		Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic			03/03/1983	

Labeler - Boiron (282560473)

Registrant - Boiron, Inc. (014892269)

Establishment			
Name	Address	ID/FEI	Business Operations
Boiron		282560473	manufacture(0220-3187)