

NOSTRILLA- oxymetazoline hydrochloride spray, metered
Insight Pharmaceuticals LLC

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Nostrilla

Drug Facts

Active Ingredient (per spray)

oxymetazoline hydrochloride 0.05%

Purpose

Nasal decongestant

Uses

- temporarily relieves nasal congestion due to:
 - a cold
 - hay fever
 - upper respiratory allergies
 - helps clear nasal passages; shrinks swollen membranes
 - temporarily restores freer breathing through the nose

Warnings

Ask a doctor before use if you have

- heart disease
- thyroid disease
- high blood pressure
- diabetes
- trouble urinating due to an enlarged prostate gland

When using this product

- **do not exceed recommended dosage**
- temporary discomfort such as burning, stinging, sneezing, or an increase in nasal discharge may occur
- do not use for more than 3 days. Use only as directed. Frequent or prolonged use may cause nasal congestion to recur or worsen.
- use of this container by more than one person may spread infection

Stop use and ask a doctor if

symptoms persist

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

- **adults and children 6 to under 12 years of age** (with adult supervision): 2 or 3 sprays in each nostril not more often than every 10 to 12 hours. Do not exceed 2 doses in any 24 hour period
- **children under 6 years of age:** ask a doctor

Squeeze and unscrew to remove the protective cap. Align rail grooves and prime pump by depressing it firmly several times (see illustration on side). Hold bottle with thumb at base and nozzle between first and second fingers. With head upright, insert nozzle into nostril. Depress pump two or three times, all the way down, and sniff deeply.

Other Information

- store between 20° - 25°C (68° - 77°F). Avoid excessive heat or freezing.
- keep carton for full drug facts

Inactive ingredients

benzalkonium chloride, edetate disodium, glycerin, polyethylene glycol, povidone, propylene glycol, sodium phosphate dibasic, sodium phosphate monobasic, water

Questions or comments?

1-800-344-7239

PRINCIPAL DISPLAY PANEL

Nōstrilla®

Oxymetazoline HCl Nasal Solution

NASAL DECONGESTANT

1/2 FL. OZ (15 mL)

LOT
003

NOSTRILLA

Drug Facts

Active ingredient	Purpose
Oxymetazoline HCl 0.05%	Nasal decongestant

Uses temporarily relieves nasal congestion due to:

- a cold
- hay fever
- upper respiratory allergies

• helps clear nasal passages; shrinks swollen membranes

• temporarily restores freer breathing through the nose

Warnings

Ask a doctor before use if you have:

- heart disease
- thyroid disease
- high blood pressure
- diabetes
- trouble urinating due to an enlarged prostate gland

When using this product

- do not use more than directed
- temporary discomfort such as burning, stinging, sneezing, or an increase in nasal discharge may occur
- do not use for more than 3 days. Use only as directed. Frequent or prolonged use may cause nasal congestion to recur or worsen.
- use of this container by more than one person may spread infection

Stop use and ask a doctor if symptoms persist

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

- **adults and children 6 to under 12 years of age** (with adult supervision): 2 or 3 sprays in each nostril not more often than every 10 to 12 hours. Do not exceed 2 doses in any 24-hour period.
- **children under 6 years of age:** ask a doctor

Squeeze and unscrew to remove the protective cap. Align red grooves and prime pump by depressing it firmly several times (see illustration on side). Hold bottle with thumb at base and nozzle between first and second fingers. With head upright, insert nozzle into nostril. Depress pump two or three times all the way down, and sniff deeply.

Other information

- store between 20° - 25°C (68° - 77°F). Avoid excessive heat or freezing. • keep carton for full drug facts

Inactive ingredients benzalkonium chloride, edetate disodium, glycerin, polyethylene glycol, povidone, propylene glycol, sodium phosphate dibasic, sodium phosphate monobasic, water


Questions or comments? 1-800-344-7239

Nōstrilla

Fast Relief

Shrinks swollen membranes and helps clear nasal passages up to 12 hours.

EASY USE INSTRUCTIONS:



Tamper Evident: Do not use if printed seal over cap is broken or missing.

©2017 Distributed by:
Insight Pharmaceuticals LLC
Tarrytown, NY 10591
A Prestige Brands Company
N1022162

Nōstrilla

Oxymetazoline HCl Nasal Solution
NASAL DECONGESTANT

NASAL SPRAY

Effective Relief

of Nasal Congestion due to:

- Common colds
- Hay fever
- Allergies

12 HOUR

1/2 FLOZ
(15 mL)

Nōstrilla

Fast Relief

Pump spray delivers a measured dose of medication every time!

Helps clear your stuffy nose fast so you can breathe easier all day or night.

When clogged nasal passages force you to breathe through your mouth, your mouth and throat can become dry and irritated. Nōstrilla quickly helps relieve the nasal congestion to allow you to go about your daily activities in greater comfort.

EFFECTIVE RELIEF

of nasal congestion due to:

- common colds
- hay fever
- allergies

Silhouette represents actual bottle size.



NOSTRILLA

oxymetazoline hydrochloride spray, metered

Product Information

Product Type

HUMAN OTC DRUG

Item Code (Source)

NDC:63736-730

Route of Administration NASAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OXYMETAZOLINE HYDROCHLORIDE (UNII: K89MJ0S5VY) (OXYMETAZOLINE - UNII:8VLN5B44ZY)	OXYMETAZOLINE HYDROCHLORIDE	0.05 mg in 100 mL

Inactive Ingredients

Ingredient Name	Strength
BENZALKONIUM CHLORIDE (UNII: F5UM2KM3W7)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
GLYCERIN (UNII: PDC6A3C0OX)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
POVIDONE (UNII: FZ989GH94E)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
SODIUM PHOSPHATE, DIBASIC, ANHYDROUS (UNII: 22ADO53M6F)	
SODIUM PHOSPHATE, MONOBASIC, ANHYDROUS (UNII: KH7I04HPUU)	
WATER (UNII: 059QF0KO0R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:63736-730-01	1 in 1 CARTON	06/08/2009	
1		15 mL in 1 BOTTLE, SPRAY; Type 2: Prefilled Drug Delivery Device/System (syringe, patch, etc.)		
2	NDC:63736-730-02	1 in 1 CARTON	06/08/2009	
2		22.5 mL in 1 BOTTLE, SPRAY; Type 2: Prefilled Drug Delivery Device/System (syringe, patch, etc.)		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part341	06/08/2009	

Labeler - Insight Pharmaceuticals LLC (055665422)

Revised: 12/2022

Insight Pharmaceuticals LLC