

**MERCURIUS CORROSIVUS- mercuric chloride pellet**  
**Boiron**

*Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.*

-----

**Mercurius corrosivus 30C**

Mercurius corrosivus 30C

(\*\*contains 0.443 mg of the active ingredient per pellet)

Sore throat with pain while swallowing\*

Stop use and ask a doctor if symptoms persist for more than 3 days or worsen

If pregnant or breast-feeding ask a health professional before use

Keep out of reach of children

Do not use if pellet dispenser seal is broken.

Contains approx 80 pellets.

How to dispense pellets? Turn tube upside down. Twist until 5 pellets are dispensed into cap. Carefully remove the cap and use it to pour pellets under the tongue.

\*CLAIMS BASED ON TRADITIONAL HOMEOPATHIC PRACTICE NOT ACCEPTED MEDICAL EVIDENCE. NOT FDA EVALUATED.

\*C,K,CK, and X are homeopathic dilutions: see BoironUSA.com/info for details.

lactose, sucrose

Adults and children: At the onset of symptoms, dissolve 5 pellets under the tongue 3 times a day until symptoms are relieved or as directed by a doctor.

1-800-BOIRON-1 (1-800-264-7661),

BoironUSA.com Info@boiron.com

Distributed by Boiron, Inc. Newtown Square, PA 19073



Sore throat with pain while swallowing.\*



Lot:

Exp:

3

06960

47913

0

Contains approx. 80 pellets.

US

Peel for Drugs Facts and instructions for use.

rosivus 30 c

VAL HOMEOPATHIC PRACTICE,  
JENCE. NOT FDA EVALUATED.

## Drug Facts

**Active ingredient\*\*:** See product name on front panel (contains 0.443 mg of the active ingredient per pellet).

**Uses:** See symptoms on front panel.

**Warnings:** Stop use and ask a doctor if symptoms persist for more than 3 days or worsen. If pregnant or breastfeeding, ask a health professional before use. Keep out of reach of children.

**Directions:** ■ Adults and children: At the onset of symptoms, dissolve 5 pellets under the tongue 3 times a day until symptoms are relieved or as directed by a doctor.

**Other information:** ■ Do not use if pellet dispenser seal is broken.

## Drug Facts (continued)

**Inactive ingredients:** lactose, sucrose

## Questions or comments?

BoironUSA.com Info@Boiron.com

1-800-BOIRON-1 (1-800-264-7661)

\*\*C, K, CK, and X are homeopathic dilutions: see  
BoironUSA.com/info for details.

Distributed by Boiron Inc.

Newtown Square, PA 19073

How to  
dispense pellets?



Turn tube upside  
down.



Twist until 5 pellets  
are dispensed  
into cap.



Carefully remove cap  
and use it to pour pellets  
under the tongue.

## MERCURIUS CORROSIVUS

mercuric chloride pellet

### Product Information

|                         |                |                    |               |
|-------------------------|----------------|--------------------|---------------|
| Product Type            | HUMAN OTC DRUG | Item Code (Source) | NDC:0220-3380 |
| Route of Administration | ORAL           |                    |               |

### Active Ingredient/Active Moiety

| Ingredient Name                                                          | Basis of Strength | Strength                  |
|--------------------------------------------------------------------------|-------------------|---------------------------|
| MERCURIC CHLORIDE (UNII: 53GH7MZT1R) (MERCURIC CATION - UNII:ED30FJ8Y42) | MERCURIC CHLORIDE | 30 [hp_C]<br>in 30 [hp_C] |

### Inactive Ingredients

| Ingredient Name                              | Strength |
|----------------------------------------------|----------|
| LACTOSE, UNSPECIFIED FORM (UNII: J2B2A4N98G) |          |
| SUCROSE (UNII: C151H8M554)                   |          |

### Product Characteristics

|       |       |       |     |
|-------|-------|-------|-----|
| Color | white | Score |     |
| Shape | ROUND | Size  | 4mm |

|                        |                  |                                                        |                      |                    |
|------------------------|------------------|--------------------------------------------------------|----------------------|--------------------|
| Flavor                 |                  | Imprint Code                                           |                      |                    |
| Contains               |                  |                                                        |                      |                    |
|                        |                  |                                                        |                      |                    |
| Packaging              |                  |                                                        |                      |                    |
| #                      | Item Code        | Package Description                                    | Marketing Start Date | Marketing End Date |
| 1                      | NDC:0220-3380-41 | 30 [hp_C] in 1 TUBE; Type 0: Not a Combination Product | 03/03/1983           |                    |
|                        |                  |                                                        |                      |                    |
| Marketing Information  |                  |                                                        |                      |                    |
| Marketing Category     |                  | Application Number or Monograph Citation               | Marketing Start Date | Marketing End Date |
| unapproved homeopathic |                  |                                                        | 03/03/1983           |                    |
|                        |                  |                                                        |                      |                    |

**Labeler -** Boiron (282560473)

**Registrant -** Boiron, Inc. (014892269)

| Establishment |         |           |                        |
|---------------|---------|-----------|------------------------|
| Name          | Address | ID/FEI    | Business Operations    |
| Boiron        |         | 282560473 | manufacture(0220-3380) |