MERCURIUS SOLUBILIS- mercurius solubilis pellet Boiron

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

Mercurius solubilis 15C

Mercurius solubilis 15C

(**contains 0.443 mg of the active ingredient per pellet)

Sore throat with bad breath and excess salivation*

Stop use and ask a doctor if symptoms persist for more than 3 days or worsen

If pregnant or breast-feeding ask a health professional before use

Keep out of reach of children

Do not use if pellet dispenser seal is broken.

Contains approx 80 pellets.

How to dispense pellets? Turn tube upside down. Twist until 5 pellets are dispensed into cap. Carefully remove the cap and use it to pour pellets under the tongue. *CLAIMS BASED ON TRADITIONAL HOMEOPATHIC PRACTICE NOT ACCEPTED MEDICAL EVIDENCE. NOT FDA EVALUATED.

*C,K,CK, and X are homeopathic dilutions: see BoironUSA.com/info for details.

lactose, sucrose

Adults and children: At the onset of symptoms, dissolve 5 pellets under the tongue 3 times a day until symptoms are relieved or as directed by a doctor.

1-800-BOIRON-1 (1-800-264-7661), BoironUSA.com Info@boiron.com Distributed by Boiron, Inc. Newtown Square, PA 19073






Drug Facts Active ingredient**: See product name on front panel (contains 0.443 mg of the active ingredient per pellet). Uses: See symptoms on front panel. Warnings: Stop use and ask a doctor if symptoms persist for more than 3 days or worsen. If pregnant or breastfeeding, ask a health professional before use. Keep out of reach of children. Directions: Adults and children: At the onset of symptoms, dissolve 5 pellets under the tongue 3 times a day until symptoms are relieved or as directed by a doctor.

Other information: Do not use if pellet dispenser seal is broken.

Drug Facts (continued) Inactive ingredients: lactose, sucrose



MERCURIUS SOLUI	BILIS					
mercurius solubilis pellet						
Product Information						
Product Type	HUMAN OTC DRUG		Item Code (Source)		NDC:0220-3417	
Route of Administration	ORAL					
Active Ingredient/Activ	e Moiety					
Ingredient Name Basis of Strength						gth
MERCURIUS SOLUBILIS (UNII: 324Y4038G2) (MERCURIUS SOLUBILIS - MERCURIUS SOLUBILIS - SOLUBILIS				15 [hp_C] in 15 [hp_C	2]	
Inactive Ingredients						
Ingredient Name						gth
LACTOSE, UNSPECIFIED FORM (UNII: J2B2A4N98G)						
SUCROSE (UNII: C151H8M554)						
Product Characteristics	5					
Color	white	Scor	e			
Shape	ROUND	Size			4mm	

ckage Description	Marketing Start Date	Marketing End Date						
TUBE; Type 0: Not a Combination	03/03/1983							
Marketing Information								
tion Number or Monograph Citation	Marketing Start Date	Marketing End Date						
	03/03/1983							
	Citation							

Labeler - Boiron (282560473)

Registrant - Boiron, Inc. (014892269)

Establishment						
Name	Address	ID/FEI	Business Operations			
Boiron		282560473	manufacture(0220-3417)			

Revised: 1/2023

Boiron