

BULLET LINE- lip balm spf 15 stick
Raining Rose, Inc

Bullet Line

Drug Facts

Active ingredient

Purpose

Uses

Warnings:

• **For external use only** • **Do not use** on damaged or broken skin. • **Stop use and ask a doctor** if • rash occurs • When **using this product** • keep out of eyes. Rinse with water to remove.

Keep out of reach of children. If swallowed get medical help or contact a Poison Control Center right away.

Directions

• Apply liberally 15 minutes before sun exposure • Use a water-resistant sunscreen if swimming or sweating • Reapply at least every 2 hours • Children under 6 months of age: **Ask a doctor**

Sun Protection Measures Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad-Spectrum SPF value of 15 or higher and other protection measures including: • limit time in the sun, especially from 10a.m. - 2p.m. • wear long sleeved shirts, pants, hat, and sunglasses.

Inactive ingredients: Mineral oil, Beeswax, Petrolatum, Paraffin

Ethylhexyl Palmitate, Ceresin, Cetyl Alcohol, Tocopheryl Acetate, Propylparaben, Aloe Juice.

Other Information

Protect this product from excessive heat and direct sun.

Package Labeling

Twist Cap to Break Seal

Broad Spectrum SPF 15 Sunscreen

Mfg. for Bullet, Hialeah, FL 33013

Made in the USA

Net Wt. .15 oz.

No-flavor



▼ **PEEL HERE FOR DRUG FACTS** Mfg. for Bullseye, Hialeah, FL 33013
Made in the USA
Net Wt. .15 oz.

Broad Spectrum SPF 15 Sunscreen

Drug Facts

Active Ingredients:	Purpose
Avobenzone 2.0%	Sunscreen
Octinoxate 6.5%	
Octisalate 5.0%	
Octocrylene 1.5%	

Drug Facts (continued)

Uses • Helps prevent sunburn

Warnings
• For external use only • Do not use on damaged or broken skin • Stop use and ask a doctor if • rash occurs • When using this product • keep out of eyes. Rinse with water to remove. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions • apply liberally 15 minutes before sun exposure • Use a water resistant sunscreen if swimming or sweating • Reapply at least every 2 hours • Children under 6 months of age: Ask a doctor

Sun Protection Measures Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10a.m. - 2p.m. • wear long sleeved shirts, pants, hats, and sunglasses.

Inactive Ingredients: Mineral Oil, Bismuth, Petrolatum, Paraffin, Ethylhexyl Palmitate, Ceresin, Cetyl Alcohol, Tocopheryl Acetate, Propylparaben, Aloe Juva.

Other Information
Protect this product from excessive heat and direct sun.

Twist Cap to Break Seal - No Flavor

Berry

PEEL HERE FOR DRUG FACTS Mfg. for Bullett, Hialeah, FL 33013
 Broad Spectrum SPF 15 Sunscreen Made in the USA
 Net Wt. 1.5 oz.

Drug Facts

Active Ingredients:	Purpose
Avobenzone 2.0%	Sunscreen
Octinoxate 6.5%	
Octisalate 5.0%	
Octocrylene 1.5%	



Drug Facts (continued)

Uses • Helps prevent sunburn

Warnings

• For external use only • Do not use on damaged or broken skin • Stop use and ask a doctor if • rash occurs • When using this product • keep out of eyes. Rinse with water to remove. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions • apply liberally 15 minutes before sun exposure • Use a water resistant sunscreen if swimming or sweating • Reapply at least every 2 hours • Children under 6 months of age: Ask a doctor
Sun Protection Measures Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10a.m. - 2p.m. • wear long sleeved shirts, pants, hats, and sunglasses.

Inactive Ingredients: Mineral Oil, Beeswax, Petrolatum, Pentafluor, Pentafluor, BHT, Hexyl Palmitate, Cera, Glycerin, Alcohol, Tocopherol, Fragrance, Aloe Juice.

Other Information

Protect this product from excessive heat and direct sun.

Twist Cap to Break Seal - Berry

Cherry

▼ **PEEL HERE FOR DRUG FACTS** Mfg. for Bullet, Hialeah, FL 33013

Made in the USA

Broad Spectrum SPF 15 Sunscreen Net Wt. .15 oz.

Drug Facts

Active Ingredients:		Purpose
Avobenzone	2.0%	Sunscreen
Octinoxate	6.5%	
Octisalate	5.0%	
Octocrylene	1.5%	

Drug Facts (continued)

Uses • Helps prevent sunburn

Warnings

• **For external use only** • **Do not use** on damaged or broken skin • **Stop use and ask a doctor** if • rash occurs • **When using this product** • keep out of eyes. Rinse with water to remove. **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

Directions • apply liberally 15 minutes before sun exposure • Use a water resistant sunscreen if swimming or sweating • Reapply at least every 2 hours • Children under 6 months of age: **Ask a doctor**

Sun Protection Measures Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10a.m.-2p.m. • wear long sleeved shirts, pants, hats, and sunglasses.

Inactive Ingredients: Mineral Oil, Beeswax, Petrolatum, Paraffin, Flavor Ethylhexyl Palmitate, Ceresin, Cetyl Alcohol, Tocopheryl Acetate, Propylparaben, Aloe Juice.

Other Information

Protect this product from excessive heat and direct sun.

Twist Cap to Break Seal - Cherry

Mint

PEEL HERE FOR DRUG FACTS Mfg. for Buller, Hialeah, FL 33013
Broad Spectrum SPF 15 Sunscreen Made in the USA
Net Wt. .15 oz.

Drug Facts

Active Ingredients:		Purpose
Avobenzone	2.0%	Sunscreen
Octinoxate	6.5%	
Octisalate	5.0%	
Octocrylene	1.5%	

Drug Facts (continued)

Uses • Helps prevent sunburn

Warnings

• For external use only • Do not use on damaged or broken skin • Stop use and ask a doctor if • rash occurs • When using this product • keep out of eyes. Rinse with water to remove. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions • apply liberally 15 minutes before sun exposure • Use a water resistant sunscreen if swimming or sweating • Reapply at least every 2 hours • Children under 6 months of age: Ask a doctor
Sun Protection Measures Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10a.m. - 2p.m. • wear long sleeved shirts, pants, hats, and sunglasses.

Inactive Ingredients: Mineral Oil, Beeswax, Petrolatum, Paraffin, Flavor Ethylhexyl Palmitate, Ceresin, Cetyl Alcohol, Tocopheryl Acetate, Propylparaben, Aloe Juice.

Other Information

Protect this product from excessive heat and direct sun.

Twist Cap to Break Seal - Mint

Strawberry

PEEL HERE FOR DRUG FACTS

Mfg. for Buller, Hialeah, FL 33013

Made in the USA

Broad Spectrum SPF 15 Sunscreen Net Wt. .15 oz.

Drug Facts

Active Ingredients:

Avobenzone 2.0%
Octinoxate 6.5%
Octisalate 5.0%
Octocrylene 1.5%

Purpose

Sunscreen

Drug Facts (continued)

Uses • Helps prevent sunburn

Warnings

• **For external use only** • **Do not use** on damaged or broken skin • **Stop use and ask a doctor** if • rash occurs • **When using this product** • keep out of eyes. Rinse with water to remove. **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

Directions • apply liberally 15 minutes before sun exposure • Use a water resistant sunscreen if swimming or sweating • Reapply at least every 2 hours • Children under 6 months of age: **Ask a doctor**
Sun Protection Measures Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10a.m. - 2p.m. • wear long sleeved shirts, pants, hats, and sunglasses.

Inactive Ingredients: Mineral Oil, Beeswax, Petrolatum, Paraffin, Flavor Ethylhexyl Palmitate, Ceresin, Cetyl Alcohol, Tocopheryl Acetate, Propylparaben, Aloe Juice.

Other Information

Protect this product from excessive heat and direct sun.

Twist Cap to Break Seal - Strawberry

Tropical

▼ **PEEL HERE FOR DRUG FACTS** Mfg. for Bu ~~let~~et, Hialeah, FL 33013
Broad Spectrum SPF 15 Sunscreen Made in the USA
Net Wt. .15 oz.

Drug Facts

Active Ingredients:		Purpose
Avobenzone	2.0%	Sunscreen
Octinoxate	6.5%	
Octisalate	5.0%	
Octocrylene	1.5%	

Drug Facts (continued)

Uses • Helps prevent sunburn

Warnings

• **For external use only** • **Do not use** on damaged or broken skin • **Stop use and ask a doctor** if • rash occurs • **When using this product** • keep out of eyes. Rinse with water to remove. **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

Directions • apply liberally 15 minutes before sun exposure • Use a water resistant sunscreen if swimming or sweating • Reapply at least every 2 hours • Children under 6 months of age: **Ask a doctor**
Sun Protection Measures Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10a.m.-2p.m. • wear long sleeved shirts, pants, hats, and sunglasses.

Inactive Ingredients: Mineral Oil, Beeswax, Petrolatum, Paraffin, Flavor Ethylhexyl Palmitate, Ceresin, Cetyl Alcohol, Tocopheryl Acetate, Propylparaben, Aloe Juice.

Other Information

Protect this product from excessive heat and direct sun.

Twist Cap to Break Seal - Tropical

Vanilla

PEEL HERE FOR DRUG FACTS Mfg. for Bullet, Hialeah, FL 33013
Broad Spectrum SPF 15 Sunscreen Made in the USA
Net Wt. .15 oz.

Drug Facts

Active Ingredients:		Purpose
Avobenzone	2.0%	Sunscreen
Octinoxate	6.5%	
Octisalate	5.0%	
Octocrylene	1.5%	

Drug Facts (continued)

Uses • Helps prevent sunburn

Warnings

• For external use only • Do not use on damaged or broken skin • Stop use and ask a doctor if • rash occurs • When using this product • keep out of eyes. Rinse with water to remove. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions • apply liberally 15 minutes before sun exposure • Use a water resistant sunscreen if swimming or sweating • Reapply at least every 2 hours • Children under 6 months of age: Ask a doctor
Sun Protection Measures Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10a.m.-2p.m. • wear long sleeved shirts, pants, hats, and sunglasses.

Inactive Ingredients: Mineral Oil, Beeswax, Petrolatum, Paraffin, Flavor Ethylhexyl Palmitate, Ceresin, Cetyl Alcohol, Tocopheryl Acetate, Propylparaben, Aloe Juice.

Other Information

Protect this product from excessive heat and direct sun.

Twist Cap to Break Seal -Vanilla

res

BULLET LINE

lip balm spf 15 stick

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:65692-1006
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	2.0 mg in 1 g
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	6.5 mg in 1 g

OCTISALATE (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	5.0 mg in 1 g
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	1.5 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
MINERAL OIL (UNII: T5L8T28FGP)	
WHITE WAX (UNII: 7G1J5DA97F)	
YELLOW WAX (UNII: 2ZA36H0S2V)	
PETROLATUM (UNII: 4T6H12BN9U)	
PARAFFIN (UNII: I9O0E3H2ZE)	
ETHYLHEXYL PALMITATE (UNII: 2865993309)	
CERESIN (UNII: Q1LS2UJO3A)	
CETYL ALCOHOL (UNII: 936JST6JCN)	
ALPHA-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	
ALOE VERA LEAF (UNII: ZY81Z83H0X)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:65692-1006-1	4 g in 1 TUBE; Type 0: Not a Combination Product	02/18/2020	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	02/18/2020	

BULLET LINE

lip balm spf 15 stick

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:65692-1007
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	2.0 mg in 1 g
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	6.5 mg in 1 g
OCTISALATE (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	5.0 mg in 1 g
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	1.5 mg in 1 g

Inactive Ingredients				
Ingredient Name			Strength	
MINERAL OIL (UNII: T5L8T28FGP)				
YELLOW WAX (UNII: 2ZA36H0S2V)				
PETROLATUM (UNII: 4T6H12BN9U)				
PARAFFIN (UNII: I9O0E3H2ZE)				
ETHYLHEXYL PALMITATE (UNII: 2865993309)				
CERESIN (UNII: Q1LS2UJO3A)				
CETYL ALCOHOL (UNII: 936JST6JCN)				
ALPHA-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)				
PROPYLPARABEN (UNII: Z8IX2SC1OH)				
ALOE VERA LEAF (UNII: ZY81Z83H0X)				
Product Characteristics				
Color		Score		
Shape		Size		
Flavor	BERRY	Imprint Code		
Contains				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:65692-1007-1	4 g in 1 TUBE; Type 0: Not a Combination Product	02/18/2020	
Marketing Information				
Marketing Category	Application Number or Monograph Citation		Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020		02/18/2020	

BULLET LINE			
lip balm spf 15 stick			
Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:65692-1008
Route of Administration	TOPICAL		
Active Ingredient/Active Moiety			
Ingredient Name		Basis of Strength	Strength
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)		AVOBENZONE	2.0 mg in 1 g
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)		OCTINOXATE	6.5 mg in 1 g
OCTISALATE (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)		OCTISALATE	5.0 mg in 1 g

OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	1.5 mg in 1 g
---	-------------	---------------

Inactive Ingredients

Ingredient Name	Strength
MINERAL OIL (UNII: T5L8T28FGP)	
YELLOW WAX (UNII: 2ZA36H0S2V)	
PETROLATUM (UNII: 4T6H12BN9U)	
PARAFFIN (UNII: I9O0E3H2ZE)	
ETHYLHEXYL PALMITATE (UNII: 2865993309)	
CERESIN (UNII: Q1LS2UJO3A)	
CETYL ALCOHOL (UNII: 936JST6JCN)	
ALPHA-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	
ALOE VERA LEAF (UNII: ZY81Z83H0X)	

Product Characteristics

Color		Score	
Shape		Size	
Flavor	CHERRY	Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:65692-1008-1	4 g in 1 TUBE; Type 0: Not a Combination Product	02/18/2020	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	02/18/2020	

BULLET LINE

lip balm spf 15 stick

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:65692-1009
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
-----------------	-------------------	----------

AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	2.0 mg in 1 g
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	6.5 mg in 1 g
OCTISALATE (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	5.0 mg in 1 g
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	1.5 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
MINERAL OIL (UNII: T5L8T28FGP)	
YELLOW WAX (UNII: 2ZA36H0S2V)	
PETROLATUM (UNII: 4T6H12BN9U)	
PARAFFIN (UNII: I9O0E3H2ZE)	
ETHYLHEXYL PALMITATE (UNII: 2865993309)	
CERESIN (UNII: Q1LS2UJO3A)	
CETYL ALCOHOL (UNII: 936JST6JCN)	
ALPHA-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	
ALOE VERA LEAF (UNII: ZY81Z83H0X)	

Product Characteristics

Color		Score	
Shape		Size	
Flavor	MINT	Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:65692-1009-1	4 g in 1 TUBE; Type 0: Not a Combination Product	02/18/2020	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	02/18/2020	

BULLET LINE

lip balm spf 15 stick

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:65692-1010
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety				
Ingredient Name		Basis of Strength	Strength	
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZ ONE - UNII:G63QQF2NOX)		AVOBENZONE	2.0 mg in 1 g	
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)		OCTINOXATE	6.5 mg in 1 g	
OCTISALATE (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)		OCTISALATE	5.0 mg in 1 g	
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)		OCTOCRYLENE	1.5 mg in 1 g	
Inactive Ingredients				
Ingredient Name		Strength		
MINERAL OIL (UNII: T5L8T28FGP)				
YELLOW WAX (UNII: 2ZA36H0S2V)				
PETROLATUM (UNII: 4T6H12BN9U)				
PARAFFIN (UNII: I9O0E3H2ZE)				
ETHYLHEXYL PALMITATE (UNII: 2865993309)				
CERESIN (UNII: Q1LS2UJO3A)				
CETYL ALCOHOL (UNII: 936JST6JCN)				
ALPHA-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)				
PROPYLPARABEN (UNII: Z8IX2SC1OH)				
ALOE VERA LEAF (UNII: ZY81Z83H0X)				
Product Characteristics				
Color		Score		
Shape		Size		
Flavor	STRAWBERRY	Imprint Code		
Contains				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:65692-1010-1	4 g in 1 TUBE; Type 0: Not a Combination Product	02/18/2020	
Marketing Information				
Marketing Category	Application Number or Monograph Citation		Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020		02/18/2020	

BULLET LINE			
lip balm spf 15 stick			
Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:65692-1011

Route of Administration	TOPICAL
-------------------------	---------

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	2.0 mg in 1 g
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	6.5 mg in 1 g
OCTISALATE (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	5.0 mg in 1 g
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	1.5 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
MINERAL OIL (UNII: T5L8T28FGP)	
YELLOW WAX (UNII: 2ZA36H0S2V)	
PETROLATUM (UNII: 4T6H12BN9U)	
PARAFFIN (UNII: I9O0E3H2ZE)	
ETHYLHEXYL PALMITATE (UNII: 2865993309)	
CERESIN (UNII: Q1LS2UJO3A)	
CETYL ALCOHOL (UNII: 936JST6JCN)	
ALPHA-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	
ALOE VERA LEAF (UNII: ZY81Z83H0X)	

Product Characteristics

Color		Score	
Shape		Size	
Flavor	TROPICAL FRUIT PUNCH (TROPICAL)	Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:65692-1011-1	4 g in 1 TUBE; Type 0: Not a Combination Product	02/18/2020	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	02/18/2020	

BULLET LINE

lip balm spf 15 stick

Product Information				
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:65692-1012	
Route of Administration	TOPICAL			
Active Ingredient/Active Moiety				
Ingredient Name		Basis of Strength	Strength	
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)		AVOBENZONE	2.0 mg in 1 g	
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)		OCTINOXATE	6.5 mg in 1 g	
OCTISALATE (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)		OCTISALATE	5.0 mg in 1 g	
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)		OCTOCRYLENE	1.5 mg in 1 g	
Inactive Ingredients				
Ingredient Name			Strength	
MINERAL OIL (UNII: T5L8T28FGP)				
YELLOW WAX (UNII: 2ZA36H0S2V)				
PETROLATUM (UNII: 4T6H12BN9U)				
PARAFFIN (UNII: I9O0E3H2ZE)				
ETHYLHEXYL PALMITATE (UNII: 2865993309)				
CERESIN (UNII: Q1LS2UJO3A)				
CETYL ALCOHOL (UNII: 936JST6JCN)				
ALPHA-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)				
PROPYLPARABEN (UNII: Z8IX2SC1OH)				
ALOE VERA LEAF (UNII: ZY81Z83H0X)				
Product Characteristics				
Color		Score		
Shape		Size		
Flavor	VANILLA	Imprint Code		
Contains				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:65692-1012-1	4 g in 1 TUBE; Type 0: Not a Combination Product	02/18/2020	
Marketing Information				
Marketing Category		Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug		M020	02/18/2020	

Revised: 11/2023

Raining Rose, Inc