

**NUX VOMICA- strychnos nux-vomica seed pellet**  
**Boiron**

*Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.*

-----  
**Nux vomica 10M**

Active ingredient\*

See product name on front panel (\*\*contains 0.443 mg of the active ingredient per pellet)

Nux vomica 10M

Less than 10<sup>-12</sup> mg strychnine alkaloids per pellet

Uses: See symptoms on front panel.

Relieves heartburn or drowsiness due to excessive eating or drinking, Irritability\*

Stop use and ask a doctor if symptoms persist for more than 3 days or worsen.

Keep out of reach of children.

Do not use if pellet dispenser seal is broken.

Contains approx 80 pellets.

How to dispense pellets? Turn tube upside down. Twist until 5 pellets are dispensed into cap. Carefully remove the cap and use it to pour pellets under the tongue.

\*CLAIMS BASED ON TRADITIONAL HOMEOPATHIC PRACTICE NOT ACCEPTED MEDICAL EVIDENCE. NOT FDA EVALUATED.

\*C,K,CK, and X are homeopathic dilutions: see BoironUSA.com/info for details.

lactose, sucrose

Adults and children: At the onset of symptoms, dissolve 5 pellets under the tongue 3 times a day until symptoms are relieved or as directed by a doctor.

1-800-BOIRON-1 (1-800-264-7661),

BoironUSA.com Info@boiron.com

Distributed by Boiron, Inc. Newtown Square, PA 19073



BOIRON®  
HOMEOPATHIC MEDICINE Made in France

HPUS NDC 0220-3709-41

Less than  $10^{-12}$  mg strychnine alkaloids per pellet

Do not use if pellet dispenser seal is broken



LOT:

EXP:

3

06960

52732 9

Contains approx. 80 pellets. US

Peel for Drugs Facts and instructions for use.

ux vomica 10 m

TRADITIONAL HOMEOPATHIC PRACTICE,  
DIGITAL EVIDENCE. NOT FDA EVALUATED.

## Drug Facts

**Active ingredient\*\*:** See product name on front panel (contains 0.443 mg of the active ingredient per pellet).

**Uses:** See symptoms on front panel.

**Warnings:** Stop use and ask a doctor if symptoms persist for more than 3 days or worsen. If pregnant or breastfeeding, ask a health professional before use. Keep out of reach of children.

**Directions:** ■ Adults and children: At the onset of symptoms, dissolve 5 pellets under the tongue 3 times a day until symptoms are relieved or as directed by a doctor.

**Other information:** ■ Do not use if pellet dispenser seal is broken.

## Drug Facts (continued)

**Inactive ingredients:** lactose, sucrose

## Questions or comments?

BoironUSA.com Info@Boiron.com

1-800-BOIRON-1 (1-800-264-7661)

\*\*C, K, CK, and X are homeopathic dilutions: see BoironUSA.com/info for details.

Distributed by Boiron Inc.  
Newtown Square, PA 19073

How to  
dispense pellets?



1 Turn tube upside down.



2 Twist until 5 pellets are dispensed into cap.



3 Carefully remove cap and use it to pour pellets under the tongue.

# Nux vomica

# 10<sup>m</sup>

Heartburn or drowsiness due to excessive eating or drinking\*



HPUS NDC 0220-3709-41

Less than 10<sup>-12</sup> mg strychnine alkaloids per pellet  
Do not use if pellet dispenser seal is broken



LOT:

EXP:

Nux vomica 10 m

\*CLAIMS BASED ON TRADITIONAL HOMEOPATHIC MEDICINE. NOT ACCEPTED MEDICAL EVIDENCE. NOT FDA APPROVED.



3

06960

52732 9



Contains approx. 80 pellets. US  
**Peel for Drugs Facts and instructions for use.**

PHIC PRACTICE,  
A EVALUATED.

## ***Drug Facts***

***Active ingredient***<sup>\*\*</sup>: See product name on front panel (contains 0.443 mg of the active ingredient per pellet).

***Uses***: See symptoms on front panel.

***Warnings***: Stop use and ask a doctor if symptoms persist for more than 3 days or worsen. If pregnant or breastfeeding, ask a health professional before use. Keep out of reach of children.

***Directions***: ■ Adults and children: At the onset of symptoms, dissolve 5 pellets under the tongue 3 times a day until symptoms are relieved or as directed by a doctor.

***Other information***: ■ Do not use if pellet dispenser seal is broken.

## ***Drug Facts*** (continued)

***Inactive ingredients***: lactose, sucrose

### **Questions or comments?**

BoironUSA.com Info@Boiron.com

1-800-BOIRON-1 (1-800-264-7661)

\*\*C, K, CK, and X are homeopathic dilutions: see BoironUSA.com/info for details.

Distributed by Boiron Inc.  
Newtown Square, PA 19073

How to  
dispense pellets?



1 Turn tube upside down.



2 Twist until 5 pellets are dispensed into cap.



3 Carefully remove cap and use it to pour pellets under the tongue.

**Nux vomica**

**10<sup>m</sup>**

HPUS NDC 0220-3709-41



**Heartburn, drowsiness from excess eating or drinking.\***



Lot:                      Exp:  
**3      06960              52732              9**

Contains approx. 80 pellets.      US

**Peel for Drugs Facts and instructions for use.**

Nux vomica 10 m

\*CLAIMS BASED ON TRADITIONAL HOMEOPATHIC PRACTICE, NOT ACCEPTED MEDICAL EVIDENCE. NOT FDA EVALUATED.

**Drug Facts**

## **Drug Facts**

**Active ingredient\*\*:** See product name on front panel (contains 0.443 mg of the active ingredient per pellet).

**Uses:** See symptoms on front panel.

**Warnings:** Stop use and ask a doctor if symptoms persist for more than 3 days or worsen. If pregnant or breastfeeding, ask a health professional before use. Keep out of reach of children.

**Directions:** ■ Adults and children: At the onset of symptoms, dissolve 5 pellets under the tongue 3 times a day until symptoms are relieved or as directed by a doctor.

**Other information:** ■ Do not use if pellet dispenser seal is broken.

## **Drug Facts** (continued)

**Inactive ingredients:** lactose, sucrose

### **Questions or comments?**

BoironUSA.com Info@Boiron.com

1-800-BOIRON-1 (1-800-264-7661)

\*\*C, K, CK, and X are homeopathic dilutions: see BoironUSA.com/info for details.

Distributed by Boiron Inc.

Newtown Square, PA 19073

How to  
dispense  
pellets?



1 Turn tube upside down.



2 Twist until 5 pellets are dispensed into cap.



3 Carefully remove cap and use it to pour pellets under the tongue.

## NUX VOMICA

strychnos nux-vomica seed pellet

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:0220-3709
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>STRYCHNOS NUX-VOMICA SEED</b> (UNII: 269XH13919) (STRYCHNOS NUX-VOMICA SEED - UNII:269XH13919)	STRYCHNOS NUX-VOMICA SEED	10 [hp_M] in 10 [hp_M]

### Inactive Ingredients

Ingredient Name	Strength
<b>SUCROSE</b> (UNII: C151H8M554)	
<b>LACTOSE, UNSPECIFIED FORM</b> (UNII: J2B2A4N98G)	

### Product Characteristics

<b>Color</b>	white	<b>Score</b>	
<b>Shape</b>	ROUND	<b>Size</b>	4mm
<b>Flavor</b>		<b>Imprint Code</b>	
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0220-3709-41	10 [hp_M] in 1 TUBE; Type 0: Not a Combination Product	03/03/1983	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		03/03/1983	

**Labeler** - Boiron (282560473)

**Registrant** - Boiron, Inc. (014892269)

**Establishment**

Name	Address	ID/FEI	Business Operations
Boiron		282560473	manufacture(0220-3709)

Revised: 11/2023

Boiron