TELLURIUM METALLICUM- tellurium pellet Boiron

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

Tellurium metallicum 200CK

Tellurium metallicum 200CK (**contains 0.443 mg of the active ingredient per pellet)

Low back pain worsened by exertion*

Stop use and ask a doctor if symptoms persist for more than 3 days or worsen

If pregnant or breast-feeding ask a health professional before use

Keep out of reach of children

Do not use if pellet dispenser seal is broken.

Contains approx 80 pellets.

How to dispense pellets? Turn tube upside down. Twist until 5 pellets are dispensed into cap. Carefully remove the cap and use it to pour pellets under the tongue.

*CLAIMS BASED ON TRADITIONAL HOMEOPATHIC PRACTICE NOT ACCEPTED MEDICAL EVIDENCE. NOT FDA EVALUATED.

*C,K,CK, and X are homeopathic dilutions: see BoironUSA.com/info for details.

lactose, sucrose

Adults and children: At the onset of symptoms, dissolve 5 pellets under the tongue 3 times a day until symptoms are relieved or as directed by a doctor.

1-800-BOIRON-1 (1-800-264-7661), BoironUSA.com Info@boiron.com Distributed by Boiron, Inc. Newtown Square, PA 19073



Low back pain worsened by exertion.*

Lot:

Exp:

06960 72631

Contains approx. 80 pellets. US Peel for Drugs Facts and instructions for use.

Drug Facts

Active ingredient**: See product name on front panel (contains 0.443 mg of the active ingredient per pellet).


Uses: See symptoms on front panel.

Warnings: Stop use and ask a doctor if symptoms persist for more than 3 days or worsen. If pregnant or breastfeeding, ask a health professional before use. Keep out of reach of children.

Directions: - Adults and children: At the onset of symptoms, dissolve 5 pellets under the tongue 3 times a day until symptoms are relieved or as directed by a doctor.

Other information: ■ Do not use if pellet dispenser seal is broken.

Drug Facts (continued) Inactive ingredients: lactose, sucrose Duestions or comments?



TELLURIUM METALLICUM

tellurium pellet

Product Information

Product Type HUMAN OTC DRUG Item Code (Source) NDC:0220-4939

Route of Administration ORAL

Active Ingredient/Active Moiety

Ingredient Name Basis of Strength Strength
TELLURIUM (UNII: NQA00090ZJ) (TELLURIUM - UNII:NQA00090ZJ)
TELLURIUM 200 [kp_C] in 200 [kp_C]

Inactive Ingredients Ingredient Name Sucrose (UNII: C151H8M554) LACTOSE, UNSPECIFIED FORM (UNII: J2B2A4N98G)

Product Characteristics				
Color	white	Score		
Shape	ROUND	Size	4mm	
Flavor		Imprint Code		
Contains				

Packaging						
#	Item Code	Package Description	Marketing Start Date	Marketing End Date		
1	NDC:0220- 4939-41	200 [kp_C] in 1 TUBE; Type 0: Not a Combination Product	03/03/1983			

Marketing Information					
Application Number or Monograph Citation	Marketing Start Date	Marketing End Date			
	03/03/1983				
	Application Number or Monograph	Application Number or Monograph Marketing Start Citation Date			

Labeler - Boiron (282560473)

Registrant - Boiron, Inc. (014892269)

Establishment					
Name	Address	ID/FEI	Business Operations		
Boiron		282560473	manufacture(0220-4939)		

Revised: 2/2023 Boiron