## PHOSPHORICUM ACIDUM- phosphoric acid pellet Boiron

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

-----

## Phosphoricum acidum 10M

Phosphoricum acidum 10M

(\*\*contains 0.443 mg of the active ingredient per pellet)

Poor concentration due to overwork\*

Stop use and ask a doctor if symptoms persist for more than 3 days or worsen

If pregnant or breast-feeding ask a health professional before use

Keep out of reach of children

Do not use if pellet dispenser seal is broken.

Contains approx 80 pellets.

How to dispense pellets? Turn tube upside down. Twist until 5 pellets are dispensed into cap. Carefully remove the cap and use it to pour pellets under the tongue. \*CLAIMS BASED ON TRADITIONAL HOMEOPATHIC PRACTICE NOT ACCEPTED MEDICAL EVIDENCE. NOT FDA EVALUATED.

\*C,K,CK, and X are homeopathic dilutions: see BoironUSA.com/info for details.

lactose, sucrose

Adults and children: At the onset of symptoms, dissolve 5 pellets under the tongue 3 times a day until symptoms are relieved or as directed by a doctor.

1-800-BOIRON-1 (1-800-264-7661), BoironUSA.com Info@boiron.com Distributed by Boiron, Inc. Newtown Square, PA 19073






## Drug Facts Active ingredient\*\*: See product name on front panel (contains 0.443 mg of the active ingredient per pellet). Uses: See symptoms on front panel. Warnings: Stop use and ask a doctor if symptoms persist for more than 3 days or worsen. If pregnant or breastfeeding, ask a health professional before use. Keep out of reach of children. Directions: • Adults and children: At the onset of symptoms, dissolve 5 pellets under the tongue 3 times a day until symptoms are relieved or as directed by a doctor. Other information: • Do not use if pellet

dispenser seal is broken.

**Drug Facts** (continued) **Inactive ingredients:** lactose, sucrose



PHOSPHORICUM AG	CIDUM			
phosphoric acid pellet				
Product Information				
Product Type	HUMAN OTC DRUG	Item Code	e (Source)	NDC:0220-4012
Route of Administration	ORAL			
• · · · · · · · · ·				
Active Ingredient/Active	Molety		Basis of	
Ingree	Strength			
PHOSPHORIC ACID (UNII: E4GA8 UNII:E4GA8884NN)	10 [hp_M] in 10 [hp_M]			
Inactive Ingredients				
	Strength			
SUCROSE (UNII: C151H8M554)				
LACTOSE, UNSPECIFIED FORM				
<b>Product Characteristics</b>				
Color	white	Score		
Shape	ROUND	Size		4mm

Flavor			Imprint Code				
Contains							
-							
Packaging							
#	ltem Code	Р	Package Description		Marketing Start Date	Marketing End Date	
1	NDC:0220-4012- 41	10 [hp_M] in Product	0 [hp_M] in 1 TUBE; Type 0: Not a Combination oduct		03/03/1983		
R/	arkating	Informa	tion				
Marketing Information							
	Marketing Category	Applic	ation Number or N Citation	Ionograph	Marketing Start Date	Marketing End Date	
	approved meopathic				03/03/1983		
110	neoputile						

Labeler - Boiron (282560473)

Registrant - Boiron, Inc. (014892269)

Establishment							
Name	Address	ID/FEI	Business Operations				
Boiron		282560473	manufacture(0220-4012)				

Revised: 11/2023

Boiron