

**DYE FREE CHILDRENS ACETAMINOPHEN- acetaminophen suspension**  
**Precision Dose, Inc.**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**DYE FREE CHILDREN'S ACETAMINOPHEN**  
**ORAL SUSPENSION**

Grape Flavor

160 mg/5 mL

***For Hospital Use Only***

***Drug Facts***

**Active ingredient (in each 5 mL)**

Acetaminophen 160 mg

**Purpose**

Pain reliever/fever reducer

**Uses**

temporarily:

- reduces fever
- relieves minor aches and pains due to:
  - the common cold
  - flu
  - headache
  - sore throat
  - toothache

**Warnings**

**Liver warning**

This product contains acetaminophen. Severe liver damage may occur if your child takes

- more than 5 doses in 24 hours, which is the maximum daily amount
- with other drugs containing acetaminophen

**Allergy alert**

Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

**Sore throat warning**

If sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly.

**Do not use**

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if your child has ever had an allergic reaction to this product or any of its ingredients

**Ask a doctor before use if your child has** liver disease

**Ask a doctor or pharmacist before use if your child is** taking the blood thinning drug warfarin

**When using this product do not exceed recommended dose (see overdose warning)**

**Stop use and ask a doctor if**

- pain gets worse or lasts more than 5 days
- fever gets worse or lasts more than 3 days
- new symptoms occur
- redness or swelling is present

These could be signs of a serious condition.

**Keep out of reach of children.**

**Overdose warning**

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). Quick medical attention is critical even if you do not notice any signs or symptoms.

**Directions**

- **use as directed per healthcare professional.**
- **this product does not contain directions or complete warnings for adult use**
- **do not give more than directed (see overdose warning)**
- **shake well before using**
- mL = milliliter
- find right dose on chart below. If possible, use weight to dose; otherwise use age
- repeat dose every 4 hours while symptoms last
- do not give more than 5 times in 24 hours

<b>Weight (lb)</b>	<b>Age (yr)</b>	<b>Dose (mL)*</b>
under 24	under 2 years	ask a doctor
24-35	2-3 years	5 mL
36-47	4-5 years	7.5 mL
48-59	6-8 years	10 mL
60-71	9-10 years	12.5 mL
72-95	11 years	15 mL

\* or as directed by a doctor

**Other information**

- **each 5 mL contains:** sodium 3 mg
- store at 20-25°C (68-77°F)
- See individual label or shipper for lot number and expiration date.

## Inactive ingredients

anhydrous citric acid, calcium sulfate, carrageenan, flavor, glycerin, hydroxyethyl cellulose, microcrystalline cellulose and carboxymethylcellulose sodium, propylene glycol, propylparaben, purified water, sodium benzoate, sorbitol solution, sucralose, tribasic sodium phosphate

**Alcohol Free**

**Aspirin Free**

**Dye Free, Non-Staining**

**Gluten Free**

**Ibuprofen Free**

## How Supplied

NDC 68094-015-61

5 mL per unit dose cup

One hundred (100) cups per shipper

NDC 68094-015-62

5 mL per unit dose cup

Thirty (30) cups per shipper

Distributed By

**Perrigo Company**

Allegan, MI 49010

Packaged By

**Precision Dose, Inc.**

South Beloit, IL 61080

LI1091 Rev. 03/17

## PRINCIPAL DISPLAY PANEL - 5 mL Cup Label

NDC 68094-015-59

**PrecisionDose™**

**Children's ACETAMINOPHEN**

**Oral Suspension**

**160 mg/5 mL**

**DYE**

**FREE**

Pkg: Precision Dose, Inc., S. Beloit, IL 61080



# DYE FREE CHILDRENS ACETAMINOPHEN

acetaminophen suspension

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:68094-015(NDC:0113-0397)
<b>Route of Administration</b>	ORAL		

## Active Ingredient/Active Moiety

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
Acetaminophen (UNII: 362O9ITL9D) (Acetaminophen - UNII:362O9ITL9D)	Acetaminophen	160 mg in 5 mL

## Inactive Ingredients

<b>Ingredient Name</b>	<b>Strength</b>
anhydrous citric acid (UNII: XF417D3PSL)	
calcium sulfate, unspecified form (UNII: WAT0DDB505)	
carrageenan (UNII: 5C69YCD2YJ)	
glycerin (UNII: PDC6A3C0OX)	
microcrystalline cellulose (UNII: OP1R32D61U)	
carboxymethylcellulose sodium, unspecified form (UNII: K679OBS311)	
propylene glycol (UNII: 6DC9Q167V3)	
propylparaben (UNII: Z8IX2SC1OH)	
water (UNII: 059QF0KOOR)	
sodium benzoate (UNII: OJ245FE5EU)	
sorbitol (UNII: 506T60A25R)	
sucralose (UNII: 96K6UQ3ZD4)	
sodium phosphate, tribasic (UNII: A752Q30A6X)	

## Product Characteristics

<b>Color</b>	WHITE	<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>	GRAPE	<b>Imprint Code</b>	
<b>Contains</b>			

## Packaging

<b>#</b>	<b>Item Code</b>	<b>Package Description</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
1	NDC:68094-015-62	3 in 1 CASE	01/13/2017	
1		10 in 1 TRAY		
1	NDC:68094-015-59	5 mL in 1 CUP, UNIT-DOSE; Type 0: Not a Combination Product		
2	NDC:68094-015-61	10 in 1 CASE	08/17/2017	
2		10 in 1 TRAY		

2	NDC:68094-015-59	5 mL in 1 CUP, UNIT-DOSE; Type 0: Not a Combination Product
---	------------------	---

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH NOT FINAL	part343	01/13/2017	

**Labeler** - Precision Dose, Inc. (035886746)

Revised: 11/2020

Precision Dose, Inc.