RATANHIA- krameria lappacea root pellet Boiron

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

Ratanhia 30C

Ratanhia 30C

(**contains 0.443 mg of the active ingredient per pellet)

Hemorrhoids following constipation*

Stop use and ask a doctor if symptoms persist for more than 3 days or worsen

If pregnant or breast-feeding ask a health professional before use

Keep out of reach of children

Do not use if pellet dispenser seal is broken.

Contains approx 80 pellets.

How to dispense pellets? Turn tube upside down. Twist until 5 pellets are dispensed into cap. Carefully remove the cap and use it to pour pellets under the tongue. *CLAIMS BASED ON TRADITIONAL HOMEOPATHIC PRACTICE NOT ACCEPTED MEDICAL EVIDENCE. NOT FDA EVALUATED.

*C,K,CK, and X are homeopathic dilutions: see BoironUSA.com/info for details.

lactose, sucrose

Adults and children: At the onset of symptoms, dissolve 5 pellets under the tongue 3 times a day until symptoms are relieved or as directed by a doctor.

1-800-BOIRON-1 (1-800-264-7661), BoironUSA.com Info@boiron.com Distributed by Boiron, Inc. Newtown Square, PA 19073





Drug Facts

Active ingredient**: See product name on front panel (contains 0.443 mg of the active ingredient per pellet).


Uses: See symptoms on front panel.

Warnings: Stop use and ask a doctor if symptoms persist for more than 3 days or worsen. If pregnant or breastfeeding, ask a health professional before use. Keep out of reach of children.

Directions: Adults and children: At the onset of symptoms, dissolve 5 pellets under the tongue 3 times a day until symptoms are relieved or as directed by a doctor.

Other information: Do not use if pellet dispenser seal is broken.

Drug Facts (continued) Inactive ingredients: lactose, sucrose



RATANHIA					
krameria lappacea root pelle	et				
Product Information					
Product Type	HUMAN OTC DRUG	Item Code (S	ource)	NDC:0220-4339	
Route of Administration	ORAL				
Active Ingredient/Active	e Moiety				
Ingi	Strength				
KRAMERIA LAPPACEA ROOT (U ROOT - UNII:P29ZH1A35Z)	EA 30 [hp_C] in 30 [hp_C]				
Inactive Ingredients					
	Strength				
SUCROSE (UNII: C151H8M554)					
LACTOSE, UNSPECIFIED FORM					
Product Characteristics					
Color	white	Score			
Shape	ROUND	Size		4mm	

ntains		Flavor		Imprint Code			
iitaiiis							
Packaging							
ltem Code	P	Package Description		Marketing Start Date	Marketing End Date		
NDC:0220-4339- 41	30 [hp_C] in 3 Product			03/03/1983			
arkotina	Informa	tion					
Marketing Category	Applic	ation Number or N Citation	lonograph	Marketing Start Date	Marketing End Date		
approved neopathic				03/03/1983			
	Item Code NDC:0220-4339- 41 arketing Marketing Category Ppproved	Item Code P NDC:0220-4339- 41 30 [hp_C] in 3 Product arketing Category Applic Marketing Category Applic	Item Code Package Description NDC:0220-4339- 41 30 [hp_C] in 1 TUBE; Type 0: Not a Product arketing Category Application Number or N Citation	Item Code Package Description NDC:0220-4339- 41 30 [hp_C] in 1 TUBE; Type 0: Not a Combination Product arketing Category Application Number or Monograph Citation	Item Code Package Description Marketing Start Date NDC:0220-4339- 41 30 [hp_C] in 1 TUBE; Type 0: Not a Combination Product 03/03/1983 arketing Information Marketing Category Application Number or Monograph Citation Marketing Start Date opproved 03/03/1983 03/03/1983 03/03/1983		

Labeler - Boiron (282560473)

Registrant - Boiron, Inc. (014892269)

Establishment					
Name	Address	ID/FEI	Business Operations		
Boiron		282560473	manufacture(0220-4339)		

Revised: 11/2023

Boiron