

4276 FIRST AID KIT- 4276 first aid
Honeywell Safety Products USA, Inc.

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

0498-4276: First Aid Kit (Triple, Burn Jel, PVP wipe- SF00001585)

Burn Jel
Active ingredient

Lidocaine HCl 2.0%

Burn Jel
Purpose

External analgesic

Burn Jel
Uses

- temporarily relieves pain due to minor burns

Burn Jel
Warnings

For external use only

Do not use

- on large areas of the body, particularly over raw surfaces or blistered areas

When using this product

- avoid contact with eyes

Stop use and ask a doctor if

- the condition gets worse
- symptoms persist for more than 7 days
- condition clears up and recurs within a few days

Keep out of reach of children

- If swallowed, get medical help or contact a Poison Control Center right away.

Burn JEI
Directions

- adults and children 2 years of age and older; apply to affected area not more than 3 to 4 times daily

- children under 2 years of age: ask a doctor
- you may report a serious reaction to this product to 800-430-5490

Burn Jel

Other information

- store at room temperature - do not use if opened or torn

Burn Jel

Inactive ingredients

carbopol 940, carbopol 1342, diazolidinyl urea, glycerin, melaleuca alternifolia (tea tree) leaf oil, methylparaben, octoxynol-9, propylene glycol, propylparaben, trolamine, water

Burn Jel

Questions

1-800-430-5490

Triple

Active ingredient

Bacitracin zinc 400 units

Neomycin sulfate (5 mg equivalent to 3.5 mg Neomycin base)

Polymyxin B sulfate 5000 units

Triple

Purpose

First aid antibiotic

First aid antibiotic

First aid antibiotic

Triple

Uses

first aid to help prevent infection in:

- minor cuts
- scrapes
- burns

Triple

Warnings

For external use only

Allergy alert: do not use if you are allergic to any of the ingredients

Do not use

- in the eyes
- over large areas of the body
- Ask a doctor before use if you have
- a deep or puncture wounds
- animal bites
- serious burns

Stop use and ask a doctor if

- the condition persists or gets worse
- a rash or other allergic reaction develops
- you need to use longer than 1 week

Keep out of the reach of children

If swallowed, get medical help or contact a Poison Control Center right away.

Triple

Directions

- clean the affected area
- apply a small amount of the product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily
- may be covered with a sterile bandage

Triple

Other information

- store at 15 ° to 25 ° C (59 ° to 77 ° F)
- tamper evident sealed packets
- do not use if packet is torn or opened

Triple

Inactive ingredient

petrolatum

Triple

Questions?

1-800-430-5490

PVP Wipe

Active ingredient

Povidone-iodine 10%

(equivalent to 1% titratable iodine)

PVP Wipe**Purpose**

First aid antiseptic

PVP Wipe**Uses**

First aid antiseptic to help prevent infection in minor cuts, scrapes and burns

PVP Wipe**Warnings**

For external use only.

Ask a doctor before use if you have

- deep or puncture wounds
- animal bites
- serious burns

Stop use and ask a doctor if

condition worsens or persists for more than 72 hours
irritation and redness develops

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

PVP Wipe**Directions**

- clean the affected area
- apply 1 to 3 times daily
- may be covered with a sterile bandage
- if bandaged, let dry first
- discard wipe after single use

PVP Wipes**Other information**

- do not use on individuals who are allergic or sensitive to iodine

- store at controlled temperature 59-86°F (15-30°C)
- do not use if pouch is open or torn

PVP Wipes

Inactive ingredients

nonoxynol 9, water

PVP Wipes

Questions

1-800-430-5490

4276

SF00001585 Kit Contents


1 TRIPLE ANTIBIOTIC 10 PER
 1 TRIANGULAR BDG, NON-STERILE
 1 GAUZE PADS, 3" X 3", 4 PER
 1 INSTANT COLD PACK 4" X 6"
 1 ADHESIVE BDG, PLSTIC, 1" X 3" 16 PER
 1 BURN JEL 1/8 OZ, 6 PER
 1 PVP IODINE WIPES 10 PER
 1 NITRILE GLOVES 2PR BBP
 1 TWEEZER PLASTICS 4"
 FLEXICON 3" X 4.1 YD 12/BAG
 1 FIRST AID GUIDE ASHI
 1 SCISSOR BDGE 4" RED PLS HDL
 1 BANDAGE COMP 4" W/TELFAPAD 1
 LBL STOCK 6-3/8" X 4"
 LBL STOCK 4" X 2-7/8"
 1 LBL STOCK 3" X 1-7/8"
 1 KIT, PP 16 UNIT FA
 2 ADHES TAPE EYE STRIPS 2'S
 2 EYE PADS STD OVAL STERILE

Burn Jel

Principal Display Panel



Principal Display Panel



PVP Wipe
Principal Display Panel



secim euinol iM

NORTH
by Harnapp

02-12-0
PVP iodine Wipes

Drug Facts (continued)

- Ask a doctor before use**
- in case of deep or puncture wounds, animal bites, or serious burns
- Stop use and ask a doctor if**
- condition persists or gets worse
- Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.**
- Directions**
- clean the affected area
 - apply a small amount of the product on the area 1 to 3 times daily
 - may be covered with a sterile bandage
 - if bandaged, let dry first
- Other information**
- do not use on burns that are deep or severe
 - store at room temperature, 15-30° C (59-86° F)
 - do not use if pouch is open or torn
 - discard after each use.

Warnings

Keep out of reach of children.

Questions and comments? 1-800-430-4410

PVP iodine Wipes

NORTH
by Harnapp



PVP iodine Wipes

For Saturated Wipe

ANSI Z395.1-20

02-12-0

Drug Facts

- Active ingredient**
- Povidone-iodine, 10% (equivalent to 1% free iodine)
- Use**
- Use to help prevent the risk of infection in minor cuts, scrapes, and burns.
- Warnings**
- For external use only.
- When using this product**
- do not use in the eyes or apply near large areas of the body
 - do not use longer than 1 week unless directed by a doctor



Distributed by Honeywell Safety Products USA, Inc. Smithfield, RI 02917

4276 FIRST AID KIT

4276 first aid kit

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0498-4276
---------------------	----------------	---------------------------	---------------

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-4276-01	1 in 1 KIT	09/13/2018	

Quantity of Parts

Part #	Package Quantity	Total Product Quantity
Part 1	6 PACKET	21 g
Part 2	10 POUCH	3 mL
Part 3	5 PACKET	4.4 g

BURN JEL

gel for burns gel

Product Information

Item Code (Source)	NDC:0498-0203
Route of Administration	TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LIDOCAINE HYDROCHLORIDE (UNII: V13007Z41A) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE HYDROCHLORIDE ANHYDROUS	2 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
TEA TREE OIL (UNII: VIF565UC2G)	
DIAZOLIDINYL UREA (UNII: H5RIZ3MPW4)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
GLYCERIN (UNII: PDC6A3C0OX)	
TROLAMINE (UNII: 9O3K93S3TK)	
CARBOMER HOMOPOLYMER TYPE C (ALLYL PENTAERYTHRITOL CROSSLINKED) (UNII: 4Q93RCW27E)	
CARBOMER HOMOPOLYMER TYPE B (ALLYL PENTAERYTHRITOL CROSSLINKED) (UNII: HHT01Z NK31)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	
OCTOXYNOL-9 (UNII: 7JPC6Y25QS)	
DIPROPYLENE GLYCOL (UNII: E107L85C40)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-0203-00	3.5 g in 1 PACKET; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		09/19/2018	

PVP IODINE WIPE

povidone-iodine 10% swab

Product Information

Item Code (Source)	NDC:0498-0121
Route of Administration	TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
POVIDONE-IODINE (UNII: 85H0HZU99M) (IODINE - UNII:9679TC07X4)	IODINE	10 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
NONOXYNOL-9 (UNII: 48Q180SH9T)	
WATER (UNII: 059QF0KO0R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-0121-00	0.3 mL in 1 POUCH; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		09/18/2018	

Part 3 of 3

TRIPLE ANTIBIOTIC

bacitracin zinc, polymyxin b sulfate, neomycin sulfate ointment

Product Information

Item Code (Source)	NDC:0498-0750
Route of Administration	TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
POLYMYXIN B SULFATE (UNII: 19371312D4) (POLYMYXIN B - UNII:J2VZ 07J96K)	POLYMYXIN B	5000 [iU] in 1 g
BACITRACIN ZINC (UNII: 89Y4M234ES) (BACITRACIN - UNII:58H6RWO52I)	BACITRACIN	400 [iU] in 1 g
NEOMYCIN SULFATE (UNII: 057Y626693) (NEOMYCIN - UNII:I16QD7X297)	NEOMYCIN	3.5 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
PETROLATUM (UNII: 4T6H12BN9U)	

Product Characteristics

Color	white	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-0750-35	0.9 g in 1 PACKET; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		09/19/2018	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		09/13/2018	

Labeler - Honeywell Safety Products USA, Inc. (118768815)

Revised: 1/2024

Honeywell Safety Products USA, Inc.