

**CHILDRENS COLD AND ALLERGY RELIEF- brompheniramine maleate,
phenylephrine hcl liquid
Family Dollar (FAMILY WELLNESS)**

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Drug Facts

Active ingredients (in each 10 mL)

Brompheniramine maleate 2 mg

Phenylephrine HCl 5 mg

Purposes

Antihistamine

Nasal decongestant

Uses

- temporarily relieves nasal congestion due to the common cold, hay fever or other upper respiratory allergies
- temporarily relieves these symptoms due to hay fever (allergic rhinitis)
 - runny nose
 - itchy, watery eyes
 - sneezing
 - itching of the nose or throat
- temporarily restores freer breathing through the nose

Warnings

Do not use

- to sedate a child or to make a child sleepy
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- heart disease
- high blood pressure
- thyroid disease
- diabetes
- glaucoma

- trouble urinating due to an enlarged prostate gland
- a breathing problem such as emphysema or chronic bronchitis

Ask a doctor or pharmacist before use if you are

- taking any other oral nasal decongestant or stimulant
- taking sedatives or tranquilizers

When using this product

- **do not use more than directed**
- drowsiness may occur
- avoid alcoholic beverages
- alcohol, sedatives, and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery
- excitability may occur, especially in children

Stop use and ask a doctor if

- nervousness, dizziness or sleeplessness occur
- symptoms do not get better within 7 days or are accompanied by fever

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

- do not take more than 6 doses in any 24-hour period
- measure only with dosing cup provided. Do not use any other dosing device.
- keep dosing cup with product
- mL = milliliter
- shake well before using

age	dose
adults and children 12 years and over	20 mL every 4 hours
children 6 to 11 years	10 mL every 4 hours
children under 6 years	do not use

Other information

- **each 10 mL contains:** sodium 5 mg
- store at 20-25°C (68-77°F). Do not refrigerate.

Inactive ingredients

anhydrous citric acid, FD&C blue #1, FD&C red # 40, flavor, glycerin, propylene glycol,

purified water, sodium benzoate, sorbitol, sucralose, trisodium citrate dihydrate

Questions or comments?

Call **1-877-753-3935** Monday-Friday 9AM-5PM EST

Principal Display Panel

COMPARE TO THE ACTIVE INGREDIENTS OF CHILDREN'S DIMETAPP® COLD & ALLERGY*

Children's

Cold & Allergy

Brompheniramine Maleate 2 mg Antihistamine

Phenylephrine HCl 5 mg Nasal Decongestant

Relieves Nasal Symptoms:

- Stuffy Nose
- Runny Nose
- Sneezing

Plus Other Symptoms:

- Itchy, Watery Eyes
- Itchy Nose or Throat

GRAPE FLAVOR

Alcohol free

DOSAGE CUP PROVIDED

FL OZ (mL)

*This product is not manufactured or distributed by Pfizer Consumer Healthcare, distributors of Children's Dimetapp® Cold & Allergy.

TAMPER EVIDENT: DO NOT USE IF CARTON IS OPENED OR IF PRINTED SAFETY SEAL AROUND BOTTLE OR UNDER CAP IS BROKEN OR MISSING.

DISTRIBUTED BY: MIDWOOD BRANDS, LLC

500 VOLVO PARKWAY, CHESAPEAKE, VA 23320

Package Label

Drug Facts (continued)	
Age	Dose
adults and children 12 years and over	20 mL every 4 hours
children 6 to 11 years	10 mL every 4 hours
children under 6 years	do not use
Other information	
■ each 10 mL contains: sodium 5 mg	
■ store between 20-25°C (68-77°F). Do not refrigerate.	
Inactive ingredients citric acid, FD&C blue #1, FD&C red #40, flavor, glycerin, propylene glycol, purified water, sodium benzoate, sodium citrate dihydrate, sorbitol, sucralose	
Questions or comments? Call 1-877-753-3935 Monday-Friday 9AM-5PM EST	

*This product is not manufactured or distributed by Pfizer Consumer Healthcare, distributor of Children's Dimetapp® Cold & Allergy.

TAMPER EVIDENT: DO NOT USE IF CARTON IS OPENED OR IF PRINTED SAFETY SEAL AROUND BOTTLE OR UNDER CAP IS BROKEN OR MISSING.

DISTRIBUTED BY: MIDWOOD BRANDS, LLC
500 VOLVO PARKWAY, CHESAPEAKE, VA 23320

NOT 100% SATISFIED?
Return package and unused product within 30 days to any Family Dollar store for a refund (with receipt) or exchange.

COMPARE TO THE ACTIVE INGREDIENTS OF CHILDREN'S DIMETAPP® COLD & ALLERGY*

FAMILY wellness™

Children's Cold & Allergy

NDC 55319-812-04

Brompheniramine Maleate 2 mg
Antihistamine
Phenylephrine HCl 5 mg
Nasal Decongestant

Relieves Nasal Symptoms:
• Stuffy Nose • Runny Nose
• Sneezing
Plus Other Symptoms:
• Itchy, Watery Eyes
• Itching of the Nose or Throat



GRAPE FLAVOR
Alcohol Free



DOSAGE CUP
PROVIDED

For Ages
6 Years & Over



4 FL OZ (118 mL)

COMPARE TO THE ACTIVE INGREDIENTS OF CHILDREN'S DIMETAPP® COLD & ALLERGY*

FAMILY wellness™

Children's Cold & Allergy

NDC 55319-812-04

Brompheniramine Maleate 2 mg
Antihistamine
Phenylephrine HCl 5 mg
Nasal Decongestant

Relieves Nasal Symptoms:
• Stuffy Nose • Runny Nose
• Sneezing
Plus Other Symptoms:
• Itchy, Watery Eyes
• Itching of the Nose or Throat



GRAPE FLAVOR
Alcohol Free



DOSAGE CUP
PROVIDED

For Ages
6 Years & Over



4 FL OZ (118 mL)

Drug Facts

Active Ingredients (in each 10 mL) **Purposes**
Brompheniramine maleate 2 mg.....Antihistamine
Phenylephrine HCl 5 mg.....Nasal decongestant

Uses

- temporarily relieves nasal congestion due to the common cold, hay fever or other upper respiratory allergies
- temporarily relieves these symptoms due to hay fever (allergic rhinitis)
 - runny nose
 - itchy, watery eyes
 - sneezing
 - itching of the nose or throat
- temporarily restores free breathing through the nose

Warnings

Do not use

- to sedate a child or to make a child sleepy
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- heart disease
- high blood pressure
- glaucoma
- diabetes
- thyroid disease
- trouble urinating due to an enlarged prostate gland
- a breathing problem such as emphysema or chronic bronchitis

Ask a doctor or pharmacist before use if you are

- taking any other oral nasal decongestant or stimulant
- taking sedatives or tranquilizers

When using this product

- do not use more than directed
- drowsiness may occur
- avoid alcoholic beverages
- alcohol, sedatives, and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery
- excitability may occur, especially in children

Stop use and ask a doctor if

- nervousness, dizziness or sleeplessness occur
- symptoms do not get better within 7 days or are accompanied by fever

If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

- do not take more than 6 doses in any 24-hour period
- measure only with dosing cup provided. Do not use any other dosing device.
- keep dosing cup with product
- shake well before using
- mL = milliliter

SKU 0917529



PLD-A260C FC007227

Lot No:
Exp. Date:

FAMILY WELLNESS Children's Cold and Allergy

CHILDRENS COLD AND ALLERGY RELIEF

brompheniramine maleate, phenylephrine hcl liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:55319-812
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BROMPHENIRAMINE MALEATE (UNII: IXA7C9Z N03) (BROMPHENIRAMINE - UNII:H57G17P2FN)	BROMPHENIRAMINE MALEATE	2 mg in 10 mL
PHENYLEPHRINE HYDROCHLORIDE (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII:1WS297W6MV)	PHENYLEPHRINE HYDROCHLORIDE	5 mg in 10 mL

Inactive Ingredients

Ingredient Name	Strength
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
GLYCERIN (UNII: PDC6A3C0OX)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
WATER (UNII: 059QF0KO0R)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	
TRISODIUM CITRATE DIHYDRATE (UNII: B22547B95K)	
SORBITOL (UNII: 506T60A25R)	
SUCRALOSE (UNII: 96K6UQ3ZD4)	
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)	

Product Characteristics

Color		Score	
Shape		Size	
Flavor	GRAPE	Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:55319-812-04	1 in 1 BOX	06/26/2020	06/26/2025
1		118 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part341	06/26/2020	06/26/2025

Labeler - Family Dollar (FAMILY WELLNESS) (024472631)

Revised: 2/2023

Family Dollar (FAMILY WELLNESS)