SPONGIA TOSTA- spongia officinalis skeleton, roasted pellet Boiron

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

Spongia tosta 6C

Active ingredient ** (in each pellet)

Spongia tosta 6C HPUS

(**contains 0.443 mg of the active ingredient per pellet)

The letters "HPUS" indicate that the components in this product are officially monographed in the Homeopathic Pharmacopoeia of the United States.

Relieves croupy, barking, or dry cough and hoarseness*

Cough Relief Uses*

temporarily relieves croupy, barking, or dry cough and hoarseness due to minor bronchial irritation

Tube Uses*

Relieves dry, barking cough *

Cough Relief Carton

Ask a doctor before use if you have

- cough that occurs with too much phlegm (mucus)
- cough that lasts or is chronic such as occurs with smoking, asthma, chronic bronchitis, or emphysema

Cough Relief Carton

Stop use and ask a doctor if cough lasts more than 7 days, comes back, or is accompanied by fever, rash, or persistent headache. These could be signs of a serious condition.

Tube

Stop use and ask a doctor if symptoms persist for more than 3 days or worsen.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of accidental overdose, get medical help or contact a Poison Control Center right away.

Cough Relief Carton

Adults and children 4 years of age and older: At the onset of symptoms, dissolve 5 pellets under the tongue every hour. Decrease frequency with improvement. Children under 4 years of age: Ask a doctor.

Tube

Adults and children: At the onset of symptoms, dissolve 5 pellets under the tongue 3 times a day until symptoms are relieved or as directed by a doctor.

lactose, sucrose

Cough Relief Carton

Cough Relief*

Croupy, Barking or Dry Cough Hoarseness

3 Tubes

Approx 80 pellets each

16 Doses per tube

Total 240 pellets

do not use if glued carton end flaps are open or if pellet dispenser seal is broken contains 0.25 g of sugar per dose

Turn tube upside down. Twist until 5 pellets are dispensed. Remove the cap and use it to pour pellets under tongue.

Tube

Do not use if pellet dispenser seal is broken.

Contains approx 80 pellets.

How to dispense pellets? Turn tube upside down. Twist until 5 pellets are dispensed into cap. Carefully remove the cap and use it to pour pellets under the tongue.

*CLAIMS BASED ON TRADITIONAL HOMEOPATHIC PRACTICE NOT ACCEPTED MEDICAL EVIDENCE. NOT FDA EVALUATED.

*C,K,CK, and X are homeopathic dilutions: see BoironUSA.com/info for details.

BoironUSA.com Info@boiron.com 1-800-BOIRON-1 (1-800-264-7661) Distributed by Boiron, Inc. Newtown Square, PA 19073





Drug Facts

Active ingredient": See product name on front panel (contains 0.443 mg of the active ingredient per pellet).

Uses: See symptoms on front panel.

Warnings: Stop use and ask a doctor if symptoms persist for more than 3 days or worsen. If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children.

Directions: • Adults and children: At the onset of symptoms, dissolve 5 pellets under the tongue 3 times a day until symptoms are relieved or as directed by a doctor.







Lot: Exp:

3 **06960 69808** 1

Contains approx. 80 pellets. US Peel for Drugs Facts and instructions for use.

Drug Facts

Active ingredient**: See product name on front panel (contains 0.443 mg of the active ingredient per pellet).

Uses: See symptoms on front panel.

Warnings: Stop use and ask a doctor if symptoms persist for more than 3 days or worsen. If pregnant or breastfeeding, ask a health professional before use. Keep out of reach of children.


Directions: ■ Adults and children: At the onset of symptoms, dissolve 5 pellets under the tongue 3 times a day until symptoms are relieved or as directed by a doctor.

Other information: ■ Do not use if pellet dispenser seal is broken.

Drug Facts (continued)

Inactive ingredients: lactose, sucrose

Questions or comments?



SPONGIA TOSTA

spongia officinalis skeleton, roasted pellet

Product Information

Product Type HUMAN OTC DRUG Item Code (Source) NDC:0220-4866

Route of Administration ORAL

Active Ingredient/Active Moiety

Ingredient Name

SPONGIA OFFICINALIS SKELETON, ROASTED (UNII: 1PIP394IID) (SPONGIA OFFICINALIS SKELETON, ROASTED - UNII:1PIP394IID)

Basis of Strength

SPONGIA OFFICINALIS SKELETON, ROASTED - UNII:1PIP394IID)

6 [hp_C] in 6 [hp_C]

Inactive Ingredients

Ingredient Name
Strength

LACTOSE, UNSPECIFIED FORM (UNII: J2B2A4N98G)

SUCROSE (UNII: C151H8M554)

Product Characteristics					
Color	white	Score			
Shape	ROUND	Size	4mm		
Flavor		Imprint Code			
Contains					

P	Packaging					
#	Item Code	Package Description	Marketing Start Date	Marketing End Date		
1	NDC:0220-4866- 41	6 [hp_C] in 1 TUBE; Type 0: Not a Combination Product	03/03/1983			
2	NDC:0220-4866- 43	3 in 1 BOX	06/25/2024			
2	NDC:0220-4866- 41	6 [hp_C] in 1 TUBE; Type 0: Not a Combination Product				

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
unapproved homeopathic		03/03/1983		

Labeler - Boiron (282560473)

Registrant - Boiron, Inc. (014892269)

Establishment					
Name	Address	ID/FEI	Business Operations		
Boiron		282560473	manufacture(0220-4866)		

Revised: 6/2024 Boiron