

**STOPAIN EXTRA STRENGTH GEL- menthol gel**  
**Troy Manufacturing, Inc.**

-----  
**Stopain Extra Strength Gel**

***Drug Facts***

***Active Ingredient***

Menthol 8.0%

***Purpose***

Topical Analgesic

***Uses***

For the temporary relief of minor aches and pains of muscles and joints associated with: • simple backache • arthritis • strains • bruises • sprains

***Warnings***

**For external use only.** Avoid contact with eyes

**Flammable: Keep away from fire or flame.**

**When using this product**

• use only as directed • do not bandage tightly or use a heating pad • do not apply to wounds or damaged skin

**Stop use and ask a doctor if**

• condition worsens, or if symptoms persist for more than 7 days or clear up and occur again within a few days • redness is present • excessive irritation of the skin develops

**If pregnant or breast-feeding,**

ask a health professional before use.

**Keep out of reach of children.**

If swallowed, get medical help or contact a Poison Control Center right away.

***Directions***

**Adults and children over 12 years:** • apply directly onto affected area without the need to bandage • repeat if necessary, but do not apply more than 4 times daily.

**Children 12 years or younger:**ask a doctor.

**Other Information**

- Store at room temperature

**Inactive Ingredients**

acrylic acid/vinyl ester copolymer, dimethylsulfone (MSM), eucalyptus oil, glucosamine sulfate, hydroxypropylcellulose, PEG-8 dimethicone, pentylene glycol, peppermint oil, SD alcohol 39C, triethanolamine, water (USP).

**Package Labeling:63936-8800-3**



**Fast Acting • Long Lasting**

**Stopain**<sup>®</sup>

**Extra Strength PAIN RELIEVING GEL**

Immediate, Penetrating Relief from:

- Arthritis
- Muscle Aches
- Joint & Back Pain

**with MSM & Glucosamine**

16 FL OZ (473mL)

*Stopain. Exactly what it does.<sup>®</sup>*

<b>Drug Facts</b>	
<b>Active Ingredient</b>	<b>Purpose</b>
Menthol 8.0%.....	Topical Analgesic
<b>Uses</b> For the temporary relief of minor aches and pains of muscles and joints associated with: ■ simple backache ■ arthritis ■ strains ■ bruises ■ sprains	
<b>Warnings</b> For external use only. Avoid contact with eyes.	
<b>Flammable:</b> Keep away from fire or flame.	
<b>When using this product</b> ■ use only as directed ■ do not bandage tightly or use a heating pad ■ do not apply to wounds or damaged skin	
<b>Stop use and ask a doctor if</b> ■ condition worsens, or if symptoms persist for more than 7 days or clear up and occur again within a few days ■ redness is present ■ excessive irritation of the skin develops	
<b>If pregnant or breast-feeding,</b> ask a health professional before use.	
<b>Keep out of reach of children.</b> If swallowed, get medical help or contact a Poison Control Center right away.	
<b>Directions</b> Adults and children over 12 years: ■ apply directly onto affected area without the need to bandage ■ repeat if necessary, but do not apply more than 4 times daily. Children 12 years or younger: ask a doctor.	
<b>Other Information</b> ■ Store at room temperature	
<b>Inactive Ingredients</b> acrylic acid/vinyl ester copolymer, dimethylsulfone (MSM), eucalyptus oil, glucosamine sulfate, hydroxypropylcellulose, PEG-8 dimethicone, pentylene glycol, peppermint oil, SD alcohol 39C, triethanolamine, water (USP).	

**TROY HEALTHCARE**

Manufactured for:  
Troy Healthcare, LLC  
130 Lions Drive • Hazleton, PA 18202  
800-201-PAIN (7246) • www.stopain.com

**MADE IN USA**

©2022  
Troy Healthcare, LLC  
2-581 REV 00 / 0922

7 24909 88004 3

**Package Labeling:63936-8800-2**

**Fast Acting • Long Lasting**



**Extra Strength PAIN RELIEVING GEL**

Immediate, Penetrating Relief from:

- Arthritis
- Muscle Aches
- Joint & Back Pain

**with MSM & Glucosamine**

32 FL OZ (946mL)

**Stopain. Exactly what it does.®**

**Drug Facts**

Active Ingredient	Purpose
Menthol 8.0%	Topical Analgesic

**Uses** For the temporary relief of minor aches and pains of muscles and joints associated with: ■ simple backache ■ arthritis ■ strains ■ bruises ■ sprains

**Warnings** For external use only. Avoid contact with eyes.

**Flammable: Keep away from fire or flame.**

**When using this product** ■ use only as directed ■ do not bandage tightly or use a heating pad ■ do not apply to wounds or damaged skin

**Stop use and ask a doctor if** ■ condition worsens, or if symptoms persist for more than 7 days or clear up and occur again within a few days ■ redness is present ■ excessive irritation of the skin develops

**If pregnant or breast-feeding,** ask a health professional before use.

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions** Adults and children over 12 years: ■ apply directly onto affected area without the need to bandage ■ repeat if necessary, but do not apply more than 4 times daily.

**Children 12 years or younger:** ask a doctor.

**Other Information** ■ Store at room temperature

**Inactive Ingredients** acrylic acid/vinyl ester copolymer, dimethylsulfone (MSM), eucalyptus oil, glucosamine sulfate, hydroxypropylcellulose, PEG-8 dimethicone, pentylene glycol, peppermint oil, SD alcohol 39C, triethanolamine, water (USP).



Manufactured for:  
Troy Healthcare, LLC  
130 Lions Drive • Hazleton, PA 18202  
800-201-PAIN (7246) • www.stopain.com



©2022  
Troy Healthcare, LLC  
2-582 REV 00 / 0922



**Package Labeling:63936-8800-1**

**Fast Acting • Long Lasting**



**Extra Strength PAIN RELIEVING GEL**

Immediate, Penetrating Relief from:

- Arthritis
- Muscle Aches
- Joint & Back Pain

**with MSM & Glucosamine**

128 FL OZ (3,785mL)

**Stopain. Exactly what it does.®**

**Drug Facts**

Active Ingredient	Purpose
Menthol 8.0%	Topical Analgesic

**Uses** For the temporary relief of minor aches and pains of muscles and joints associated with: ■ simple backache ■ arthritis ■ strains ■ sprains

**Warnings** For external use only. Avoid contact with eyes.

**Flammable: Keep away from fire or flame.**

**When using this product** ■ use only as directed ■ do not bandage tightly or use a heating pad ■ do not apply to wounds or damaged skin

**Stop use and ask a doctor if** ■ condition worsens, or if symptoms persist for more than 7 days or clear up and occur again within a few days ■ redness is present ■ excessive irritation of the skin develops

**If pregnant or breast-feeding,** ask a health professional before use.

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions** Adults and children over 12 years: ■ apply directly onto affected area without the need to bandage ■ repeat if necessary, but do not apply more than 4 times daily. **Children 12 years or younger:** ask a doctor.

**Other Information** ■ Store at room temperature

**Inactive Ingredients** acrylic acid/vinyl ester copolymer, dimethylsulfone (MSM), eucalyptus oil, glucosamine sulfate, hydroxypropylcellulose, PEG-8 dimethicone, pentylene glycol, peppermint oil, SD alcohol 39C, triethanolamine, water (USP).



Manufactured for:  
Troy Healthcare, LLC  
130 Lions Drive • Hazleton, PA 18202  
800-201-PAIN (7246) • www.stopain.com



©2022 Troy Healthcare, LLC 2-582 REV 00 / 0922

**LONG-LASTING APPLICATION**

Works on Contact


Absorbs Quickly

Sweat Resistant

Non-Greasy

Non-Staining

Vanishing Scent



**Package Labeling:63936-8800-4**

## Drug Facts

**Active Ingredient** ..... **Purpose**  
Menthol 8.0%.....Topical Analgesic

**Uses** For the temporary relief of minor aches and pains of muscles and joints associated with: ■ simple backache  
■ arthritis ■ strains ■ bruises ■ sprains

**Warnings** For external use only. Avoid contact with eyes.

**Flammable: Keep away from fire or flame.**

**When using this product** ■ use only as directed ■ do not bandage tightly or use a heating pad ■ do not apply to wounds or damaged skin

**Stop use and ask a doctor if** ■ condition worsens, or if symptoms persist for more than 7 days or clear up and occur again within a few days ■ redness is present ■ excessive irritation of the skin develops

**If pregnant or breast-feeding,** ask a health professional before use.

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions** Adults and children 2 years of age and older: ■ apply directly onto affected area without the need to bandage ■ repeat if necessary, but do not apply more than 3 to 4 times daily.

**Children under 2 years of age:** do not use, consult a doctor.

**Other Information** ■ Store at room temperature

**Inactive Ingredients** acrylic acid/vinyl ester copolymer, dimethylsulfone (MSM), eucalyptus oil, glucosamine sulfate, hydroxypropylcellulose, PEG-8 dimethicone, pentylene glycol, peppermint oil, SD alcohol 39C, triethanolamine, water (USP).



Manufactured for:  
Troy Healthcare, LLC  
130 Lions Drive • Hazleton, PA 18202  
800-201-PAIN (7246) • www.stopain.com

©2023 Troy Healthcare, LLC 2-880 REV 00 / 0923

**Fast Acting • Long Lasting**

Stopain. Exactly what it does.®



**Extra Strength  
PAIN RELIEVING GEL**

Immediate, Penetrating Relief from:

- Arthritis
- Muscle Aches
- Joint & Back Pain

**with MSM & Glucosamine**

3 FL OZ (88mL)

## STOPAIN EXTRA STRENGTH GEL

menthol gel

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:63936-8800
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
MENTHOL (UNII: L7T10EIP3A) (MENTHOL - UNII:L7T10EIP3A)	MENTHOL	80 mg in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
<b>DIMETHYL SULFONE</b> (UNII: 9H4PO4Z4FT)	
<b>EUCALYPTUS OIL</b> (UNII: 2R04ONI662)	
<b>GLUCOSAMINE SULFATE</b> (UNII: 1FW7WLR731)	
<b>HYDROXYPROPYL CELLULOSE, UNSPECIFIED</b> (UNII: 9XZ8H6N6OH)	
<b>PEG-8 DIMETHICONE</b> (UNII: GIA7T764OD)	
<b>PENTYLENE GLYCOL</b> (UNII: 50C1307PZG)	
<b>PEPPERMINT OIL</b> (UNII: AV092KU4JH)	
<b>TROLAMINE</b> (UNII: 9O3K93S3TK)	
<b>WATER</b> (UNII: 059QF0KO0R)	

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:63936-8800-3	473 mL in 1 BOTTLE; Type 0: Not a Combination Product	10/10/2022	
2	NDC:63936-8800-2	946 mL in 1 BOTTLE; Type 0: Not a Combination Product	10/10/2022	
3	NDC:63936-8800-1	3785 mL in 1 BOTTLE; Type 0: Not a Combination Product	10/10/2022	
4	NDC:63936-8800-4	88 mL in 1 TUBE; Type 0: Not a Combination Product	10/01/2023	

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	10/10/2022	

**Labeler** - Troy Manufacturing, Inc. (160075248)

Revised: 11/2023

Troy Manufacturing, Inc.