

## **LANOLIN - lanolin ointment**

### **Dynarex Corporation**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

### **Lanashield Ointment**

#### **ACTIVE INGREDIENT**

<b>Active ingredient</b>	<b>Purpose</b>
Lanolin USP 50%	Skin Protectant

#### **Purpose:**

- Helps prevent and treat diaper dermatitis
- Protects chafed skin or minor skin irritations due to incontinence and helps seal out wetness

#### **Warnings**

##### **For External Use Only**

##### **Keep Out Of Reach Of Children**

##### **KEEP OUT OF REACH OF CHILDREN**

- If swallowed, get medical help or contact a Poison Control Center right away

#### **Indications & Usage**

- Avoid contact with eyes
- Do not apply to deep or puncture wounds
- If condition worsens, or does not improve within 7 days, consult a doctor

#### **Dosage & Administration**

- Gently cleanse and dry area
- Apply liberally to affected area as needed

#### **Other information:**

- Store at room temperature 20 deg C to 25 deg C 68 deg F to 77 deg F

#### **Inactive Ingredients**

Beeswax (Yellow Wax), Fragrance, HEEDTA, Lanolin alcohol, Mineral oil, Oxyguinoline, Petrolatum, Purified water, Sodium borate, Sorbitan sesquioleate

#### **Principal Display Panel**

# LanaShield™

Skin barrier • for Incontinence  
Diaper dermatitis  
Chafed or ulcer prone skin



Reorder No. 1263  
Net Wt. 4 OZ (113g)

NDC #67777-232-04

Manufactured for:  
Dynarex Corporation  
Orangeburg, NY 10962  
www.dynarex.com

Made in India



### Drug Facts

Active Ingredient	Purpose
Lanolin USP 50%.....	Skin Protectant

**Uses:** • Helps prevent and treat diaper dermatitis.  
• Protects chafed skin or minor skin irritations due to incontinence and helps seal out wetness.

### Warnings • For External Use Only.

- Avoid contact with eyes
- Do not apply to deep or puncture wounds.
- If condition worsens, or does not improve within 7 days, consult a doctor.
- If swallowed, get medical help or contact a Poison Control Center right away
- **Keep out of reach of children.**

### Directions:

- Gently cleanse and dry area.
- Apply liberally to affected area as needed.

### Other information:

- Store at room temperature 20° - 25°C (68° - 77°F)

**Inactive ingredients** Beeswax (Yellow Wax),  
Fragrance, HEEDTA, Lanolin Alcohol, Mineral Oil,  
Oxyquinoline, Petrolatum, Purified Water, Sodium Borate, Sorbitan Sesquileate

PATIENT NAME:

ROOM #

Enter section text here

## LANOLIN

lanolin ointment

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:67777-232
<b>Route of Administration</b>	TOPICAL		

**Active Ingredient/Active Moiety**

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
LANOLIN (UNII: 7EV65EAW6H) (LANOLIN - UNII:7EV65EAW6H)	LANOLIN	50 g in 100 g

**Inactive Ingredients**

<b>Ingredient Name</b>	<b>Strength</b>
SORBITAN SESQUIOLEATE (UNII: 0W8RRI5W5A)	
PETROLATUM (UNII: 4T6H12BN9U)	
YELLOW WAX (UNII: 2ZA36H0S2V)	
LANOLIN ALCOHOLS (UNII: 884C3FA9HE)	
MINERAL OIL (UNII: T5L8T28FGP)	
OXYQUINOLINE (UNII: 5UTX5635HP)	
SODIUM BORATE (UNII: 91MBZ8H3QO)	
WATER (UNII: 059QF0K00R)	

**Packaging**

#	<b>Item Code</b>	<b>Package Description</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
1	NDC:67777-232-01	2 in 1 CASE		
1		144 in 1 BOX		
1		5 g in 1 PACKET		
2	NDC:67777-232-02	4 in 1 CASE		
2		36 in 1 BOX		
2		15 g in 1 PACKET		
3	NDC:67777-232-03	36 in 1 CASE		
3		71 g in 1 JAR		
4	NDC:67777-232-04	24 in 1 CASE		
4		113 g in 1 TUBE		
5	NDC:67777-232-05	24 in 1 CASE		
5		127.5 g in 1 JAR		
6	NDC:67777-232-06	12 in 1 CASE		
6		396.8 g in 1 JAR		

**Marketing Information**

<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
OTC monograph final	part347	05/12/2010	

