

ANTIPERSPIRANT DRY 2 OZ MEN- aluminum chlorohydrate aerosol, spray
Rejoice International Inc

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Antiperspirant Dry 2 oz Men

☐Active Ingredient Purpose

Aluminum Chlorohydrate 23.3% Antiperspirant

Antiperspirant

☐Keep out of reach of children. ☐If swallowed, get medical help or contact a Poison Control Center immediately. Do not use on children under 2 years of age unless directed by a doctor.

Reduces underarm wetness

☐Warnings

For external use only.

Flammable. ☐Do not use while smoking or near heat or flame or while smoking. Can cause serious injury or death.

- Keep away from face and mouth to avoid breathing in.
- Avoid spraying in eyes. CONTENTS UNDER PRESSURE. Do not puncture or incinerate. Do not expose to heat or store at temperatures above 120 °F/50 °C or in enclosed places that could overheat.
- Do not use on broken or irritated skin. Stop use if rash or irritation develops.
- Ask a doctor before using, if you have kidney disease.
- KEEP OUT OF REACH OF CHILDREN.
- USE ONLY AS DIRECTED. INTENTIONAL MISSUSE BY DELIBERATELY CONCENTRATING AND INHALING THE CONTENTS CAN BE HARMFUL OR FATAL. Help stop inhalation abuse. For more information visit www.inhalant.org

☐Directions

- For underarm use only. Shake can well before each use. Hold can 6 inches away from skin. Spray underarm.

☐Inactive Ingredients

Isobutane, Butane, Hydrofluorocarbon 152a, Cyclopentasiloxane, Ethyl Alcohol, PPG-14 Butyl Ether, Helianthus Annuus Seed Oil, Isopropyl Myristate, C12-15 Alkyl Benzoate, Fragrance, Propane, Aluminum Starch Octenylsuccinate, Distardimonium Hectorite, Dimethicone, Tocopheryl Acetate, BHT, Silica

SHAKE WELL BEFORE USING

SHAKE WELL BEFORE USING

XtraCare[®]

MEN'S DRY SPRAY

CLEAN FRESH

48 HOUR

ANTIPERSPIRANT

MOTION ACTIVATED

NET WT 2.0 OZ (56.7 g)



Drug Facts

Active ingredient: Aluminum Chlorohydrate (23.3%) **Purpose** Antiperspirant

Uses:

- Reduces underarm wetness

Warnings

- **FLAMMABLE. DO NOT USE NEAR HEAT, FLAME OR WHILE SMOKING. CAN CAUSE SERIOUS INJURY OR DEATH.**
- Keep away from face and mouth to avoid breathing in.
- Avoid spraying in eyes. CONTENTS UNDER PRESSURE. Do not puncture or incinerate. Do not expose to heat or store at temperatures above 120°F/50°C or in enclosed places that could overheat.
- Do not use on broken or irritated skin. Stop use if rash or irritation develops.
- Ask a doctor before using, if you have kidney disease.
- **KEEP OUT OF REACH OF CHILDREN.**
- **USE ONLY AS DIRECTED. INTENTIONAL MISUSE BY DELIBERATELY CONCENTRATING AND IN HAILING THE CONTENTS CAN BE HARMFUL OR FATAL. Help stop inhalation abuse.** For information visit www.inhalant.org.

Directions For underarm use only. Shake can well before each use. Hold can 6 inches away from skin. Spray underarm.

Inactive ingredients

Isobutane, Butane, Hydrofluorocarbon 152a, Cyclopentasiloxane, Ethyl Alcohol, PPG-14 Butyl Ether, Helianthus Annuus Seed Oil, Isopropyl Myristate, C12-15 Alkyl Benzoate, Fragrance, Propane, Aluminum Starch Octenylsuccinate, Distearidimonium Hectorite, Dimethicone, Tocopheryl Acetate, BHT, Silica.

QUESTIONS/COMMENTS? 1-855-345-5575

DISTRIBUTED BY
REJOICE INTERNATIONAL, INC
NORTHVILLE, MI 48168 U.S.A.
MADE IN CHINA



ANTIPERSPIRANT DRY 2 OZ MEN

aluminum chlorohydrate aerosol, spray

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:57337-102
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ALUMINUM CHLOROHYDRATE (UNII: HPN8MZW13M) (ALUMINUM CHLOROHYDRATE - UNII:HPN8MZW13M)	ALUMINUM CHLOROHYDRATE	23.3 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
ALCOHOL (UNII: 3K9958V90M)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
CYCLOMETHICONE 5 (UNII: 0THT5PC10R)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
SUNFLOWER OIL (UNII: 3W1JG795YI)	
BUTANE (UNII: 6LV4FOR43R)	
1,1-DIFLUOROETHANE (UNII: 0B1U8K2ME0)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
ISOPROPYL MYRISTATE (UNII: 0RE8K4LNJS)	
ALUMINUM STARCH OCTENYLSUCCINATE (UNII: I9PJ0O6294)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
PPG-14 BUTYL ETHER (UNII: R199TJT95T)	
ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ)	
ISOBUTANE (UNII: BXR49TP611)	
PROPANE (UNII: T75W9911L6)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:57337-102-01	56.7 g in 1 BOTTLE, SPRAY; Type 0: Not a Combination Product	04/22/2019	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part350	04/22/2019	

Labeler - Rejoice International Inc (078741245)**Establishment**

Name	Address	ID/FEI	Business Operations
Wuxi Huoban Daily-Use Chemicals Science and Technology Co., Ltd		421207374	manufacture(57337-102)