

CINERARIA MARITIMA- jacobaea maritima pellet

Boiron

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

Cineraria maritima 30C

Cineraria maritima 30C HPUS

Less than 10⁻¹² mg pyrrolizidine alkaloids per pellet

Active ingredient**: See product name on front panel (**contains 0.443 mg of the active ingredient per pellet).

Uses: See symptoms on front panel.

Relieves red and irritated eyes *

Stop use and ask a doctor if symptoms persist for more than 3 days or worsen.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children.

Adults and children: At the onset of symptoms, dissolve 5 pellets under the tongue 3 times a day until symptoms are relieved or as directed by a doctor.

lactose, sucrose

Do not use if pellet dispenser seal is broken.

Contains approx 80 pellets.

How to dispense pellets? Turn tube upside down. Twist until 5 pellets are dispensed into cap. Carefully remove the cap and use it to pour pellets under the tongue.

*CLAIMS BASED ON TRADITIONAL HOMEOPATHIC PRACTICE NOT ACCEPTED MEDICAL EVIDENCE. NOT FDA EVALUATED.

*C,K,CK, and X are homeopathic dilutions: see BoironUSA.com/info for details.

BoironUSA.com Info@boiron.com

1-800-BOIRON-1 (1-800-264-7661)

Distributed by Boiron, Inc.

Newtown Square, PA 19073

Cineraria maritima

30^c

Relieves red and irritated eyes *

BOIRON®

Made in France HOMEOPATHIC MEDICINE

HPUS NDC 0220-1402-41

Less than 10⁻¹² mg pyrrolizidine alkaloids per pellet

Do not use if pellet dispenser seal is broken

	LOT	EXP	
	3 06960	21113	6

Contains approx. 80 pellets. US
Peel for Drugs Facts and instructions for use.

Cineraria maritima 30 c

*CLAIMS BASED ON TRADITIONAL HOMEOPATHIC PRACTICE.
NOT ACCEPTED MEDICAL EVIDENCE. NOT FDA EVALUATED.

Drug Facts

Active ingredient:** See product name on front panel (contains 0.443 mg of the active ingredient per pellet).

Uses: See symptoms on front panel.

Warnings: Stop use and ask a doctor if symptoms persist for more than 3 days or worsen. If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children.

Directions: ■ Adults and children: At the onset of symptoms, dissolve 5 pellets under the tongue 3 times a day until symptoms are relieved or as directed by a doctor.

Drug Facts (continued)

Inactive ingredients: lactose, sucrose

Questions or comments?

BoironUSA.com Info@Boiron.com

1-800-BOIRON-1 (1-800-264-7661)

**C, K, CK, and X are homeopathic dilutions: see BoironUSA.com/info for details.

Distributed by Boiron Inc.
Newtown Square, PA 19073

How to
dispense pellets?



Turn tube upside down.



Twist until 5 pellets are dispensed into cap.



Carefully remove cap and use it to pour pellets under the tongue.

Cineraria maritima 30^c

Red and irritated eyes*



HPUS NDC 0220-1402-41
Less than 10 ⁻¹² mg pyrrolizidine alkaloids per pellet
Do not use if pellet dispenser seal is broken



LOT: 3 06960 21113 63

Contains approx. 80 pellets. US
Peel for Drugs Facts and instructions for use.

Cineraria maritima 30 c

*CLAIMS BASED ON TRADITIONAL HOMEOPATHIC PRACTICE,
NOT ACCEPTED MEDICAL EVIDENCE. NOT FDA EVALUATED.

Drug Facts

Active ingredient:** See product name on front panel (contains 0.443 mg of the active ingredient per pellet).

Uses: See symptoms on front panel.

Warnings: Stop use and ask a doctor if symptoms persist for more than 3 days or worsen. If pregnant or breastfeeding, ask a health professional before use. Keep out of reach of children.

Directions: ■ Adults and children: At the onset of symptoms, dissolve 5 pellets under the tongue 3 times a day until symptoms are relieved or as directed by a doctor.

Other information: ■ Do not use if pellet dispenser seal is broken.

Drug Facts (continued)

Inactive ingredients: lactose, sucrose

Questions or comments?

BoironUSA.com Info@Boiron.com

1-800-BOIRON-1 (1-800-264-7661)

**C, K, CK, and X are homeopathic dilutions; see

BoironUSA.com/info for details.

Distributed by Boiron Inc.

Newtown Square, PA 19073



Cineraria maritima

30 c

*CLAIM
NOT AC

HPUS NDC 0220-1402-41



Red and irritated eyes.*



Lot:

Exp:

3

06960

21113

6

Contains approx. 80 pellets.

US

Peel for Drugs Facts and instructions for use.

Cineraria maritima 30 c

IS BASED ON TRADITIONAL HOMEOPATHIC PRACTICE,
ACCEPTED MEDICAL EVIDENCE. NOT FDA EVALUATED.

Drug Facts

Active ingredient:** See product name on front panel (contains 0.443 mg of the active ingredient per pellet).

Uses: See symptoms on front panel.

Warnings: Stop use and ask a doctor if symptoms persist for more than 3 days or worsen. If pregnant or breastfeeding, ask a health professional before use. Keep out of reach of children.

Directions: ■ Adults and children: At the onset of symptoms, dissolve 5 pellets under the tongue 3 times a day until symptoms are relieved or as directed by a doctor.

Other information: ■ Do not use if pellet dispenser seal is broken.

Drug Facts (continued)

Inactive ingredients: lactose, sucrose

Questions or comments?

BoironUSA.com Info@Boiron.com

1-800-BOIRON-1 (1-800-264-7661)

**C, K, CK, and X are homeopathic dilutions: see
BoironUSA.com/info for details.

Distributed by Boiron Inc.

Newtown Square, PA 19073

How to
dispense pellets?



Turn tube upside
down.



Twist until 5 pellets
are dispensed
into cap.



Carefully remove cap
and use it to pour pellets
under the tongue.

CINERARIA MARITIMA

jacobaea maritima pellet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0220-1402
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
JACOBAEA MARITIMA (UNII: U4B223LS4X) (JACOBAEA MARITIMA - UNII:U4B223LS4X)	JACOBAEA MARITIMA	30 [hp_C] in 30 [hp_C]

Inactive Ingredients				
Ingredient Name				Strength
LACTOSE, UNSPECIFIED FORM (UNII: J2B2A4N98G)				
SUCROSE (UNII: C151H8M554)				
Product Characteristics				
Color	white	Score		
Shape	ROUND	Size	4mm	
Flavor		Imprint Code		
Contains				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0220-1402-41	30 [hp_C] in 1 TUBE; Type 0: Not a Combination Product	03/03/1983	
Marketing Information				
Marketing Category	Application Number or Monograph Citation		Marketing Start Date	Marketing End Date
unapproved homeopathic			03/03/1983	

Labeler - Boiron (282560473)

Registrant - Boiron, Inc. (014892269)

Establishment			
Name	Address	ID/FEI	Business Operations
Boiron		282560473	manufacture(0220-1402)