

OMEPRAZOLE AND SODIUM BICARBONATE- omeprazole, sodium bicarbonate capsule, gelatin coated
Walgreen Company

Walgreen Co. Omeprazole & Sodium Bicarbonate Capsules 20 mg/ 1100 mg
Drug Facts

Active ingredients (in each capsule)

Omeprazole 20 mg

Sodium Bicarbonate 1100 mg

Purpose

Acid reducer

Allows absorption of this omeprazole product

Use

- treats frequent heartburn (occurs **2 or more** days a week)
- not intended for immediate relief of heartburn. This drug may take 1 to 4 days for full effect.

Warnings

Allergy alert: Do not use if you are allergic to omeprazole

Do not use

if you have:

- trouble or pain swallowing food
- vomiting with blood
- bloody or black stools

These may be signs of a serious condition. See your doctor.

Ask a doctor before use if you have

- had heartburn over 3 months. This may be a sign of a more serious condition.
- heartburn with **lightheadedness, sweating or dizziness**
- chest pain or shoulder pain with shortness of breath; sweating; pain spreading to arms, neck or shoulders; or lightheadedness
- frequent **chest pain**
- frequent wheezing, particularly with heartburn
- unexplained weight loss

- nausea or vomiting
- stomach pain
- a sodium-restricted diet

Ask a doctor or pharmacist before use if you are

taking a prescription drug. Acid reducers may interact with certain prescription drugs.

Stop use and ask a doctor if

- your heartburn continues or worsens
- you need to take this product for more than 14 days
- you need to take more than 1 course of treatment every 4 months
- you get diarrhea
- you develop a rash or joint pain

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions

- for adults 18 years of age and older
- this product is to be used once a day (every 24 hours), every day for 14 days
- it may take 1 to 4 days for full effect, although some people get complete relief of symptoms within 24 hours

14-Day Course of Treatment

- swallow 1 capsule with a glass of water at least 1 hour before eating in the morning
- take every day for 14 days
- do not take more than 1 capsule a day
- do not chew or crush the capsule
- do not open capsule and sprinkle on food
- do not use for more than 14 days unless directed by your doctor

Repeated 14-Day Courses (if needed)

- you may repeat a 14-day course every 4 months
- **do not take for more than 14 days or more often than every 4 months unless directed by a doctor**
- children under 18 years of age: ask a doctor. Heartburn in children may sometimes be caused by a serious condition.

Other information

- each capsule contains: **sodium 303 mg**
- read the directions, warnings and accompanying label information before use
- store at 20-25°C (68-77°F)
- tamper-evident: Do not use if the band around the capsule is missing or broken. Do not use if printed seal under cap is broken or missing.
- keep product out of high heat and humidity
- protect product from moisture

Inactive ingredients

FD&C blue no. 1, FD&C blue no. 2 aluminum lake, FD&C red no. 40, gelatin, polysorbate 80, sodium lauryl sulfate, sodium starch glycolate, sodium stearyl fumarate, titanium dioxide

Questions or comments?

1-800-719-9260

Package/Label Principal Display Panel

Treats frequent heartburn

Walgreens

WALGREENS PHARMACIST RECOMMENDED

Compare to the active ingredients in Zegerid OTC[®]

Omeprazole & Sodium Bicarbonate

CAPSULES 20 mg / 1100 mg

ACID REDUCER / ALLOWS ABSORPTION OF THIS OMEPRAZOLE PRODUCT

42 CAPSULES

THREE 14-DAY COURSES OF TREATMENT

ACTUAL SIZE

How Omeprazole and Sodium Bicarbonate Capsules, 20 mg/1100 mg Works For Your Frequent Heartburn
 Omeprazole and Sodium Bicarbonate Capsules, 20 mg/1100 mg works differently from other OTC heartburn products, such as antacids and other acid reducers. Omeprazole and Sodium Bicarbonate Capsules, 20 mg/1100 mg stops acid production at the source - the acid pump that produces stomach acid. Omeprazole and Sodium Bicarbonate Capsules, 20 mg/1100 mg is to be used once a day (every 24 hours), every day for 14 days.

Tips for Managing Heartburn

- Do not lie flat or bend over soon after eating.
- Do not eat late at night or just before bedtime.
- Certain foods or drinks are more likely to cause heartburn, such as rich, spicy, fatty and fried foods, chocolate, caffeine, alcohol and even some fruits and vegetables.
- Eat slowly and do not eat big meals.
- If you are overweight, lose weight.
- If you smoke, quit smoking.
- Raise the head of your bed.
- Wear loose-fitting clothing around your stomach.

Drug Facts (continued)

Other information

- each capsule contains: sodium 303 mg
- read the directions, warnings and accompanying label information before use
- store at 20-25°C (68-77°F)
- tamper-evident: Do not use if the band around the capsule is missing or broken. Do not use if printed seal under cap is broken or missing.
- keep product out of high heat and humidity
- protect product from moisture

Inactive ingredients

FD&C blue no. 1, FD&C blue no. 2 aluminum lake, FD&C red no. 40, gelatin, polysorbate 80, sodium lauryl sulfate, sodium starch glycolate, sodium stearyl fumarate, titanium dioxide

Questions or comments?

1-800-719-9260

Gluten Free

¹Our pharmacists recommend the Walgreens brand. We invite you to compare to national brands.

^{††}This product is not manufactured or distributed by Bayer HealthCare LLC, distributor of Zegerid OTC®.

Walgreens



Compare to the active ingredients in Zegerid OTC^{®††}

Treats frequent heartburn

NDC 0363-0732-03

Omeprazole & Sodium Bicarbonate

CAPSULES 20 mg / 1100 mg

ACID REDUCER / ALLOWS ABSORPTION OF THIS OMEPRAZOLE PRODUCT

42 CAPSULES
 THREE 14-DAY COURSES OF TREATMENT



ACTUAL SIZE



Walgreens Treats frequent heartburn
 NDC 0363-0732-01

Omeprazole & Sodium Bicarbonate
 CAPSULES 20 mg / 1100 mg
 ACID REDUCER / ALLOWS ABSORPTION OF THIS OMEPRAZOLE PRODUCT
14 CAPSULES ONE 14-DAY COURSE OF TREATMENT

ACTUAL SIZE


W3ORG1121-F2

DISTRIBUTED BY: WALGREEN CO.
 200 WILMOT RD., DEERFIELD, IL 60015
 100% SATISFACTION GUARANTEED
 walgreens.com
 ©2021 Walgreen Co.

ITEM 936400 W10106-0622-L



732D7 94 C4



Drug Facts

Active ingredients (in each capsule)

Omeprazole 20 mg.....Acid reducer
Sodium Bicarbonate 1100 mg.....Allows absorption of this omeprazole product

Purpose

Use

- treats frequent heartburn (occurs **2 or more** days a week)
- not intended for immediate relief of heartburn. This drug may take 1 to 4 days for full effect.

Warnings

Allergy alert: Do not use if you are allergic to omeprazole

Do not use if you have:

- trouble or pain swallowing food
 - vomiting with blood
 - bloody or black stools
- These may be signs of a serious condition. See your doctor.

Ask a doctor before use if you have

- had heartburn over 3 months. This may be a sign of a more serious condition.
- heartburn with **lightheadedness, sweating or dizziness**
- chest pain or shoulder pain with shortness of breath; sweating; pain spreading to arms, neck or shoulders; or lightheadedness
- frequent **chest pain**
- frequent wheezing, particularly with heartburn
- unexplained weight loss
- nausea or vomiting
- stomach pain
- a sodium-restricted diet

Ask a doctor or pharmacist before use if you are taking a prescription drug. Acid reducers may interact with certain prescription drugs.

Drug Facts (continued)

Stop use and ask a doctor if

- your heartburn continues or worsens
- you need to take this product for more than 14 days
- you need to take more than 1 course of treatment every 4 months
- you get diarrhea
- you develop a rash or joint pain

If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions

- for adults 18 years of age and older
- this product is to be used once a day (every 24 hours), every day for 14 days
- it may take 1 to 4 days for full effect, although some people get complete relief of symptoms within 24 hours

14-Day Course of Treatment

- swallow 1 capsule with a glass of water at least 1 hour before eating in the morning
- take every day for 14 days
- do not take more than 1 capsule a day
- do not chew or crush the capsule
- do not open capsule and sprinkle on food
- do not use for more than 14 days unless directed by your doctor

Repeated 14-Day Courses (if needed)

- you may repeat a 14-day course every 4 months
- **do not take for more than 14 days or more often than every 4 months unless directed by a doctor**

- children under 18 years of age: ask a doctor. Heartburn in children may sometimes be caused by a serious condition.

Drug Facts (continued)

Other information

- each capsule contains: **sodium 303 mg**
- read the directions, warnings and accompanying label information before use
- store at 20-25°C (68-77°F)
- tamper-evident: Do not use if the band around the capsule is missing or broken. Do not use if printed seal under cap is broken or missing.
- keep product out of high heat and humidity
- protect product from moisture

Inactive ingredients

FD&C blue no. 1, FD&C blue no. 2 aluminum lake, FD&C red no. 40, gelatin, polysorbate 80, sodium lauryl sulfate, sodium starch glycolate, sodium stearyl fumarate, titanium dioxide

Questions or comments?

1-800-719-9260

Gluten Free

[†]Our pharmacists recommend the Walgreens brand. We invite you to compare to national brands.

^{**}This product is not manufactured or distributed by Bayer HealthCare LLC, distributor of Zegerid OTC[®].

W3ORG1121-F2

OMEPRAZOLE AND SODIUM BICARBONATE

omeprazole, sodium bicarbonate capsule, gelatin coated

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0363-0732
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OMEPRAZOLE (UNII: KG60484QX9) (OMEPRAZOLE - UNII:KG60484QX9)	OMEPRAZOLE	20 mg

SODIUM BICARBONATE (UNII: 8MDF5V39QO) (SODIUM CATION - UNII:LYR4M0NH37,
BICARBONATE ION - UNII:HN1ZRA3Q20)

SODIUM
BICARBONATE

1100 mg

Inactive Ingredients

Ingredient Name	Strength
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)	
FD&C BLUE NO. 2 (UNII: L06K8R7DQK)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
GELATIN, UNSPECIFIED (UNII: 2G86QN327L)	
POLYSORBATE 80 (UNII: 6OZP39ZG8H)	
SODIUM LAURYL SULFATE (UNII: 368GB5141J)	
SODIUM STEARYL FUMARATE (UNII: 7CV7WJK4UI)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	

Product Characteristics

Color	WHITE (blue band)	Score	no score
Shape	CAPSULE	Size	23mm
Flavor		Imprint Code	732
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0363-0732-03	3 in 1 CARTON	07/15/2016	
1		14 in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA201361	07/15/2016	

Labeler - Walgreen Company (008965063)

Revised: 4/2023

Walgreen Company