OENANTHE CROCATA- oenanthe crocata root pellet Boiron

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

Oenanthe crocata 30C

Oenanthe crocata 30C

(**contains 0.443 mg of the active ingredient per pellet)

Cough, sore throat*

Stop use and ask a doctor if symptoms persist for more than 3 days or worsen

If pregnant or breast-feeding ask a health professional before use

Keep out of reach of children

Do not use if pellet dispenser seal is broken.

Contains approx 80 pellets.

How to dispense pellets? Turn tube upside down. Twist until 5 pellets are dispensed into cap. Carefully remove the cap and use it to pour pellets under the tongue. *CLAIMS BASED ON TRADITIONAL HOMEOPATHIC PRACTICE NOT ACCEPTED MEDICAL EVIDENCE. NOT FDA EVALUATED.

*C,K,CK, and X are homeopathic dilutions: see BoironUSA.com/info for details.

lactose, sucrose

Adults and children: At the onset of symptoms, dissolve 5 pellets under the tongue 3 times a day until symptoms are relieved or as directed by a doctor.

1-800-BOIRON-1 (1-800-264-7661), BoironUSA.com Info@boiron.com Distributed by Boiron, Inc. Newtown Square, PA 19073





Drug Facts

Active ingredient^{**}: See product name on front panel (contains 0.443 mg of the active ingredient per pellet).

Uses: See symptoms on front panel.

Warnings: Stop use and ask a doctor if symptoms persist for more than 3 days or worsen. If pregnant or breastfeeding, ask a health professional before use. Keep out of reach of children.

Directions: Adults and children: At the onset of symptoms, dissolve 5 pellets under the tongue 3 times a day until symptoms are relieved or as directed by a doctor.

Other information: Do not use if pellet dispenser seal is broken.

Drug Facts (continued) Inactive ingredients: lactose, sucrose



OENANTHE CROCA	ΓΑ			
penanthe crocata root pelle	t			
Product Information				
Product Type	HUMAN OTC DRUG	Item Code	(Source)	NDC:0220-3752
Route of Administration	ORAL			
a				
Active Ingredient/Activ	e Molety		Basis of	
Ingr	Strength			
OENANTHE CROCATA ROOT (UNII: 6FS6FK5S8N) (OENANTHE CROCATA ROOT - UNII: 6FS6FK5S8N)OENANTHE CR ROOT				ATA 30 [hp_C] in 30 [hp_C]
Inactive Ingredients				
	Strength			
LACTOSE, UNSPECIFIED FORM				
SUCROSE (UNII: C151H8M554)				
Product Characteristics	5			
Color	white	Score		
Shape	ROUND	Size		4mm

ntains			-	e			
Packaging							
ltem Code	P	Package Description		Marketing Start Date	Marketing End Date		
NDC:0220-3752- 41	30 [hp_C] in 3 Product			03/03/1983			
arkating	Informa	tion					
Marketing information							
Marketing Category	Applic	ation Number or M Citation	lonograph	Marketing Start Date	Marketing End Date		
pproved neopathic				03/03/1983			
	Item Code NDC:0220-3752- 11 arketing Marketing Category pproved	Item Code P NDC:0220-3752- 30 [hp_C] in 3 Product Arketing Informa Marketing Applic Category pproved	Item Code Package Description NDC:0220-3752- 11 30 [hp_C] in 1 TUBE; Type 0: Not a Construct Arketing Information Marketing Category Application Number or Month Application Number or Month Application	Item Code Package Description NDC:0220-3752- 11 30 [hp_C] in 1 TUBE; Type 0: Not a Combination Product arketing Information Marketing Category Application Number or Monograph Citation	Item Code Package Description Marketing Start Date NDC:0220-3752- 11 30 [hp_C] in 1 TUBE; Type 0: Not a Combination Product 03/03/1983 arketing Information Marketing Category Marketing Number or Monograph Citation pproved 03/03/1983		

Labeler - Boiron (282560473)

Registrant - Boiron, Inc. (014892269)

Establishment						
Name	Address	ID/FEI	Business Operations			
Boiron		282560473	manufacture(0220-3752)			

Revised: 11/2023

Boiron