

SENNA- sennosides a and b liquid
Geritrex LLC

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

SENNA SYRUP

Active Ingredient

Active ingredient (in each 5 ml) purpose
Sennosides 8.8 mgLaxative

Uses

relieves occasional constipation (irregularity)
generally causes bowel movement in 6 to 12 hours

Directions

shake well before use
take preferably at bedtime or as directed by a doctor

Age	Starting Dose	Maximum Dose
adults and children and older once a day	12 years 2 - 3 teaspoonfuls	3 teaspoonfuls twice a day
6 years to under 12 years of age	1 - 1½ teaspoonfuls once a day	1½ teaspoonfuls twice a day
2 to under 6 years of age	½ - ¾ teaspoon once a day	¾ teaspoon once a day
under 2 years of age	consult a doctor	consult a doctor

Warnings

Do Not Use • laxative products for longer than 1 week
unless directed by a doctor
Ask a doctor or pharmacist before use if you have
• stomach pain • nausea • vomiting
• notice a sudden change in bowel movement that continues
over a period of 2 weeks
Stop use and ask a doctor if
you have rectal bleeding or failure to have a bowel movement
after use of laxative. These may indicate a serious condition
If pregnant or breast-feeding, ask a health
professional before use

Inactive Ingredient

Flavors, parabens, propylene glycol, sucrose and water
Store at room temperature 15°-30°C (59°-86°F)

KEEP OUT OF REACH OF CHILDREN SECTION

KEEP OUT OF REACH OF CHILDREN SECTION

In case of accidental overdose, get medical help or contact a Poison Control Center immediately



NDC 541 62-007-08

SENNA SYRUP GR_x

Natural Vegetable Laxative
For Gentle, Relief of Constipation

8 FL. OZ. (236mL)

*Compare to Active Ingredient of Senokot®

Geritrex Corp
144 Kingsbridge Rd East
Mt Vernon, NY 10550
1-800-736-3437
www.geritrex.com

Drug Facts	
Active ingredient (in each 5 ml) Sennosides 8.8 mg	purpose Laxative
Uses	
<ul style="list-style-type: none"> relieves occasional constipation (irregularity) generally causes bowel movement in 6 to 12 hours 	
Warnings	
<p>Do Not Use - laxative products for longer than 1 week unless directed by a doctor</p> <p>Ask a doctor or pharmacist before use if you have</p> <ul style="list-style-type: none"> stomach pain nausea vomiting notice a sudden change in bowel movement that continues over a period of 2 weeks <p>Stop use and ask a doctor if</p> <ul style="list-style-type: none"> you have rectal bleeding or failure to have a bowel movement after use of laxative. These may indicate a serious condition <p>If pregnant or breast-feeding, ask a health professional before use</p> <p>Keep out of reach of children In case of accidental overdose, get medical help or contact a Poison Control Center immediately</p>	
Directions	
<ul style="list-style-type: none"> shake well before use take preferably at bedtime or as directed by a doctor 	
Age	Starting Dose
adults and children 12 years and older	2-3 teaspoons once a day
6 years to under 12 years of age	1-1½ teaspoons once a day
2 to under 6 years of age	½-¾ teaspoon once a day
under 2 years of age	consult a doctor
Other information	
Store at room temperature 15°-30°C (59°-86°F)	
TAMPER EVIDENT: Do not use this product if breakaway band on cap is broken or missing	
TO REPORT ADVERSE DRUG EVENTS CALL 800-736-3437	
Inactive ingredient: flavors, parabens, propylene glycol, sucrose and water.	



SENNA

sennosides a and b liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:54162-007
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
SENNOSIDES A AND B (UNII: 1B5FPI42EN) (SENNOSIDES A AND B - UNII:1B5FPI42EN)	SENNOSIDES A AND B	415.36 mg in 236 mL

Inactive Ingredients

Ingredient Name	Strength
METHYLPARABEN (UNII: A2I8C7H9T)	
ISOPROPYLPARABEN (UNII: A6EOX47QK0)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
SUCROSE (UNII: C151H8M554)	
WATER (UNII: 059QF0K00R)	

Product Characteristics

Color		Score	
Shape		Size	

Flavor	COFFEE (Flavor)		Imprint Code	
Contains				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:54162-007-08	236 mL in 1 BOTTLE; Type 0: Not a Combination Product		
Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC monograph not final	part334	06/19/2012		

Labeler - Geritrex LLC (112796248)

Revised: 12/2015

Geritrex LLC