# STAPHYLOCOCCINUM- staphylococcus epidermidis, staphylococcus haemolyticus, staphylococcus simulans pellet Boiron

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

-----

### Staphylococcinum 8X

Staphylococcinum 8X

(\*\*contains 0.443 mg of the active ingredient per pellet)

Rx Only\*

Stop use and ask a doctor if symptoms persist for more than 3 days or worsen

If pregnant or breast-feeding ask a health professional before use

Keep out of reach of children

Do not use if pellet dispenser seal is broken.

Contains approx 80 pellets.

How to dispense pellets? Turn tube upside down. Twist until 5 pellets are dispensed into cap. Carefully remove the cap and use it to pour pellets under the tongue.

\*CLAIMS BASED ON TRADITIONAL HOMEOPATHIC PRACTICE NOT ACCEPTED MEDICAL EVIDENCE. NOT FDA EVALUATED.

\*C,K,CK, and X are homeopathic dilutions: see BoironUSA.com/info for details.

lactose, sucrose

Adults and children: At the onset of symptoms, dissolve 5 pellets under the tongue 3 times a day until symptoms are relieved or as directed by a doctor.

1-800-BOIRON-1 (1-800-264-7661), BoironUSA.com Info@boiron.com Distributed by Boiron, Inc. Newtown Square, PA 19073





# Drug Facts Active ingredient": See product name on front panel (contains 0,443 mg of the active ingredient per pellet), Uses: See symptoms on front panel. Warnings: Stop use and ask a doctor if symptoms persist for more than 3 days or worsen. If pregnant or breastfeeding, ask a health professional before use. Keep out of reach of children. Directions: Adults and children: At the onset of symptoms, dissolve 5 pellets under the tongue 3 times a day until symptoms are relieved or as directed by a doctor. Other information: Do not use if pellet dispenser seal is broken.

## STAPHYLOCOCCINUM

staphylococcus epidermidis, staphylococcus haemolyticus, staphylococcus simulans pellet

Product Information				
Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:0220-7794	
Route of Administration	ORAL			

Active Ingredient/Active Moiety				
Ingredient Name	<b>Basis of Strength</b>	Strength		
<b>STAPHYLOCOCCUS SIMULANS</b> (UNII: V68E0X60VL) (STAPHYLOCOCCUS SIMULANS - UNII:V68E0X60VL)	STAPHYLOCOCCUS SIMULANS	8 [hp_X] in 8 [hp_X]		
<b>STAPHYLOCOCCUS EPIDERMIDIS</b> (UNII: D5T403TNGE) (STAPHYLOCOCCUS EPIDERMIDIS - UNII:D5T403TNGE)	STAPHYLOCOCCUS EPIDERMIDIS	8 [hp_X] in 8 [hp_X]		

STAPHYLOCOCCUS HAEMOLYTICUS - UNI	HAEMOLYTICUS (UNII: 092IJ99835) (STAPHYLOCOCCUSSTAPHYLOCOCCUS092IJ99835)HAEMOLYTICUS			JS	8 [hp_X] in 8 [hp_X]		
Inactive Ingred	dients						
		Ingredient Na	me				Strength
LACTOSE, UNSPEC	IFIED FORM	(UNII: J2B2A4N98G)					
SUCROSE (UNII: C15	51H8M554)						
Product Chara	cteristics	5					
Color		white	Score				
Shape		ROUND	Size				4mm
Flavor			Imprint Code				
Contains							
Packaging							
# Item Code	P	Package Description			eting Start Date	Marketing End Date	
	8 [hp_X] in 1 Product	hp_X] in 1 TUBE; Type 0: Not a Combination oduct		03/03/1983			
Marketing Information							
Marketing Category	Applic	ation Number or Citation	Monograph	Mar	keting Start Date	Ма	rketing End Date
unapproved homeopathic				03/03/3	1983		

Labeler - Boiron (282560473)

## Registrant - Boiron, Inc. (014892269)

Establishment					
Name	Address	ID/FEI	<b>Business Operations</b>		
Boiron		282560473	manufacture(0220-7794)		

Revised: 11/2023

Boiron