

**4306 FIRST AID KIT- 4306 first aid
Honeywell Safety Products USA, Inc.**

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

0498-4306: First Aid Kit (Neomycin, EW, Burn Jel, BZK wipe- SF00004375)

**Burn Jel
Active ingredient**

Lidocaine HCl 2.0%

**Burn Jel
Purpose**

External analgesic

**Burn Jel
Uses**

- temporarily relieves pain due to minor burns

**Burn Jel
Warnings**

For external use only

Do not use

- on large areas of the body, particularly over raw surfaces or blistered areas

When using this product

- avoid contact with eyes

Stop use and ask a doctor if

- the condition gets worse
- symptoms persist for more than 7 days
- condition clears up and recurs within a few days

Keep out of reach of children

- If swallowed, get medical help or contact a Poison Control Center right away.

**Burn JEl
Directions**

- adults and children 2 years of age and older; apply to affected area not more than 3 to 4 times daily

- children under 2 years of age: ask a doctor
- you may report a serious reaction to this product to 800-430-5490

Burn Jel

Other information

- store at room temperature - do not use if opened or torn

Burn Jel

Inactive ingredients

carbopol 940, carbopol 1342, diazolidinyl urea, glycerin, melaleuca alternifolia (tea tree) leaf oil, methylparaben, octoxynol-9, propylene glycol, propylparaben, trolamine, water

Burn Jel

Questions

1-800-430-5490

BZK Wipe

Active ingredient

Benzalkonium chloride 0.13% w/v

BZK Wipe

Purpose

First aid antiseptic

BzK Wipe

Uses

Antiseptic cleansing of face, hands, and body without soap and water

BZK Wipe

Warnings

For external use only

Do not use

- in the eyes or over large areas of the body
- on mucous membranes
- on irritated skin
- in case of deep puncture wounds, animal bites or serious burns, consult a doctor
- longer than 1 week unless directed by a doctor

Stop use and ask a doctor if

- if irritation, redness or other symptoms develop
- the condition persists or gets worse

Keep out of reach of children

If swallowed, get medical help or contact a Poison Control Center right away.

BZK Wipe***Directions***

tear open packet and use as a washcloth

BZK Wipe***Other information***

- store at room temperature 15⁰ to 30⁰ C (59⁰ - 86⁰ F)
- do not reuse towelette

BZK Wipe***Inactive ingredient***

water

BZK Wipe***Questions***

1-800-430-5490

Eyewash***Active ingredient***

Sterile Water 99%

Eyewash***Purpose***

Eyewash

Eyewash***Uses***

- for flushing the eye to remove loose foreign material, air pollutants or chlorinated water

Eyewash

Warnings

For external use only

- Obtain immediate medical treatment for all open wounds in or near eyes.
- To avoid contamination, do not touch tip of container to any surface.
- Do not reuse.
- Once opened, discard.

Do not use

- if solution changes color or becomes cloudy
- if you have open wounds in or near the eyes, get medical help right away.

Stop use and ask a doctor if

- you experience eye pain
- changes in vision
- continued redness or irritation of the eye
- condition worsens or persists

Keep out of reach of children

If swallowed, get medical help or contact a Poison Control Center right away.

Eyeash

Directions

- remove contacts before using
- twist top to remove
- flush the affected area as needed
- control rate of flow by pressure on the bottle
- if necessary, continue flushing with emergency eyewash or shower

Eyewash

Inactive ingredients

sodium chloride, sodium phosphate dibasic, sodium phosphate monobasic

Eyeash

Questions

Call 1-800-430-5490 Honeywell Safety Products USA, Inc. Smithfield, RI 02917

Neomycin

Active ingredient

Neomycin sulfate (5 mg equivalent to 3.5 mg Neomycin base)

Neomycin

Purpose

First aid antibiotic

Neomycin

Uses

first aid to help prevent infection in

- minor cuts
- scrapes
- burns

Neomycin

Warnings

For external use only

Do not use

- in the eyes
- over large areas of the body

Ask a doctor before use if you have

deep or puncture wounds

animal bites

serious burns

Stop use and ask a doctor if

- the condition persists or gets worse
- a rash or other allergic reaction develops
- you need to use longer than 1 week

Keep out of reach of children

If swallowed, get medical help or contact a Poison Control Center right away

Neomycin

Directions

- clean the affected area
- apply a small amount of the product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily
- may be covered with a sterile bandage

Neomycin

Other information

store at 15 to 25 ° C (59 ° to 77 ° F)

Neomycin

Inactive ingredient

petrolatum

**Neomycin
Questions**

1-800-430-5490

4306

SF00004375 Kit Contents

- 1 NEOMYCIN ANTIBIOTIC 10 PER
- 1 GAUZE BANDAGE, 4" X 6 YD
- 1 ADHESIVE TPE 1"X2-1/2 YD 2 PER
- 1 RESCUE BLANKET 1 PER
- 1 GAUZE COMP, 1 SQ YARD, 1 PER
- 2 BUFFERED EYE WASH 1 OZ BTL
- 1 BANDAGE COMBO PACK
- 1 BURN JEL 1/8 OZ, 6 PER
- 2 NITRILE GLOVES 2PR BBP
- 1 ANTIMCRBL ANTSPTC TWLETTS
- 1 FIRST AID GUIDE ASHI
- 1 CPR MICROSHIELD DOUBLE UNIT
- 1 SCISSOR BDGE 4" RED PLS HDL
- 1 SPLINTER FORCEP 4 1/2"
- LBL STOCK 6-3/8"X4"
- 1 LBL STOCK 3"x1-7/8"
- 1 WATER-JEL BURN DRESSING 4 X 4
- 1 KIT STL 16 UN (HORIZONTAL)



Burn Jel

Principal Display Panel

796353 Rev. E Unit Carton Printing Plate for "B" size cartor



Principal Display Panel



Eyewash Principal Display Panel

Honeywell

TAMPER-EVIDENT CAP.
TAPA CON SELLO DE SEGURIDAD.
BOUCHON INDICATEUR D'INFRACTION.

eyesaline®

LAVAOJOS
EYESALINE

EYESALINE
EYEWASH

LAVAGE
OCULAIRE
EYESALINE

Solución
Isotónico Estéril

Sterile
Isotonic Solution

La Solution
Isotonique Stérile

16 fl. oz. (473 mL)

NPN: 80057528
64809 1 45033 3

Drug Facts (for USA only)

Active ingredient Sterile water 99%
Purpose Eyewash
Uses for flushing the eye to remove loose foreign material, air pollutants, or chlorinated water.
Warnings
For external use only - Obtain immediate medical treatment for all open wounds in or near the eyes. To avoid contamination, do not touch tip of container to any surface. Do not reuse. Once opened, discard.
Do not use
• if solution changes color or becomes cloudy
• if you have open wounds in or near the eyes, get medical help right away
Stop use and consult a doctor if:
• you experience eye pain • changes in vision
• continued redness or irritation of the eye
• condition worsens or persists
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.
Directions
• remove contacts before using • twist top to remove
• flush the affected area as needed
• control rate of flow by pressure on the bottle
• if necessary, continue flushing with emergency eyewash or shower
Inactive ingredients sodium chloride, sodium phosphate dibasic, sodium phosphate monobasic
Questions? Call 1-800-430-5490
Honeywell Safety Products USA, Inc. Smithfield, RI. 02917

LABEL #32-004510 Rev. J REORDER / NUEVO PEDIDO / REAPPROVISIONNEMENT #32-000454-0000

space for lot code and supplier part number

PEEL / PELAR / PELEL

Datos de medicamento (Para EE.UU. solamente)

Ingrediente Activo Agua estéril 99%
Propósito Lavaojos
Usos para el lavado de ojo para quitar las partículas sueltas y extrañas, los contaminantes aeros, o agua de cloruro
Advertencias
Para el uso externo sólo - Obtenga tratamiento médico inmediato para todas las heridas abiertas en o cerca de los ojos. Para evitar la contaminación, no toque la punta del envase con ninguna superficie. No vuelva a usar. Vez abierto, descarte.
No se use • si la solución se enturbia o cambia de color
• si tiene heridas abiertas en o cerca del ojo, obtenga ayuda medica de inmediato
Deje de usar y consulte a un médico si:
• experimenta dolor de ojo • cambio de visión
• rojez continuo o irritación del ojo
• la condición empeora o persiste
Manténgase fuera del alcance de los niños.
En caso de ingestión accidental, obtenga atención médica o llame a un Centro de control de envenenamiento inmediatamente.
Instrucciones
• quite los lentes de contacto antes de usar la solución
• tuerza la tapa para quitar
• enjuague el área afectada según se necesite
• controle el chorro haciendo presión el la botella
• si es necesario, sigue enjuagado con un lavaojos o ducha de emergencia
Ingredientes inactivos cloruro de sodio, fosfato de sodio dibásico, fosfato de sodio monobásico
¿Preguntas? Llame al 1-800-430-5490
Honeywell Safety Products USA, Inc. Smithfield, RI. 02917

Information

Usages
Pour le rinçage des yeux afin d'enlever un corps étranger, des polluants atmosphériques ou de l'eau chlorée.
Advertissements
Pour usage externe seulement - Obtenir immédiatement des soins médicaux pour toutes les plaies ouvertes dans ou près des yeux. Pour éviter toute contamination, ne pas toucher la pointe du récipient à n'importe quelle surface. Ne pas réutiliser. Une fois ouvert, jeter.
Ne pas utiliser
• si la solution a changé de couleur ou si elle est brouillée
• si vous avez des plaies ouvertes aux yeux ou à proximité, consultez immédiatement un médecin
Cesser d'utiliser la solution et consulter un médecin
• vous ressentez une douleur oculaire • si votre vision change
• rougeur ou irritation persistante des yeux
• condition empire ou persiste
Garder hors de la portée des enfants.
En cas d'ingestion, communiquer immédiatement avec un médecin ou avec un centre antipoison.
Mode d'emploi
• enlever les verres de contact avant l'utilisation • dévisser le bouchon pour l'enlever • rincer la zone touchée selon les besoins • ajuster le débit d'écoulement de la solution en augmentant ou en réduisant la pression exercée sur le contenant
• si nécessaire, continuer de rincer avec une solution de rinçage oculaire d'urgence ou une douche
Ingédients eau stérile, chlorure de sodium, phosphate dibasique de sodium, phosphate monobasique de sodium
Des questions? Faites le 1-800-430-5490
Honeywell Safety Products USA, Inc. Smithfield, RI. 02917

Neomycin
Principal Display Panel

822568-25

**Neomycin First
aid antibiotic**

020126-25

Neomycin
First aid antibiotic
Neomycin sulfate
First aid antibiotic

Distributed by:
Honeywell Safety Products
USA, Inc. Smithfield,
RI 02917

25 Packets, Net Wt 1/32 oz (0.9 g) each

Neomycin First aid antibiotic

822568-25

Drug Facts

Active ingredient (in each gram) **Purpose**
Neomycin sulfate (equivalent to 3.5 mg neomycin) First aid antibiotic

Use first aid to help prevent infection in minor • cuts • scrapes • burns

Warnings

For external use only

Allergy alert • do not use if you are allergic to any of the ingredients

Do not use • in the eyes • over large areas of the body

Ask a doctor before use if you have • deep or puncture wounds • animal bites • serious burns

Stop use and ask a doctor if • conditions persists or gets worse • rash or other allergic reaction develops
• you need to use longer than one week

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

• clean the affected area
• apply a small amount of product (equal to the surface area of the tip of a finger) on the area 1 to 3 times daily
• may be covered with a sterile bandage

Other information store at 15° to 25°C (59° to 77°F)

Inactive ingredient petrolatum

Questions or comments? 1-800-430-5490

4306 Kit Label
SF00004375



Distributed by Honeywell Safety Products USA, Inc. Smithfield, RI 02917

4306 FIRST AID KIT

4306 first aid kit

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0498-4306
---------------------	----------------	---------------------------	---------------

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-4306-01	1 in 1 KIT	09/13/2018	

Quantity of Parts

Part #	Package Quantity	Total Product Quantity
Part 1	6 PACKET	21 g
Part 2	2 BOTTLE	60 mL
Part 3	1 PACKET	1.4 mL
Part 4	10 PACKET	9 g

Part 1 of 4

BURN JEL

gel for burns gel

Product Information

Item Code (Source) NDC:0498-0203

Route of Administration TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LIDOCAINE HYDROCHLORIDE (UNII: V13007Z41A) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE HYDROCHLORIDE ANHYDROUS	2 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
TEA TREE OIL (UNII: VIF565UC2G)	
DIAZOLIDINYL UREA (UNII: H5RIZ3MPW4)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
GLYCERIN (UNII: PDC6A3C0OX)	
TROLAMINE (UNII: 9O3K93S3TK)	
CARBOMER HOMOPOLYMER TYPE C (ALLYL PENTAERYTHRITOL CROSSLINKED) (UNII: 4Q93RCW27E)	
CARBOMER HOMOPOLYMER TYPE B (ALLYL PENTAERYTHRITOL CROSSLINKED) (UNII: HHT01Z NK31)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	
OCTOXYNOL-9 (UNII: 7JPC6Y25QS)	
DIPROPYLENE GLYCOL (UNII: E107L85C40)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-0203-00	3.5 g in 1 PACKET; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part348	09/19/2018	

Part 2 of 4

EYESALINE EMERGENCY EYEWASH

purified water liquid

Product Information

Item Code (Source) NDC:0498-0100

Route of Administration OPHTHALMIC

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
WATER (UNII: 059QF0KO0R) (WATER - UNII:059QF0KO0R)	WATER	98.6 mL in 100 mL

Inactive Ingredients

Ingredient Name	Strength
SODIUM PHOSPHATE, DIBASIC (UNII: GR686LBA74)	
SODIUM PHOSPHATE, MONOBASIC, MONOHYDRATE (UNII: 593YOG76RN)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-0100-01	30 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part349	12/18/2018	

Part 3 of 4

ANTISEPTIC TOWELETTE

benzalkonium chloride liquid

Product Information

Item Code (Source) NDC:0498-0501

Route of Administration TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BENZALKONIUM CHLORIDE (UNII: F5UM2KM3W7) (BENZALKONIUM - UNII:7N6JUD5X6Y)	BENZALKONIUM CHLORIDE	1.3 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-0501-00	1.4 mL in 1 PACKET; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part333E	12/22/2017	

Part 4 of 4**NEOMYCIN**

antibiotic ointment

Product Information

Item Code (Source)	NDC:0498-0730
Route of Administration	TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
NEOMYCIN SULFATE (UNII: 057Y626693) (NEOMYCIN - UNII:I16QD7X297)	NEOMYCIN SULFATE	3.5 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
PETROLATUM (UNII: 4T6H12BN9U)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-0730-01	0.9 g in 1 PACKET; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part333B	03/31/2010	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		09/13/2018	

Labeler - Honeywell Safety Products USA, Inc. (079287321)**Registrant** - Honeywell Safety Products USA, Inc. (079287321)

Revised: 12/2021

Honeywell Safety Products USA, Inc.