

**COLD MAX DAY AND NIGHT- acetaminophen, chlorpheniramine maleate, dextromethorphan hydrobromide, and phenylephrine hydrochloride**  
**AmeriSource Bergen**

-----  
**GNP-1150-2022-0802**

**COLD MAX DAY**

***Drug Facts***

---

| <b><i>Active ingredients (in each caplet)</i></b> | <b><i>Purpose</i></b>       |
|---|-----------------------------|
| Acetaminophen 325 mg                              | Pain reliever/fever reducer |
| Dextromethorphan HBr 10 mg                        | Cough suppressant           |
| Phenylephrine HCl 5 mg                            | Nasal decongestant          |

---

**Uses**

- temporarily relieves these common cold/flu symptoms:
  - minor aches and pains
  - headache
  - sore throat
  - nasal congestion
  - cough
  - sinus congestion and pressure
- helps clear nasal passages
- promotes nasal and sinus drainage
- temporarily reduces fever

**COLD MAX NIGHT**

***Drug Facts***

---

| <b><i>Active ingredients (in each caplet)</i></b> | <b><i>Purpose</i></b>       |
|---|-----------------------------|
| Acetaminophen 325 mg                              | Pain reliever/fever reducer |
| Chlorpheniramine maleate 2 mg                     | Antihistamine               |
| Dextromethorphan HBr 10 mg                        | Cough suppressant           |
| Phenylephrine HCl 5 mg                            | Nasal decongestant          |

---

**Uses**

- temporarily relieves these common cold/flu symptoms:
  - minor aches and pains
  - headache

- sore throat
- nasal congestion
- runny nose and sneezing
- cough
- sinus congestion and pressure
- helps clear nasal passages
- relieves cough to help you sleep
- temporarily reduces fever

## **Warnings**

### **Liver warning**

This product contains acetaminophen. The maximum daily dose of this product is 10 caplets (3,250 mg acetaminophen) in 24 hours. Severe liver damage may occur if you take

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

### **Allergy alert**

Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

### **Sore throat warning**

If sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly.

### **Do not use**

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.
- if you have ever had an allergic reaction to this product or any of its ingredients

### **Ask a doctor before use if you have**

- liver disease
- heart disease
- high blood pressure
- thyroid disease
- diabetes

- trouble urinating due to an enlarged prostate gland
- persistent or chronic cough such as occurs with smoking, asthma, or emphysema
- cough that occurs with too much phlegm (mucus)
- a breathing problem such as emphysema or chronic bronchitis
- glaucoma

**Ask a doctor or pharmacist before use if you are**

- taking the blood thinning drug warfarin
- taking sedatives or tranquilizers

**When using this product**

- **do not exceed recommended dosage**

**In addition, when using Cold Max Night:**

- excitability may occur, especially in children
- marked drowsiness may occur
- alcohol, sedatives, and tranquilizers may increase drowsiness
- avoid alcoholic drinks
- be careful when driving a motor vehicle or operating machinery

**Stop use and ask a doctor if**

- nervousness, dizziness, or sleeplessness occur
- pain, nasal congestion, or cough gets worse or lasts more than 7 days
- fever gets worse or lasts more than 3 days
- redness or swelling is present
- new symptoms occur
- cough comes back or occurs with rash or headache that lasts

These could be signs of a serious condition.

**If pregnant or breast-feeding,** ask a health professional before use.

**Keep out of reach of children.**

**Overdose warning**

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

**Directions**

- do not take more than directed (see overdose warning)
- do not take Day and Night caplets at the same time
- do not take more than a total of 10 caplets in 24 hours

|                                       |   |
|---------------------------------------|---|
| adults and children 12 years and over | <ul style="list-style-type: none"> <li>▪ take 2 caplets every 4 hours</li> <li>▪ swallow whole – do not crush, chew, or dissolve</li> </ul> |
|---------------------------------------|---|

children under 12 years | ■ ask a doctor

---

### **Other information**

- store between 20-25°C (68-77°F) in a dry place
- retain carton for complete product information and warnings

### **Inactive ingredients**

#### **Cold Max Day**

acesulfame potassium, colloidal silicon dioxide, croscarmellose sodium, crospovidone, flavor, magnesium stearate, microcrystalline cellulose, polyethylene glycol, polyvinyl alcohol, povidone, pregelatinized starch, propylene glycol, stearic acid, talc, titanium dioxide

#### **Cold Max Night**

acesulfame potassium, colloidal silicon dioxide, croscarmellose sodium, FD&C blue #1 aluminum lake, flavor, magnesium stearate, microcrystalline cellulose, polyethylene glycol, polyvinyl alcohol, povidone, pregelatinized starch, propylene glycol, stearic acid, talc, titanium dioxide

### **PRINCIPAL DISPLAY PANEL**

Good Neighbor Pharmacy®

NDC 46122-411-62

DAY & NIGHT

Cold Max

Acetaminophen, Phenylephrine HCl, Dextromethorphan HBr, Chlorpheniramine Maleate\*  
Pain Reliever/Fever Reducer, Nasal Decongestant, Cough Suppressant, Antihistamine\*

\*Antihistamine in Nighttime only

Day

- Head & Body Aches
- Fever & Sore Throat
- Nasal Congestion
- Cough

COOL TASTE

12 CAPLETS

Night

- Head & Body Aches

- Fever & Sore Throat
- Nasal Congestion
- Cough
- Runny Nose\*

COOL TASTE

8 CAPLETS

**LIFT PANEL FOR MORE DRUG FACTS INFORMATION**

|   |  |
|---|--|
| <p><b>Do not use</b></p> <ul style="list-style-type: none"> <li>■ with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.</li> </ul> <p><b>Warnings</b></p> <p>Liver warning: This product contains acetaminophen. The maximum daily dose of this product is 10 caplets (3,250 mg acetaminophen) in 24 hours. Severe liver damage may occur if you take more than 4,000 mg of acetaminophen in 24 hours ■ with other drugs containing acetaminophen ■ 3 or more alcoholic drinks every day while using this product</p> <p><b>Allergy alert:</b> Acetaminophen may cause severe skin reactions. Symptoms may include: ■ skin reddening ■ blisters ■ rash</p> <p>If a skin reaction occurs, stop use and seek medical help right away.</p> <p><b>Sore throat warning:</b> If sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly.</p> |  |
| <p><b>Uses</b></p> <p>temporarily relieves these common cold/flu symptoms:</p> <ul style="list-style-type: none"> <li>■ minor aches and pains ■ headache</li> <li>■ sore throat</li> <li>■ sinus congestion and pressure</li> <li>■ runny nose and sneezing ■ cough</li> <li>■ sinus congestion and pressure</li> <li>■ helps clear nasal passages</li> <li>■ relieves cough to help you sleep</li> <li>■ temporarily reduces fever</li> </ul>  | <p><b>Uses</b></p> <p>temporarily relieves these common cold/flu symptoms:</p> <ul style="list-style-type: none"> <li>■ minor aches and pains ■ headache</li> <li>■ sore throat</li> <li>■ nasal congestion</li> <li>■ cough</li> <li>■ sinus congestion and pressure</li> <li>■ helps clear nasal passages</li> <li>■ promotes nasal and sinus drainage</li> <li>■ temporarily reduces fever</li> </ul> |
| <p><b>Drug Facts</b></p> <p><b>Active ingredients</b><br/>(in each Night caplet)</p> <p>Acetaminophen 325 mg...Pain reliever/fever reducer<br/>         Chlorpheniramine maleate 2 mg...Antihistamine<br/>         Dextromethorphan HBr 10 mg...Cough suppressant<br/>         Pseudoephedrine HCl 5 mg...Nasal decongestant</p>  | <p><b>Drug Facts</b></p> <p><b>Active ingredients</b><br/>(in each Day caplet)</p> <p>Acetaminophen 325 mg...Pain reliever/fever reducer<br/>         Dextromethorphan HBr 10 mg...Cough suppressant<br/>         Pseudoephedrine HCl 5 mg...Nasal decongestant</p>  |

**DO NOT TAKE THE DAY AND NIGHT CAPLETS AT THE SAME TIME.**  
Do not take more than a total of 10 caplets in a 24-hour period. Take only as directed.

COLD MAX NIGHT      DAY MAX COLD



# Cold Max

▶ DAY & NIGHT

Pain Reliever / Fever Reducer, Nasal Decongestant, Cough Suppressant, Antihistamine\*



NDC 46122-411-62

▶ DAY & NIGHT

# Cold Max

Acetaminophen, Phenylephrine HCl,  
Dextromethorphan HBr, Chlorpheniramine Maleate\*

**Pain Reliever / Fever Reducer, Nasal Decongestant,  
Cough Suppressant, Antihistamine\***

\*Antihistamine in Night only

## Day

- Head & Body Aches
- Fever & Sore Throat
- Nasal Congestion
- Cough

COOL TASTE  
12 CAPLETS



Actual Size

## Night

- Head & Body Aches
- Fever & Sore Throat
- Nasal Congestion
- Cough
- Runny Nose\*

COOL TASTE  
8 CAPLETS



Actual Size

NC

NC

**Drug Facts (continued)**

**Inactive ingredients**  
Cold Max Day acetaminophen potassium, colloidal silicon dioxide, corn starch, croscarmellose sodium, croscopolone, flavor, magnesium stearate, microcrystalline cellulose, polyethylene glycol, pregelatinized starch, propylene glycol, stearic acid, talc, titanium dioxide  
Cold Max Night acetaminophen potassium, colloidal silicon dioxide, corn starch, croscarmellose sodium, croscopolone, FD&C Blue #1 aluminum lake, flavor, magnesium stearate, microcrystalline cellulose, polyethylene glycol, polyvinyl alcohol, povidone, pregelatinized starch, propylene glycol, stearic acid, talc, titanium dioxide

**Drug Facts (continued)**

■ If you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychotic or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product. ■ If you have ever had an allergic reaction to this product or any of its ingredients

**Ask a doctor before use if you have**  
■ liver disease ■ heart disease ■ thyroid disease ■ high blood pressure ■ diabetes ■ glaucoma ■ trouble urinating due to an enlarged prostate gland ■ cough that occurs with too much phlegm (mucus) ■ persistent or chronic cough such as occurs with smoking, asthma, or emphysema ■ a breathing problem such as emphysema or chronic bronchitis

**Ask a doctor or pharmacist before use if you are**  
■ taking the blood thinning drug warfarin ■ taking sedatives or tranquilizers

**When using this product** ■ do not exceed recommended dosage

**In addition, when using Cold Max Night**  
■ excitability may occur, especially in children ■ marked drowsiness may occur ■ alcohol, sedatives, and tranquilizers may increase drowsiness ■ avoid alcoholic drinks

**Stop use and ask a doctor if** ■ nervousness, dizziness, or sleeplessness occur ■ pain, nasal congestion, or cough gets worse or lasts more than 7 days ■ fever gets worse or lasts more than 3 days ■ redness or swelling is present ■ new symptoms occur

These could be signs of a serious condition.  
If pregnant or breast-feeding, ask a health professional before use.  
Keep out of reach of children.  
Overdose warning: In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222). Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

**Directions** ■ do not take more than directed (see overdose warning) ■ do not take Day and Night caplets at the same time ■ do not take more than a total of 10 caplets in 24 hours

adults and children ■ take 2 caplets every 4 hours ■ swallow whole; do not crush, chew, or dissolve

children under 12 years ■ ask a doctor

**Other information** ■ store between 20-25°C (68-77°F) in a dry place ■ retain carton for complete product information and warnings

DO NOT USE IF BLISTER UNITS  
ARE TORN OR BROKEN



Distributed By  
AmerisourceBergen  
1 West First Avenue  
Conshohocken, PA 19428  
Questions or Concerns?  
[www.mygnp.com](http://www.mygnp.com)

ABC# 10174550  
F115002GNP\_R2  
0 8770142944 6  
087701429446



## COLD MAX DAY AND NIGHT

acetaminophen, chlorpheniramine maleate, dextromethorphan hydrobromide, and phenylephrine hydrochloride kit

### Product Information

|                     |                |                           |               |
|---------------------|----------------|---------------------------|---------------|
| <b>Product Type</b> | HUMAN OTC DRUG | <b>Item Code (Source)</b> | NDC:46122-411 |
|---------------------|----------------|---------------------------|---------------|

### Packaging

| # | Item Code        | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|---------------------|----------------------|--------------------|
| 1 | NDC:46122-411-62 | 1 in 1 CARTON       | 08/01/2018           |                    |

### Quantity of Parts

| Part # | Package Quantity | Total Product Quantity |
|--------|------------------|------------------------|
| Part 1 | 1 BLISTER PACK   | 12                     |
| Part 2 | 1 BLISTER PACK   | 8                      |

## Part 1 of 2

### ACETAMINOPHEN, DEXTROMETHORPHAN HYDROBROMIDE, PHENYLEPHRINE HYDROCHLORIDE

acetaminophen, dextromethorphan hydrobromide, and phenylephrine hydrochloride tablet, coated

### Product Information

|                                |      |
|--------------------------------|------|
| <b>Route of Administration</b> | ORAL |
|--------------------------------|------|

### Active Ingredient/Active Moiety

| Ingredient Name  | Basis of Strength             | Strength |
|--|-------------------------------|----------|
| <b>ACETAMINOPHEN</b> (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)                    | ACETAMINOPHEN                 | 325 mg   |
| <b>DEXTROMETHORPHAN HYDROBROMIDE</b> (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS) | DEXTROMETHORPHAN HYDROBROMIDE | 10 mg    |
| <b>PHENYLEPHRINE HYDROCHLORIDE</b> (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII:1WS297W6MV)      | PHENYLEPHRINE HYDROCHLORIDE   | 5 mg     |

## Inactive Ingredients

| Ingredient Name                                     | Strength |
|---|----------|
| ACESULFAME POTASSIUM (UNII: 23OV73Q5G9)             |          |
| SILICON DIOXIDE (UNII: ETJ7Z6XBU4)                  |          |
| CROSCARMELOSE SODIUM (UNII: M28OL1HH48)             |          |
| CROSPVIDONE (UNII: 2S7830E561)                      |          |
| MAGNESIUM STEARATE (UNII: 70097M6I30)               |          |
| CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)      |          |
| POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A) |          |
| POLYVINYL ALCOHOL, UNSPECIFIED (UNII: 532B59J990)   |          |
| POVIDONE, UNSPECIFIED (UNII: FZ989GH94E)            |          |
| STARCH, PREGELATINIZED CORN (UNII: O8232NY3SJ)      |          |
| PROPYLENE GLYCOL (UNII: 6DC9Q167V3)                 |          |
| STEARIC ACID (UNII: 4ELV7Z65AP)                     |          |
| TALC (UNII: 7SEV7J4R1U)                             |          |
| TITANIUM DIOXIDE (UNII: 15FIX9V2JP)                 |          |

## Product Characteristics

|          |                       |              |          |
|----------|-----------------------|--------------|----------|
| Color    | white                 | Score        | no score |
| Shape    | OVAL (capsule-shaped) | Size         | 17mm     |
| Flavor   | MINT                  | Imprint Code | AAA;1138 |
| Contains |                       |              |          |

## Packaging

| # | Item Code | Package Description                                     | Marketing Start Date | Marketing End Date |
|---|-----------|---|----------------------|--------------------|
| 1 |           | 12 in 1 BLISTER PACK; Type 0: Not a Combination Product |                      |                    |

## Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| OTC Monograph Drug | M012                                     |                      |                    |

## Part 2 of 2

### ACETAMINOPHEN, CHLORPHENIRAMINE MALEATE, DEXTROMETHORPHAN HYDROBROMIDE, PHENYLEPHRINE HYDROCHLORIDE

acetaminophen, chlorpheniramine maleate, dextromethorphan hydrobromide, and phenylephrine hydrochloride tablet, coated

## Product Information



|                                |      |
|--------------------------------|------|
| <b>Route of Administration</b> | ORAL |
|--------------------------------|------|

### Active Ingredient/Active Moiety

| Ingredient Name  | Basis of Strength             | Strength |
|--|-------------------------------|----------|
| <b>ACETAMINOPHEN</b> (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)                    | ACETAMINOPHEN                 | 325 mg   |
| <b>CHLORPHENIRAMINE MALEATE</b> (UNII: V1Q0O9OJ9Z) (CHLORPHENIRAMINE - UNII:3U6IO1965U)      | CHLORPHENIRAMINE MALEATE      | 2 mg     |
| <b>DEXTROMETHORPHAN HYDROBROMIDE</b> (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS) | DEXTROMETHORPHAN HYDROBROMIDE | 10 mg    |
| <b>PHENYLEPHRINE HYDROCHLORIDE</b> (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII:1WS297W6MV)      | PHENYLEPHRINE HYDROCHLORIDE   | 5 mg     |

### Inactive Ingredients

| Ingredient Name  | Strength |
|--|----------|
| <b>ACESULFAME POTASSIUM</b> (UNII: 23OV73Q5G9)             |          |
| <b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)                  |          |
| <b>CROSCARMELOSE SODIUM</b> (UNII: M28OL1HH48)             |          |
| <b>FD&amp;C BLUE NO. 1</b> (UNII: H3R47K3TBD)              |          |
| <b>ALUMINUM OXIDE</b> (UNII: LMI26O6933)                   |          |
| <b>MAGNESIUM STEARATE</b> (UNII: 70097M6I30)               |          |
| <b>CELLULOSE, MICROCRYSTALLINE</b> (UNII: OP1R32D61U)      |          |
| <b>POLYETHYLENE GLYCOL, UNSPECIFIED</b> (UNII: 3WJQ0SDW1A) |          |
| <b>POLYVINYL ALCOHOL, UNSPECIFIED</b> (UNII: 532B59J990)   |          |
| <b>POVIDONE, UNSPECIFIED</b> (UNII: FZ989GH94E)            |          |
| <b>STARCH, PREGELATINIZED CORN</b> (UNII: O8232NY3SJ)      |          |
| <b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)                 |          |
| <b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)                     |          |
| <b>TALC</b> (UNII: 7SEV7J4R1U)                             |          |
| <b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)                 |          |

### Product Characteristics

|                 |                       |                     |          |
|-----------------|-----------------------|---------------------|----------|
| <b>Color</b>    | blue                  | <b>Score</b>        | no score |
| <b>Shape</b>    | OVAL (capsule-shaped) | <b>Size</b>         | 17mm     |
| <b>Flavor</b>   | MINT                  | <b>Imprint Code</b> | AAA;1139 |
| <b>Contains</b> |                       |                     |          |

### Packaging

| # | Item Code | Package Description                                    | Marketing Start Date | Marketing End Date |
|---|-----------|--|----------------------|--------------------|
| 1 |           | 8 in 1 BLISTER PACK; Type 0: Not a Combination Product |                      |                    |

### Marketing Information

| Marketing | Application Number or Monograph | Marketing Start | Marketing End |
|-----------|---------------------------------|-----------------|---------------|
|-----------|---------------------------------|-----------------|---------------|

| Category                     | Citation                                 | Date                 | Date               |
|------------------------------|--|----------------------|--------------------|
| OTC Monograph Drug           | M012                                     |                      |                    |
| <b>Marketing Information</b> |  |                      |                    |
| Marketing Category           | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
| OTC Monograph Drug           | M012                                     | 08/01/2018           |                    |

**Labeler** - AmeriSource Bergen (007914906)

Revised: 10/2024

AmeriSource Bergen