4167 FIRST AID KIT- 4167 first aid
Honeywell Safety Products USA, Inc.

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

4167 First Aid Kit (Triple, EW, Burn Jel, BZK wipe, sting relief- 6824PE)

Burn Jel
Active ingredient

Lidocaine HCl 2.0%

Burn Jel
Purpose

External analgesic

Burn Jel
Uses

- temporarily relieves pain due to minor burns

Burn Jel
Warnings

For external use only

Do not use

- on large areas of the body, particularly over raw surfaces or blistered areas

When using this product

- avoid contact with eyes

Stop use and ask a doctor if

- the condition gets worse
- symptoms persist for more than 7 days
- condition clears up and recurs within a few days

Keep out of reach of children

- If swallowed, get medical help or contact a Poison Control Center right away.

Burn JEl
Directions

- adults and children 2 years of age and older; apply to affected area not more than 3 to 4 times daily
- children under 2 years of age: ask a doctor
- you may report a serious reaction to this product to 800-430-5490

Burn Jel
Other information

- store at room temperature - do not use if opened or torn

Burn Jel
Inactive ingredients

carbopol 940, carbopol 1342, diazolidinyl urea, glycerin, melaleuca alternifolia (tea tree) leaf oil, methylparaben, octoxynol-9, propylene glycol, propylparaben, trolamine, water

Burn Jel
Questions

1-800-430-5490

Triple
Active ingredient

Bacitracin zinc 400 units

Neomycin sulfate (5 mg equivalent to 3.5 mg Neomycin base)

Polymyxin B sulfate 5000 units

Triple
Purpose

First aid antibiotic

First aid antibiotic

First aid antibiotic

Triple
Uses

first aid to help prevent infection in:

- minor cuts
- scrapes
- burns

Triple
Warnings

For external use only

Allergy alert: **do not use if you are allergic to any of the ingredients**

Do not use

- in the eyes
- over large areas of the body
- Ask a doctor before use if you have
- a deep or puncture wounds
- animal bites
- serious burns

Stop use and ask a doctor if

- the condition persists or gets worse
- a rash or other allergic reaction develops
- you need to use longer than 1 week

Keep out of the reach of children

If swallowed, get medical help or contact a Poison Control Center right away.

Triple
Directions

- clean the affected area
- apply a small amount of the product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily
- may be covered with a sterile bandage

Triple
Other information

- store at 15 ^{0} to 25 ^{0} C (59 ^{0} to 77 ^{0} F)
- tamper evident sealed packets
- do not use if packet is torn or opened

Triple
Inactive ingredient

petrolatum

Triple
Questions?

1-800-430-5490

BZK Wipe
Active ingredient

Benzalkonium chloride 0.13% w/v

BZK Wipe
Purpose

First aid antiseptic

BzK Wipe
Uses

Antiseptic cleansing of face, hands, and body without soap and water

BZK Wipe
Warnings

For external use only

Do not use

- in the eyes or over large areas of the body
- on mucous membranes
- on irritated skin
- in case of deep puncture wounds, animal bites or serious burns, consult a doctor
- longer than 1 week unless directed by a doctor

Stop use and ask a doctor if

- if irritation, redness or other symptoms develop
- the condition persists or gets worse

Keep out of reach of children

If swallowed, get medical help or contact a Poison Control Center right away.

BZK Wipe
Directions

tear open packet and use as a washcloth

BZK Wipe
Other information

- store at room temperature 15 ^{0} to 30 ^{0} C (59 ^{0} - 86 ^{0} F)
- do not reuse towelette

BZK Wipe
Inactive ingredient

water

BZK Wipe
Questions

1-800-430-5490

Sting Relief
Active ingredient (in each wipe)

Ethyl alcohol 50.0%

Lidocaine HCl 2.0%

Sting Relief
Purposse

Antiseptic

Topical pain relief

Sting Relief
Uses

- prevent infection in minor scrapes, and temporary relief of itching of insect bites

Sting Relief
Warnings

For external use only

Flammable, keep away from open fire or flame

Do not use
- over large areas of the body
- in eyes
- over raw or blistered areas

Stop use and ask a doctor
- if conditions worsen or persist for more than 7 days or clear up and occur again within a few days

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Sting Relief
Directions
- adults and children 2 years and older: Apply to cleaned affected area not more than 3 times daily.
- children under 2 years of age: consult a doctor.

Sting Relief
Inactive ingredients

benzalkonium chloride, menthol, and purified water

Sting Relief
Questions or Comments?

1-800-430-5490

PVP Ampule
Inactive ingredients

nonoxynol 9, water

PVP Ampule
Questions

1-800-430-5490

Eyewash
Active ingredient

Sterile Water 99%

Eyewassh
Purpose

Eyewash

Eyewash
Uses

- for flushing the eye to remove loose foreign material, air pollutants or chlorinated water

Eyewash
Warnings

For external use only
- Obtain immediate medical treatment for all open wounds in or near eyes.
- To avoid contamination, do not touch tip of container to any surface.
- Do not reuse.
- Once opened, discard.

Do not use
- if solution changes color or becomes cloudy
- if you have open wounds in or near the eyes, get medical help right away.

Stop use and ask a doctor if
- you experience eye pain
- changes in vision
- continued redness or irritation of the eye
- condition worsens or persists

Keep out of reach of children

If swallowed, get medical help or contact a Poison Control Center right away.

Eyeash
Directions
- remove contacts before using
- twist top to remove
- flush the affected area as needed
- control rate of flow by pressure on the bottle
- if necessary, continue flushing with emergency eyewash or shower

Eyewash
Inactive ingredients

sodium chloride, sodium phosphate dibasic, sodium phosphate monobasic

Eyeash
Questions

Call 1-800-430-5490 Honeywell Safety Products USA, Inc. Smithfield, RI 02917

4167

6824PE Kit Contents

2 TRIPLE ANTIBIOTIC 10 PER

1 TRIANGULAR BDG, NON-STERILE

1 GAUZE COMPRESS, 1728 SQ IN 1

2 INSTANT COLD PACK 4" X 6"

2 ADHESIVE BDG,PLSTIC,1"X3"16PER

2 BURN JEL 1/8 OZ, 6 PER

2 NITRILE GLOVES 2PR BBP

4 ANTIMCRBL ANTSPTC TWLETTS

1 CPR MICROSHIELD DOUBLE UNIT

1 1 OZ, BUFF EYEWASH

1 F. A. INST CHART SM (INDIVIDUAL LBL)

1 BANDAGE COMP 4" W/TELFA PAD 1

LBL STOCK 6-3/8"X4"

1 LBL STOCK 6-3/8"X4"

LBL STOCK 4"X2-7/8"

1 LBL STOCK 3"x1-7/8"

1 KIT STL 24 UN WHITE 01

1 2 1/4 X 3 1/2 BANDS 6

1 STING Relief SWAB 10

1 GAUZE PADS 3"X3" 4/BX

1 SCISSOR & FORCEP 1 EA

Burn Jel
Principal Display Panel

796353 Rev. E Unit Carton Printing Plate for "B" size cartor

Plate

Rev E
901850

FRONT

Burn Jel®

02-10-20

Burn Jel®
Lidocaine HCl 2%
External Analgesic

6 Packets, Net Wt 1/8 oz (3.5 g) each

Distributed by
Honeywell Safety
Products USA, Inc.
Smithfield, RI 02917

PACKAGE NOT CHILD-RESISTANT

ANSI Z308.1-20

15/16"

BACK

Rev E
901850

Burn Jel®

Drug Facts

Active Ingredient — **Purpo**
Lidocaine HCl 2% ..... External analges

Uses temporarily relieves pain due to minor burns

Warnings

For external use only

Do not use over large areas of the body, particularly over raw surfaces or blistered areas

When using this product avoid contact with eyes

Stop use and ask a doctor if
- symptoms persist for more than 7 days
- the condition gets worse
- condition clears up and recurs within a few days

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away

Directions
- adults and children 2 years of age and older: apply to affected area not more than 3 – 4 times daily
- children under 2 years of age: ask a doctor
- you may report a serious adverse reaction to this product to 800-430-5490

Other information – store at room temperature 15 – 30°C (59-86°F) – do not use torn or open

Inactive ingredient carbopol 940, carbopol 1342, diazolidinyl urea, glycerin, melaleuca alternifolia (tea tree) leaf oil, methylparaben, octoxynol-9, propylene glycol, propylparaben, triolamine, water

Questions or comments? 1-800-430-5490

Plate

Triple

Principal Display Panel



BZK Wipe

Principal Display Panel

47001083
Rev B

Antiseptic Towelettes

Honeywell

02-16-35MD

Antiseptic Towelettes

Benzalkonium chloride
First aid antiseptic

Six–Saturated Towelettes

Distributed by
Honeywell Safety
Products USA, Inc.
Smithfield, RI 02917

47001083
Rev B

Antiseptic Towelettes

Honeywell

Drug Facts

Active Ingredient	***Purpose***
Benzalkonium chloride 0.133% w/v	First aid antiseptic

Uses • antiseptic cleaning of face, hands and body without soap and water. • air dries in seconds

Warnings
For external use only

When using this product • do not use in the eyes or apply over large areas of the body

Ask a doctor before use • in case of deep or puncture wounds, animal bites, or serious burns

Stop use and consult a doctor if
• irritation, redness or other symptoms develop • condition persists or gets worse

Do not use • longer than 1 week unless directed by doctor

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions • tear open packet, unfold and use as washcloth

Other Information
• store at room temperature 15° -30° C (59° -86° F) • do not reuse towelette

Inactive ingredient water

Questions or comments **1-800-430-5490**

Sting Relief
Principal Display Panel



Eyewash
Principal Display Panel

Honeywell

TAMPER-EVIDENT CAP.
TAPA CON SELLO DE SEGURIDAD.
BOUCHON INDICATEUR D'INFRACTION.

eyesaline®

LAVAOJOS EYESALINE	EYESALINE EYEWASH	LAVAGE OCULAIRE EYESALINE
Solución Isotónico Estéril	Sterile Isotonic Solution	La Solution Isotonique Stérile

16 fl. oz. (473 mL)

NPN: 80057528

3 64809 45033 7

Drug Facts (for USA only)

Active ingredient ***Purpose***
Sterile water 99% ..... Eyewash

Uses
for flushing the eye to remove loose foreign material, air pollutants, or chlorinated water.

Warnings
For external use only - Obtain immediate medical treatment for all open wounds in or near the eyes. To avoid contamination, do not touch tip of container to any surface. Do not reuse. Once opened, discard.

Do not use
- if solution changes color or becomes cloudy
- if you have open wounds in or near the eyes, get medical help right away

Stop use and consult a doctor if :
- you experience eye pain
- changes in vision
- continued redness or irritation of the eye
- condition worsens or persists

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions
- remove contacts before using
- twist top to remove
- flush the affected area as needed
- control rate of flow by pressure on the bottle
- if necessary, continue flushing with emergency eyewash or shower

Inactive ingredients
sodium chloride, sodium phosphate dibasic, sodium phosphate monobasic

Questions? Call **1-800-430-5490**
Honeywell Safety Products USA, Inc. Smithfield, RI. 02917

LABEL #32-004510 Rev. J REORDER / NUEVO PEDIDO / RÉAPPROVISIONNEMENT #32-000454-0000

space for lot code and supplier part number

PEEL / PELAR / PELER

Datos de medicamento (Para EE.UU. solamente)

Ingrediente Activo ***Propósito***
Agua estéril 99% ..... Lavaojos

Usos
para el lavado de ojo para quitar las particulas sueltas y extrañas, los contaminantes aeros, o agua de cloruro

Advertencias
Para el uso externo sólo - Obtenga tratamiento médico inmediato para todas las heridas abiertas en o cerca de los ojos. Para evitar la contaminación, no toque la punta del envase con ninguna superficie. No vuelva a usar. Vez abierto, descarte.

No se use
- si la solución se enturbia o cambia de color
- si tiene heridas abiertas en o cerca del ojo, obtenga ayuda medica de inmediato

Deje de usar y consulte a un médico si:
- experimenta dolor de ojo
- cambio de visión
- rojez continuo o irritación del ojo
- la condición empeora o persiste

Manténgase fuera del alcance de los niños.
En caso de ingestión accidental, obtenga atención médica o llame a un Centro de control de envenenamiento inmediatamente.

Instrucciones
- quitese los lentes de contacto antes de usar la solución
- tuerza la tapa para quitar
- enjuague el área afectada según se necesite
- controle el chorro haciendo presión el la botella
- si es necesario, sigue enjuagado con un lavaojos o ducha de emergencia

Ingredientes inactivos
cloruro de sodio, fosfato de sodio dibásico, fosfato de sodio monobásico

¿Preguntas? Llame al **1-800-430-5490**
Honeywell Safety Products USA, Inc. Smithfield, RI. 02917

Information

Usages
Pour le rinçage des yeux afin d'enlever un corps étranger, des polluants atmosphenques oú de l'eau chlorée.

Advertissements
Pour usage externe seulement - Obtenir immédiatement des soins médicaux pour toutes les plaies ouvertes dans ou près des yeux. Pour éviter toute contamination, ne pas toucher la pointe du récipient à n'importe quelle surface. Ne pas réutiliser. Une fois ouvert, jetez-les.

Ne pas utiliser
- si la solution a changé de couleur ou si elle est brouillée
- si vous avez des plaies ouvertes aux yeux ou à proximité, consultez immédiatement un médecin

Cesser d'utiliser la solution et consulter un médecin
- vous ressentez une douleur oculaire
- si votre vision change
- rougeur ou irritation persistante des yeux
- condition empire ou persiste

Garder hors de la portée des enfants.
En cas d'ingestion, communiquer immédiatement avec un médecin ou avec un centre antipoison.

Mode d'emploi
- enlever les verres de contact avant l'utilisation
- dévisser le bouchon pour l'enlever
- rincer la zone touchée selon les besoins
- ajuster le débit d'écoulement de la solution en augmentant ou en réduisant la pression exercée sur le contenant
- si nécessaire, continuer de rincer avec unesolution de rinçage oculaire d'urgence ou une douche

Ingrédients eau stérile, chlorure de sodium, phosphate dibasique de sodium, phosphate monobasique de sodium

Des questions? Faites le **1-800-430-5490**
Honeywell Safety Products USA, Inc. Smithfield, RI. 02917

4167 Kit Label
6824PE

Distributed by Honeywell Safety Products USA, Inc Smithfield, RI 02917

4167 FIRST AID KIT

4167 first aid kit

Product Information

Product Type	HUMAN OTC DRUG	**Item Code (Source)**	NDC:0498-4167

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-4167-01	1 in 1 KIT	09/13/2018	

Quantity of Parts

Part #	Package Quantity	Total Product Quantity
Part 1	6 PACKET	21 g
Part 2	1 BOTTLE	30 mL
Part 3	20 PACKET	18 g
Part 4	4 PACKET	5.6 mL
Part 5	10 POUCH	4 mL

Part 1 of 5

BURN JEL

gel for burns gel

Product Information

Item Code (Source)	NDC:0498-0203
Route of Administration	TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LIDOCAINE HYDROCHLORIDE (UNII: V13007Z41A) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE HYDROCHLORIDE ANHYDROUS	2 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
TEA TREE OIL (UNII: VIF565UC2G)	
DIAZOLIDINYL UREA (UNII: H5RIZ3MPW4)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
GLYCERIN (UNII: PDC6A3C0OX)	
TROLAMINE (UNII: 9O3K93S3TK)	
CARBOMER HOMOPOLYMER TYPE C (ALLYL PENTAERYTHRITOL CROSSLINKED) (UNII: 4Q93RCW27E)	
CARBOMER HOMOPOLYMER TYPE B (ALLYL PENTAERYTHRITOL CROSSLINKED) (UNII: HHT01ZNK31)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	
OCTOXYNOL-9 (UNII: 7JPC6Y25QS)	
DIPROPYLENE GLYCOL (UNII: E107L85C40)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-0203-00	3.5 g in 1 PACKET; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part348	09/19/2018	

Part 2 of 5

EYESALINE EMERGENCY EYEWASH

purified water liquid

Product Information	
Item Code (Source)	NDC:0498-0100
Route of Administration	OPHTHALMIC

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
WATER (UNII: 059QF0KO0R) (WATER - UNII:059QF0KO0R)	WATER	98.6 mL in 100 mL

Inactive Ingredients	
Ingredient Name	Strength
SODIUM PHOSPHATE, DIBASIC (UNII: GR686LBA74)	
SODIUM PHOSPHATE, MONOBASIC, MONOHYDRATE (UNII: 593YOG76RN)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-0100-01	30 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part349	12/18/2018	

Part 3 of 5

TRIPLE ANTIBIOTIC

bacitracin zinc, polymyxin b sulfate, neomycin sulfate ointment

Product Information	
Item Code (Source)	NDC:0498-0750
Route of Administration	TOPICAL

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
POLYMYXIN B SULFATE (UNII: 19371312D4) (POLYMYXIN B - UNII:J2VZ07J96K)	POLYMYXIN B	5000 [iU] in 1 g
BACITRACIN ZINC (UNII: 89Y4M234ES) (BACITRACIN - UNII:58H6RWO52I)	BACITRACIN	400 [iU] in 1 g
NEOMYCIN SULFATE (UNII: 057Y626693) (NEOMYCIN - UNII:I16QD7X297)	NEOMYCIN	3.5 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
PETROLATUM (UNII: 4T6H12BN9U)	

Product Characteristics

Color	white	**Score**	
Shape		**Size**	
Flavor		**Imprint Code**	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-0750-35	0.9 g in 1 PACKET; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part333B	09/19/2018	

Part 4 of 5

ANTISEPTIC TOWELETTE

benzalkonium chloride liquid

Product Information

Item Code (Source)	NDC:0498-0501
Route of Administration	TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BENZALKONIUM CHLORIDE (UNII: F5UM2KM3W7) (BENZALKONIUM - UNII:7N6JUD5X6Y)	BENZALKONIUM CHLORIDE	1.3 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-0501-00	1.4 mL in 1 PACKET; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part333E	12/22/2017	

Part 5 of 5

STING RELIEF PAD

ethyl alcohol, lidocaine swab

Product Information

Item Code (Source)	NDC:0498-0733
Route of Administration	TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LIDOCAINE HYDROCHLORIDE (UNII: V13007Z41A) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE HYDROCHLORIDE ANHYDROUS	20 mg in 1 mL
ALCOHOL (UNII: 3K9958V90M) (ALCOHOL - UNII:3K9958V90M)	ALCOHOL	0.5 mL in 1 mL

Inactive Ingredients

Ingredient Name	Strength
BENZALKONIUM CHLORIDE (UNII: F5UM2KM3W7)	
MENTHOL (UNII: L7T10EIP3A)	
WATER (UNII: 059QF0KO0R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-0733-00	0.4 mL in 1 POUCH; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part348	12/23/2017	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		09/13/2018	

Labeler - Honeywell Safety Products USA, Inc. (079287321)

Registrant - Honeywell Safety Products USA, Inc. (079287321)

Establishment

Name	Address	ID/FEI	Business Operations
Honeywell Safety Products USA, Inc		079287321	pack(0498-4167)

Establishment

Name	Address	ID/FEI	Business Operations
Water-Jel Technologies		155522589	manufacture(0498-0203, 0498-0750)

Establishment

Name	Address	ID/FEI	Business Operations
Honeywell Safety Products USA, Inc.		167518617	manufacture(0498-0100)

Establishment

Name	Address	ID/FEI	Business Operations
Changzhou Maokang Medical		421317073	manufacture(0498-0501)

Establishment

Name	Address	ID/FEI	Business Operations
Safetec of America Inc		874965262	manufacture(0498-0733)