BORTONS ETHYL RUBBING ALCOHOL - alcohol liquid J-Mark International Inc.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Borton's Ethyl Rubbing Alcohol

| Drug Facts | |
|--------------------------|------------|
| Active Ingredients | Purpose |
| Ethyl Alcohol 82 percent | Antiseptic |

Uses

First aid to help reduce the risk of infection in minor cuts, scrapes, and burns.

Warnings

Flammable. Keep away from fire or flame. For external use only. Do not use in the eyes or apply over large areas of the body. In case of deep or puncture wounds, animal bites, or serious burns, consult a doctor. Stop use and consult a doctor if the condition persists or gets worse. Do not use longer than 1 week unless directed by a doctor. Keep out of reach of children. If swallowed, get medical help or contact Poison Control Center right away.

Directions

Clean the affected area. Apply a small amount of this product on the area 1 ti 3 times daily. May be covered with a sterile bandage.

Inactive Ingredients

Camphor, Water

Other Information

For your protection, this bottle has an imprinted seal around the cap. Do not use if tamper evident seal is missing, tampered, broken, or destroyed.

Distributed by/Distribuido por

J-MARK International Inc.

0819-03925

Panama

Made In/Hecho en Panama

Expiration Date/Fecha de Expiracion 12/20/15

Borton's ETHYL RUBBING ALCOHOL 82 percent By Volume FIRST AID ANTISEPTIC Net Contents 16 fl oz (473 ml)



| Ethy | tive ingredients ingredients activo: Purpose Propósito 1 Acohol 62% |
|-----------------------------|--|
| Cuits | IOS/USO: First aid to help reduce the risk of infection in minor scrapes, and burns. / Primero Audice, para ayudar a reducir el jo de infección en contadas menores, response y quemadas. |
| .jp | Immings/Advertenciess Farmaide. Keep away from the or tame. Farmaide. Keep away from the or tame. For external use only. (Para use externo sciamente to not use in the eyes or apply over large areas of the body. In ase of deep or pundure wounds, animal bites, or serious burns, crisult a dostoc/No initizer en les dos ni aplicar sobre exees nordidas de animales, o quemaduras aarias, consulte un medico. Stop use and consult a dostor if the condition pensiets or gets worst. Do not use longer than 1 week unless directed by a dostor. Inga su use y consulte a un medico si la condicion pensiete or gets. No utilizer por mas de 1 semena a menos que un medico se fuños. Tawajoued, get medical help or contact Poison Control Center right wer/Si es ingerito, obrega zyuta médica o control Center right wer/Si es ingerito, obrega zyuta médica o control e Center de control de Envenamientos de inmediato. |
| Cle the / Lin proc | rections/Direcciones an the effected area. Apply a small amount of this product on area 1 to 3 times daily. May be covered with a sterile bandage. nple el area afectada. Aplique una pequena cantidad de este fuoto en el area de 1 a 3 veces al día. Puede cubrirla con una da esteril. |
| | ctive ingredients/ingredientes inactivos: chx.Woorkgus |
| For Do i desi alte | her Information / Más Información: you protection, this botte has an imprinted seal around the cap. not use if tamper evident seal is missing, tampered, broken or royed / Para su protección, esta botella tione un sello Impreso dedor de la tapa. No use si el sello falte, ha sido attenado, noto o ruido. |
| Dis | tributed by/Distribuido por |
| | IARK International Inc. |
| | 19-03925 |
| Pa | nama |
| | de in/ Hecho en Panama |

| BORTONS ETHYL RUB alcohol liquid | BING ALCOHOL | | | | | |
|-------------------------------------|--------------------------|--------------------|-----------|-----------------|--|--|
| 1 | | | | | | |
| Product Information | | | | | | |
| Product T ype | HUMAN OTC DRUG | Item Code (Source) | NI | DC:50790-100 | | |
| Route of Administration | TOPICAL | | | | | |
| | | | | | | |
| Active Ingredient/Active Moiety | | | | | | |
| Ingred | lient Name | Basis of | fStrength | Strength | | |
| ALCOHOL (UNII: 3K9958V90M) (ALC | COHOL - UNII:3K9958V90M) | ALCOHOL | | 82 mL in 100 mL | | |
| | | | | | | |
| Inactive Ingredients | | | | | | |
| Ingredient Name | | | | Strength | | |
| WATER (UNII: 059QF0KO0R) | | | | | | |

| Packaging | | | | | | |
|--------------------------------------|--|----------------------|-----------------|--------------------|--------------------|--|
| # Item Code | Package Description | Marketing Start Date | | Marketing End Date | | |
| 1 NDC:50790-100-16 | 473 mL in 1 BOTTLE | | | | | |
| | | | | | | |
| Marketing Info | rmation | | | | | |
| Marketing Info Marketing Category | rmation Application Number or Monogr | aph Citation | Marketing Start | Date | Marketing End Date | |

Labeler - J-Mark International Inc. (853770001)

Registrant - J-Mark International Inc. (853770001)

| Establishment | | | | |
|---------------------------|---------|-----------|----------------------------|--|
| Name | Address | ID/FEI | Business Operations | |
| J-Mark International Inc. | | 853770001 | manufacture | |

Revised: 5/2010

J-Mark International Inc.