

**4295 FIRST AID KIT- 4295 first aid
Honeywell Safety Products USA, Inc.**

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

0498-4295: First Aid Kit (Triple, Burn Jel, BZK wipe, antiseptic hand gel-SF00002877)

**Burn Jel
Active ingredient**

Lidocaine HCl 2.0%

**Burn Jel
Purpose**

External analgesic

**Burn Jel
Uses**

- temporarily relieves pain due to minor burns

**Burn Jel
Warnings**

For external use only

Do not use

- on large areas of the body, particularly over raw surfaces or blistered areas

When using this product

- avoid contact with eyes

Stop use and ask a doctor if

- the condition gets worse
- symptoms persist for more than 7 days
- condition clears up and recurs within a few days

Keep out of reach of children

- If swallowed, get medical help or contact a Poison Control Center right away.

**Burn Jel
Directions**

- adults and children 2 years of age and older; apply to affected area not more than 3

to 4 times daily

- children under 2 years of age: ask a doctor
- you may report a serious reaction to this product to 800-430-5490

Burn Jel

Other information

- store at room temperature - do not use if opened or torn

Burn Jel

Inactive ingredients

carbopol 940, carbopol 1342, diazolidinyl urea, glycerin, melaleuca alternifolia (tea tree) leaf oil, methylparaben, octoxynol-9, propylene glycol, propylparaben, trolamine, water

Burn Jel

Questions

1-800-430-5490

Triple

Active ingredient

Bacitracin zinc 400 units

Neomycin sulfate (5 mg equivalent to 3.5 mg Neomycin base)

Polymyxin B sulfate 5000 units

Triple

Purpose

First aid antibiotic

First aid antibiotic

First aid antibiotic

Triple

Uses

first aid to help prevent infection in:

- minor cuts
- scrapes
- burns

Triple

Warnings

For external use only

Allergy alert: do not use if you are allergic to any of the ingredients

Do not use

- in the eyes
- over large areas of the body
- Ask a doctor before use if you have
- a deep or puncture wounds
- animal bites
- serious burns

Stop use and ask a doctor if

- the condition persists or gets worse
- a rash or other allergic reaction develops
- you need to use longer than 1 week

Keep out of the reach of children

If swallowed, get medical help or contact a Poison Control Center right away.

Triple

Directions

- clean the affected area
- apply a small amount of the product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily
- may be covered with a sterile bandage

Triple

Other information

- store at 15⁰ to 25⁰ C (59⁰ to 77⁰ F)
- tamper evident sealed packets
- do not use if packet is torn or opened

Triple

Inactive ingredient

petrolatum

Triple

Questions?

1-800-430-5490

BZK Wipe
Active ingredient

Benzalkonium chloride 0.13% w/v

BZK Wipe
Purpose

First aid antiseptic

BzK Wipe
Uses

Antiseptic cleansing of face, hands, and body without soap and water

BZK Wipe
Warnings

For external use only

Do not use

- in the eyes or over large areas of the body
- on mucous membranes
- on irritated skin
- in case of deep puncture wounds, animal bites or serious burns, consult a doctor
- longer than 1 week unless directed by a doctor

Stop use and ask a doctor if

- if irritation, redness or other symptoms develop
- the condition persists or gets worse

Keep out of reach of children

If swallowed, get medical help or contact a Poison Control Center right away.

BZK Wipe
Directions

tear open packet and use as a washcloth

BZK Wipe
Other information

- store at room temperature 15 ° to 30 ° C (59 ° - 86 ° F)
- do not reuse towelette

BZK Wipe
Inactive ingredient

water

BZK Wipe
Questions

1-800-430-5490

Hand Sanitizer
Active ingredient

Ethyl alcohol 62%

Hand Sanitizer
Purpose

Antiseptic handwash

Hand Sanitizer
Uses

- for hand washing to decrease bacteria on skin
- recommended for repeated use

Hand Sanitizer
Warnings

For external use only

Flammable, keep away from fire or flame

When using this product

- do not use in the eyes
- discontinue use if irritation and redness develops. If condition persists for more than 72 hours consult a doctor.

Keep out of reach of children

If swallowed, get medical help or contact a Poison Control Center right away.

Hand Sanitizer
Directions

wet hands thoroughly with product and allow to dry without wiping

Hand Sanitizer

Other information

- store at 15⁰ to 25⁰ C (59⁰ to 77⁰ F)

Hand Sanitizer**Inactive ingredients**

acrylates/C10-30 alkyl acrylate crosspolymer, aloe barbadensis leaf juice, dl-alpha tocopheryl acetate, fragrance, PEG-60 almond glycerides, propylene glycol, purified water, triisopropanolamine

Hand Sanitizer**Questions or Comments?**

1-800-275-3433 info@waterjel.com www.waterjel.com

4252**68P2CCU Kit Contents**


- 1 TRIPLE ANTIBIOTIC 10 PER
- 1 INSTANT COLD PACK 4" X 6"
- 1 BURN JEL 1/8 OZ, 6 PER
- 1 POR. CLOTH TAPE 2X10Yd
- 1 pOR. CLOTH TAPE 1/2X10Y
- 3 GAUZE CLEAN-WRAP BDGE N/S 4"
- 1 ABD COMBINE PAD 5" X 9"
- 1 ABD PADS 8"X10" STERILE
- 1 ELASTIC BANDAGE 3" X 4.5YD
- 1 CPR FILTERSHIELD 77-100
- 1 ANTISEPTIC WIPES BZK CHL 20'S
- 1 SCISSOR UTILITY SHEARS 7-1/4"
- LBL STOCK 6-3/8"X4"
- LBL STOCK 4"X2-7/8"
- 1 LBL STOCK 3"x1-7/8"
- 3 PR LRG NITRILE GLVES ZIP BAG
- 1 ANTISEPTIC HAND GEL 4OZ
- 1 WATER-JEL BURN DRESSING 4 X 4
- 1 KIT PP 24 UNIT FA
- 2 TRI BNDG NON WOVEN 40"X40"X56"

1 EYE PADS STD OVAL STERILE
1 GAUZE PADS 4"X4" 12PLY
5 WOVEN FINGERTIP BANDAGE 3"
10 HEAVY FLEX BANDAGE 7/8" X 3"
5 HEAVY FLEX KNUCKLE BANDAGE
5 HEAVY FLEX LARGE PATCH 2" X 3"
1 ZIP-LOCK BAG 5" X 5" .002

Burn Jel
Principal Display Panel



Principal Display Panel



BZK Wipe Principal Display Panel

47001083
Rev B

Antiseptic Towelettes

Honeywell

02-16-35MD

Antiseptic Towelettes

Benzalkonium chloride
First aid antiseptic

Six-Saturated Towelettes

Distributed by
Honeywell Safety
Products USA, Inc.
Smithfield, RI 02917

47001083
Rev B

Antiseptic Towelettes

Honeywell

Drug Facts

Active Ingredient

Benzalkonium chloride 0.133% w/v

Purpose

First aid antiseptic

Uses

- antiseptic cleaning of face, hands and body without soap and water.
- air dries in seconds

Warnings

For external use only

When using this product • do not use in the eyes or apply over large areas of the body

Ask a doctor before use • in case of deep or puncture wounds, animal bites, or serious burns

Stop use and consult a doctor if

- irritation, redness or other symptoms develop
- condition persists or gets worse

Do not use • longer than 1 week unless directed by doctor

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions • tear open packet, unfold and use as washcloth

Other information

- store at room temperature 15° -30° C (59° -86° F)
- do not reuse towelette

Inactive ingredient water

Questions or comments 1-800-430-5490

Hand Sanitizer
Principal Display Panel



INSTANT

Hand Sanitizer

**Antiseptic Gel
With Vitamin E & Aloe**

***Kills 99.9% of Germs
Without Water***

240mL - (8 fl oz)

4295 Kit Label
SF00002877



Distributed by Honeywell Safety Products USA, Inc. Smithfield, RI 02917

4295 FIRST AID KIT

4295 first aid kit

Product Information

| | | | |
|---------------------|----------------|---------------------------|---------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:0498-4295 |
|---------------------|----------------|---------------------------|---------------|

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|---------------------|----------------------|--------------------|
| 1 | NDC:0498-4295-01 | 1 in 1 KIT | 09/13/2018 | |

Quantity of Parts

| Part # | Package Quantity | Total Product Quantity |
|--------|-------------------|------------------------|
| Part 1 | 6 PACKET | 21 g |
| Part 2 | 10 PACKET | 9 g |
| Part 3 | 1 PACKET | 1.4 mL |
| Part 4 | 1 BOTTLE, PLASTIC | 118 mL |

Part 1 of 4

BURN JEL

gel for bums gel

Product Information

| | |
|-------------------------|---------------|
| Item Code (Source) | NDC:0498-0203 |
| Route of Administration | TOPICAL |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|--|-----------------------------------|-----------------|
| LIDOCAINE HYDROCHLORIDE (UNII: V13007Z41A) (LIDOCAINE - UNII:98PI200987) | LIDOCAINE HYDROCHLORIDE ANHYDROUS | 2 g in 100 g |

Inactive Ingredients

| Ingredient Name | Strength |
|--|----------|
| TEA TREE OIL (UNII: VIF565UC2G) | |
| DIAZOLIDINYL UREA (UNII: H5RIZ3MPW4) | |
| METHYLPARABEN (UNII: A2I8C7HI9T) | |
| EDETATE DISODIUM (UNII: 7FLD91C86K) | |
| GLYCERIN (UNII: PDC6A3C0OX) | |
| TROLAMINE (UNII: 9O3K93S3TK) | |
| CARBOMER HOMOPOLYMER TYPE C (ALLYL PENTAERYTHRITOL CROSSLINKED) (UNII: 4Q93RCW27E) | |
| CARBOMER HOMOPOLYMER TYPE B (ALLYL PENTAERYTHRITOL CROSSLINKED) (UNII: HHT01ZNK31) | |
| PROPYLPARABEN (UNII: Z8IX2SC1OH) | |
| OCTOXYNOL-9 (UNII: 7JPC6Y25QS) | |
| DIPROPYLENE GLYCOL (UNII: E107L85C40) | |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|--|----------------------|--------------------|
| 1 | NDC:0498-0203-00 | 3.5 g in 1 PACKET; Type 0: Not a Combination Product | | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------------|--|----------------------|--------------------|
| unapproved drug other | | 09/19/2018 | |

Part 2 of 4

TRIPLE ANTIBIOTIC

bacitracin zinc, polymyxin b sulfate, neomycin sulfate ointment

Product Information

| | |
|-------------------------|---------------|
| Item Code (Source) | NDC:0498-0750 |
| Route of Administration | TOPICAL |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|---|-------------------|------------------|
| POLYMYXIN B SULFATE (UNII: 19371312D4) (POLYMYXIN B - UNII:J2VZ07J96K) | POLYMYXIN B | 5000 [iU] in 1 g |
| BACITRACIN ZINC (UNII: 89Y4M234ES) (BACITRACIN - UNII:58H6RWO52I) | BACITRACIN | 400 [iU] in 1 g |
| NEOMYCIN SULFATE (UNII: 057Y626693) (NEOMYCIN - UNII:I16QD7X297) | NEOMYCIN | 3.5 mg in 1 g |

Inactive Ingredients

| Ingredient Name | Strength |
|--------------------------------------|----------|
| PETROLATUM (UNII: 4T6H12BN9U) | |

Product Characteristics

| | | | |
|----------|-------|--------------|--|
| Color | white | Score | |
| Shape | | Size | |
| Flavor | | Imprint Code | |
| Contains | | | |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|--|----------------------|--------------------|
| 1 | NDC:0498-0750-35 | 0.9 g in 1 PACKET; Type 0: Not a Combination Product | | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|-----------------------|--|----------------------|--------------------|
| unapproved drug other | | 09/19/2018 | |

Part 3 of 4

ANTISEPTIC TOWELETTE

benzalkonium chloride liquid

Product Information

| | |
|-------------------------|---------------|
| Item Code (Source) | NDC:0498-0501 |
| Route of Administration | TOPICAL |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|---|-----------------------|----------------|
| BENZALKONIUM CHLORIDE (UNII: F5UM2KM3W7) (BENZALKONIUM - UNII: 7N6JUD5X6Y) | BENZALKONIUM CHLORIDE | 1.3 mg in 1 mL |

Inactive Ingredients

| Ingredient Name | Strength |
|---------------------------------|----------|
| WATER (UNII: 059QF0KO0R) | |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|---|----------------------|--------------------|
| 1 | NDC:0498-0501-00 | 1.4 mL in 1 PACKET; Type 0: Not a Combination Product | | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|-----------------------|--|----------------------|--------------------|
| unapproved drug other | | 12/22/2017 | |

Part 4 of 4

INSTANT HAND SANITIZER

alcohol liquid

Product Information

Item Code (Source) NDC:59898-420

Route of Administration TOPICAL

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|--|-------------------|-----------------|
| ALCOHOL (UNII: 3K9958V90M) (ALCOHOL - UNII:3K9958V90M) | ALCOHOL | 62 mL in 100 mL |

Inactive Ingredients

| Ingredient Name | Strength |
|--|----------|
| ALOE VERA LEAF (UNII: ZY81Z83H0X) | |
| PROPYLENE GLYCOL (UNII: 6DC9Q167V3) | |
| .ALPHA.-TOCOPHEROL ACETATE, DL- (UNII: WR1WPI7EW8) | |
| TRISOPROPANOLAMINE (UNII: W9EN9DLM98) | |
| CARBOMER COPOLYMER TYPE A (UNII: 71DD5V995L) | |
| WATER (UNII: 059QF0KO0R) | |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|--|----------------------|--------------------|
| 1 | NDC:59898-420-12 | 118 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product | | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|-----------------------|--|----------------------|--------------------|
| unapproved drug other | | 04/15/2010 | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|-----------------------|--|----------------------|--------------------|
| unapproved drug other | | 09/13/2018 | |

Revised: 1/2024

Honeywell Safety Products USA, Inc.