SFP INC. VO-2 SANITIZING TEAT DIP - chlorine dioxide liquid SUPER FORMULA PRODUCTS INC.

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

SFP INC. VO-2 SANITIZING TEAT DIP

DIRECTIONS FOR USE:

Immediately after each milking and before cow is released, dip each teat in undiluted **VO-2** Teat Dip. Teats should be dipped to the base of the udder. If the dip becomes visibly dirty or contains sediment, replace with fresh solution. At the end of lactation, the teats should be dipped in **VO-2** dip for four days after the last milking.

Teats should be thoroughly washed and dried before milking, using potable water, a suitable cleanser* and individual paper towels to remove soil and to prevent contamination of milk.

ACTIVE INGREDIENTS:

CHLORINE DIOXIDE (260-320 PPM)

DO NOT USE FOR CLEANING OR SANITIZING MILK EQUIPMENT.

WARNING: Keep Out Of Reach Of Children. Can Cause Eye Damage. Harmful If Swallowed. DO NOT get in eyes or on clothing. Avoid Contamination Of Food.

FIRST AID:

EYES – In case of contact with eyes, flush immediately with plenty of water for at least 15 minutes. Call a physician.

INTERNAL – DO NOT TAKE INTERNALLY. If swallowed, induce vomiting and call a physician immediately.

CAUTION: Avoid freezing – if frozen, let thaw and shake thoroughly before using.

SFP INC. VO-2 SANITIZING TEAT DIP 1041 Liters (35723-104-00)

DIRECTIONS FOR USE:

Immediately after each milking and before cow is released, dip each teat in undiluted **VO-2** Teat Dip. Teats should be dipped to the base of the udder. If the dip becomes visibly dirty or contains sediment, replace with fresh solution. At the end of lactation, the teats should be dipped in **VO-2** dip for four days after the last milking.

Teats should be thoroughly washed and dried before milking, using potable water, a suitable cleanser* and individual paper towels to remove soil and to prevent contamination of milk.

ACTIVE INGREDIENTS:

CHLORINE DIOXIDE (260-320 PPM)

DO NOT USE FOR CLEANING OR SANITIZING MILK EQUIPMENT.



VO-2
SANITIZING TEAT DIP

AN AID IN THE
PREVENTION OF
ORGANISMS WHICH MAY
CAUSE MASTITIS

LOT# & EXP. DATE: CONTENTS:

WARNING: KEEP OUT OF REACH OF CHILDREN. CAN CAUSE EYE DAMAGE. HARMFUL IF SWALLOWED. DO NOT GET IN EYES OR ON CLOTHING. AVOID CONTAMINATION OF FOOD.

FIRST AID:

EYES – In case of contact with eyes, flush immediately with plenty of water for at least 15 minutes. Call a physician. INTERNAL – DO NOT TAKE INTERNALLY. If swallowed, induce vomiting and call a physician immediately.

CAUTION: Avoid freezing - if frozen, let thaw and shake thoroughly before using.



Emergency Telephone Number (24 hours) Medical: Call Collect (303) 592-1024 Transportation: (CHEMTREC) 800-424-9300 International: (CHEMTREC) 703-527-3887

Manufactured for and Distributed By: SFP Inc. 25085 Water Street Watertown, NY 13601 315-782-5006

SFP INC. VO-2 SANITIZING TEAT DIP

chlorine dioxide liquid

Product Information

Product TypeOTC ANIMAL DRUGItem Code (Source)NDC:35723-104

Route of Administration TOPICAL

Active Ingredient/Active Moiety

Ingredient Name
Basis of Strength
CHLORINE DIO XIDE (UNII: 8061YMS4RM) (CHLORINE DIO XIDE - UNII:8061YMS4RM)
CHLORINE DIO XIDE | 320 mg in 1 L

Packaging

- 11	8 8			
	# Item Code	Package Description	Marketing Start Date	Marketing End Date
1	1 NDC:35723-104-00	10.41 L in 1 DRIIM		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		07/23/2014	

Labeler - SUPER FORMULA PRODUCTS INC. (083794508)

Establishment Name Address ID/FEI Business Operations Advanced Skin Technologies Inc. 176084556 manufacture, api manufacture