

4155 FIRST AID KIT- 4155 first aid
Honeywell Safety Products USA, Inc.

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click [here](#).

0498-4155: First Aid Kit (Triple, EW, Burn Jel, BZK wipe, antihistamine-SF00000981)

Active ingredient

Ammonia 15%

Purpose

Respiratory stimulant

Uses

to prevent or treat fainting

Warnings

For external use only

Do not use

- if you have asthma or emphysema

Stop use and ask a doctor if

- condition persists

Keep out of reach of children

If swallowed get medical help or contact a Poison Control Center right away.

Directions

- hold inhalant away from face and crush ampoule between thumb and forefinger at position indicated on sleeve.
- hold near nostrils for inhalation of volatile vapor

Other information

store at room temperature away from light

Inactive ingredients

alcohol USP, FD&C red #40, lavender oil, lemon oil fcc, nutmeg oil, purified water

Questions or Comments

1-800-430-5490

Burn Jel***Active ingredient***

Lidocaine HCl 2.0%

Burn Jel***Purpose***

External analgesic

Burn Jel***Uses***

- temporarily relieves pain due to minor burns

Burn Jel***Warnings***

For external use only

Do not use

- on large areas of the body, particularly over raw surfaces or blistered areas

When using this product

- avoid contact with eyes

Stop use and ask a doctor if

- the condition gets worse
- symptoms persist for more than 7 days
- condition clears up and recurs within a few days

Keep out of reach of children

- If swallowed, get medical help or contact a Poison Control Center right away.

Burn JEl***Directions***

- adults and children 2 years of age and older; apply to affected area not more than 3 to 4 times daily
- children under 2 years of age: ask a doctor

- you may report a serious reaction to this product to 800-430-5490

Burn Jel

Other information

- store at room temperature - do not use if opened or torn

Burn Jel

Inactive ingredients

carbopol 940, carbopol 1342, diazolidinyl urea, glycerin, melaleuca alternifolia (tea tree) leaf oil, methylparaben, octoxynol-9, propylene glycol, propylparaben, trolamine, water

Burn Jel

Questions

1-800-430-5490

Triple

Active ingredient

Bacitracin zinc 400 units

Neomycin sulfate (5 mg equivalent to 3.5 mg Neomycin base)

Polymyxin B sulfate 5000 units

Triple

Purpose

First aid antibiotic

First aid antibiotic

First aid antibiotic

Triple

Uses

first aid to help prevent infection in:

- minor cuts
- scrapes
- burns

Triple

Warnings

For external use only

Allergy alert: do not use if you are allergic to any of the ingredients

Do not use

- in the eyes
- over large areas of the body
- Ask a doctor before use if you have
- a deep or puncture wounds
- animal bites
- serious burns

Stop use and ask a doctor if

- the condition persists or gets worse
- a rash or other allergic reaction develops
- you need to use longer than 1 week

Keep out of the reach of children

If swallowed, get medical help or contact a Poison Control Center right away.

Triple

Directions

- clean the affected area
- apply a small amount of the product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily
- may be covered with a sterile bandage

Triple

Other information

- store at 15 ° to 25 ° C (59 ° to 77 ° F)
- tamper evident sealed packets
- do not use if packet is torn or opened

Triple

Inactive ingredient

petrolatum

Triple

Questions?

1-800-430-5490

BZK Wipe

Active ingredient

Benzalkonium chloride 0.13% w/v

BZK Wipe

Purpose

First aid antiseptic

BzK Wipe

Uses

Antiseptic cleansing of face, hands, and body without soap and water

BZK Wipe

Warnings

For external use only

Do not use

- in the eyes or over large areas of the body
- on mucous membranes
- on irritated skin
- in case of deep puncture wounds, animal bites or serious burns, consult a doctor
- longer than 1 week unless directed by a doctor

Stop use and ask a doctor if

- if irritation, redness or other symptoms develop
- the condition persists or gets worse

Keep out of reach of children

If swallowed, get medical help or contact a Poison Control Center right away.

BZK Wipe

Directions

tear open packet and use as a washcloth

BZK Wipe

Other information

- store at room temperature 15 ° to 30 ° C (59 ° - 86 ° F)
- do not reuse towelette

BZK Wipe

Other information

water

BZK Wipe **Questions**

1-800-430-5490

Antishitamine **Active ingredient (in each tablet)**

Diphenhydramine HCl (25 mg)

Antihistamine **Purpose**

Antihistamine

Antihistamine **Uses**

temporarily relieves these symptoms due to hay fever or other upper respiratory allergies

- runny nose
- sneezing
- itchy, watery eyes, itching of the nose or throat

Antihistamine **Warnings**

Do not use

- with any other product containing diphenhydramine, even one used on the skin

Ask a doctor before use if you have

- glaucome
- trouble urinating due to an enlarged prostate gland
- a breathing problem such as emphysema or chronic bronchitis

Ask a doctor before use

- if child is taking a sedative or tranquilizer
- When using this product
- marked drowsiness may occur
- avoid alcoholic drinks
- alcohol, sedatives, and tranquilizers may increase drowsiness
- use caution when driving a motor vehicle or operating machinery
- excitability may occur, especially in children

If pregnant or breast-feeding

- ask a health professional before use

Keep out of the reach of children

Antihistamine

Directions

take every 4 to 6 hours

do not take more than 6 doses in 24 hours

adults and children 12 years of age and over 25 mg to 50 mg (1 to 2 tablets) not to exceed 300 mg in 24 hours

children 6 to under 12 years of age 12.5 mg** to 25 mg (1 tablet) not to exceed 150mg in 24 hours or as directed by a doctor

children under 6 years of age ask a doctor

**12.5 mg dosage strength is not available in this package

do not attempt to break tablets

Antihistamine

Inactive ingredients

carnauba wax, colloidal silicon dioxide, croscarmellose sodium D and C red no. 27 lake, dicalcium phosphate, hypromellose, magnesium stearate, microcrystalline cellulose, polyethylene glycol, stearic acid, titanium dioxide

Eyewash

Active ingredient

Sterile Water 99%

Eyewash

Purpose

Eyewash

eyewash

Uses

for flushing the eye to remove loose foreign material, air pollutants or chlorinated water

Eyewash

Warnings

For external use only-

Obtain immediate medical treatment for all open wounds in or near eyes.

To avoid contamination, do not touch tip of container to any surface.

Do not reuse. Once opened, discard.

Do not use

- if solution changes color or becomes cloudy
- if you have open wounds in or near the eyes, get medical help right away.

Stop use and ask a doctor if

- you experience eye pain
- changes in vision
- continued redness or irritation of the eye
- condition worsens or persists

Keep out of reach of children

If swallowed, get medical help or contact a Poison Control Center right away.

Eyewash***Directions***

- remove contacts before using
- twist top to remove
- flush the affected area as needed
- control rate of flow by pressure on the bottle
- if necessary, continue flushing with emergency eyewash or shower

Eyewash***Inactive ingredients***

sodium chloride, sodium phosphate dibasic, sodium phosphate monobasic

Eyewash***Questions***

1-800-430-5490

Honeywell Safety Products USA, Inc. Smithfield, RI 02917

4155**SF00000981 Kit Contents**

1 TRIPLE ANTIBIOTIC 10 PER

1 AMMONIA INHALANTS 10 PER

2 TRIANGULAR BDG, NON-STERILE

1 GAUZE COMPRESS, 1728 SQ IN 1



1 GAUZE BANDAGE, 2" X 6 YD, 2 PER

1 INSTANT COLD PACK 4" X 6"

4 ADHESIVE BDG,PLSTIC,1"X3"16PER
1 1 OZ EYE WASH W/PADS & STRIPS
1 BURN JEL 1/8 OZ, 6 PER
3 ANTIMCRBL ANTSPCTC TWLETTS
1 FIRST AID GUIDE ASHI
1 SCISSOR BDGE 4" RED PLS HDL
1 KIT TWEEZER 3 1/2" SLANTED
1 BANDAGE COMP 2" W/TELFPA PAD 4
2 BANDAGE COMP 4" W/TELFPA PAD 1
LBL STOCK 6-3/8"X4"
1 LBL STOCK 6-3/8"X4"
LBL STOCK 4"X2-7/8"
1 LBL STOCK 3"x1-7/8"
1 KIT STL 24 UN WHITE 01
1 WOVEN KNUCKLE 8'S
1 ADHS TAPE .5"X2.5YD 2
1 GAUZE PADS 3"X3" 4/BX
1 ANTIHISTAMINE BULK 1/PKK

Principal Display Panel

796006 Rev. E Unit Carton Printing Plate for "A" size carton.



Principal Display Panel

796353 Rev. E Unit Carton Printing Plate for "B" size cartor

Plate

FRONT SIDE

Rev E
901850



02-10-20

Burn Jel®
Lidocaine HCl 2%
External Analgesic

6 Packets, Net Wt 1/8 oz (3.5 g) each

Distributed by
Honeywell Safety
Products USA, Inc.
Smithfield, RI 02917


PACKAGE NOT CHILD-RESISTANT

ANSI Z398.1-20

15/16"


BACK SIDE

Rev E
901850



Drug Facts
Active ingredient
Lidocaine HCl 2%
Purpose
External analgesic
Uses
temporarily relieves pain due to minor burns
Warnings
For external use only
Do not use over large areas of the body, particularly over raw surfaces or blistered areas.
When using this product avoid contact with eyes
Stop use and ask a doctor if
• the condition gets worse
• symptoms persist for more than 7 days
• condition clears up and recurs within a few days
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away
Directions
• adults and children 2 years of age and older: apply to affected area not more than 3 - 4 times daily
• children under 2 years of age: ask a doctor
• you may report a serious adverse reaction to this product to 800-430-5490
Other information
• store at room temperature 15 - 30°C (59-86°F) • do not use torn or open
Inactive ingredient carbopol 940, carbopol 1342, diazolidinyl urea, glycerin, melaleuca alternifolia (t
tree) leaf oil, methylparaben, octoxynol-9, propylene glycol, propylparaben, triethylamine, water
Questions or comments? 1-800-430-5490

Triple
Principal Display Panel



BZK Wipe
Principal Display Panel

47001083
Rev B

Antiseptic Towelettes

Honeywell

02-16-35MD

Antiseptic Towelettes

Benzalkonium chloride
First aid antiseptic

Six-Saturated Towelettes

Distributed by
Honeywell Safety
Products USA, Inc.
Smithfield, RI 02917

Antiseptic Towelettes

Honeywell

47001083
Rev B

Drug Facts

Active Ingredient

Benzalkonium chloride 0.133% w/v

Purpose

First aid antiseptic

Uses

- antiseptic cleaning of face, hands and body without soap and water.
- air dries in seconds

Warnings

For external use only

When using this product • do not use in the eyes or apply over large areas of the body

Ask a doctor before use • in case of deep or puncture wounds, animal bites, or serious burns

Stop use and consult a doctor if

- irritation, redness or other symptoms develop
- condition persists or gets worse

Do not use • longer than 1 week unless directed by doctor

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- tear open packet, unfold and use as washcloth

Other Information

- store at room temperature 15° -30° C (59° -86° F)
- do not reuse towelette


Inactive ingredient

water

Questions or comments

1-800-430-5490

Antihistamine
Principal Display Panel



Eyewassh
Principal Display Panel

Honeywell

TAMPER-EVIDENT CAP.
TAPA CON SELLO DE SEGURIDAD.
BOUCHON INDICATEUR D'INFRACTION.

eyesaline®

LAVAOJOS
EYESALINE

Solución
Isotónico Estéril

EYESALINE
EYEWASH

Sterile
Isotonic Solution

LAVAGE
OCULAIRE
EYESALINE

La Solution
Isotonique Stérile

16 fl. oz. (473 mL)

NPN: 80057528



Drug Facts (for USA only)

Active ingredient	Purpose
Sterile water 99%	Eyewash
Uses for flushing the eye to remove loose foreign material, air pollutants, or chlorinated water.	
Warnings For external use only - Obtain immediate medical treatment for all open wounds in or near the eyes. To avoid contamination, do not touch tip of container to any surface. Do not reuse. Once opened, discard. Do not use • if solution changes color or becomes cloudy • if you have open wounds in or near the eyes, get medical help right away Stop use and consult a doctor if: • you experience eye pain • changes in vision • continued redness or irritation of the eye • condition worsens or persists Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.	
Directions • remove contacts before using • twist top to remove • flush the affected area as needed • control rate of flow by pressure on the bottle • if necessary, continue flushing with emergency eyewash or shower	
Inactive ingredients sodium chloride, sodium phosphate dibasic, sodium phosphate monobasic	
Questions? Call 1-800-430-5490 Honeywell Safety Products USA, Inc. Smithfield, RI. 02917	

LABEL 432-004510 Rev. J REORDER / NUEVO PEDIDO / RÉAPPROVISIONNEMENT 432-000454-0000

space for lot code and supplier part number

PEEL / PELAR / PELER

Datos de medicamento (Para EE.UU. solamente)

Ingrediente Activo	Propósito
Agua estéril 99%	Lavaojos
Usos para el lavado de ojo para quitar las partículas sueltas y extrañas, los contaminantes aéreos, o agua de cloruro.	
Advertencias Para el uso externo sólo - Obtenga tratamiento médico inmediato para todas las heridas abiertas en o cerca de los ojos. Para evitar la contaminación, no toque la punta del envase con ninguna superficie. No vuelva a usar. Vez abierto, descarte. No se use • si la solución se enturbia o cambia de color • si tiene heridas abiertas en o cerca del ojo, obtenga ayuda médica de inmediato Deje de usar y consulte a un médico si: • experimenta dolor de ojo • cambio de visión • rojez continuo o irritación del ojo • la condición empeora o persiste Manténgase fuera del alcance de los niños. En caso de ingestión accidental, obtenga atención médica o llame a un Centro de control de envenenamiento inmediatamente.	
Instrucciones • quítense los lentes de contacto antes de usar la solución • tuerza la tapa para quitar • enjuague el área afectada según se necesite • controle el chorro haciendo presión en la botella • si es necesario, sigue enjuagado con un lavaojos o ducha de emergencia	
Ingredientes inactivos cloruro de sodio, fosfato de sodio dibásico, fosfato de sodio monobásico	
¿Preguntas? Llame al 1-800-430-5490 Honeywell Safety Products USA, Inc. Smithfield, RI. 02917	

Information

Usages Pour le rinçage des yeux afin d'enlever un corps étranger, des polluants atmosphériques ou de l'eau chlorée.
Advertissements Pour usage externe seulement - Obtenir immédiatement des soins médicaux pour toutes les plaies ouvertes dans ou près des yeux. Pour éviter toute contamination, ne pas toucher la pointe du récipient à n'importe quelle surface. Ne pas réutiliser. Une fois ouvert, jetez-le. Ne pas utiliser • si la solution a changé de couleur ou si elle est brouillée • si vous avez des plaies ouvertes aux yeux ou à proximité, consultez immédiatement un médecin Cesser d'utiliser la solution et consulter un médecin • vous ressentez une douleur oculaire • si votre vision change • rougeur ou irritation persistante des yeux • condition empire ou persiste Garder hors de la portée des enfants. En cas d'ingestion, communiquer immédiatement avec un médecin ou avec un centre antipoison.
Mode d'emploi • enlever les verres de contact avant l'utilisation • dévisser le bouchon pour l'enlever • rincer la zone touchée selon les besoins • ajuster le débit d'écoulement de la solution en augmentant ou en réduisant la pression exercée sur le contenant • si nécessaire, continuer de rincer avec une solution de rinçage oculaire d'urgence ou une douche
Ingédients eau stérile, chlorure de sodium, phosphate dibasique de sodium, phosphate monobasique de sodium
Des questions? Faites le 1-800-430-5490 Honeywell Safety Products USA, Inc. Smithfield, RI. 02917

4155 Kit Label
SF00000981



Distributed by Honeywell Safety Products USA, Inc Smithfield, RI 02917

4155 FIRST AID KIT

4155 first aid kit

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0498-4155
---------------------	----------------	---------------------------	---------------

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-4155-01	1 in 1 KIT	09/13/2018	

Quantity of Parts

Part #	Package Quantity	Total Product Quantity
Part 1	10 AMPULE	3 mL
Part 2	6 PACKET	21 g
Part 3	1 BOTTLE	30 mL
Part 4	10 PACKET	9 g
Part 5	3 PACKET	4.2 mL

Part 1 of 5

AMMONIA INHALENT

ammonia inhalent inhalant

Product Information

Item Code (Source)	NDC:0498-3334
Route of Administration	RESPIRATORY (INHALATION)

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
AMMONIA (UNII: 5138Q19F1X) (AMMONIA - UNII:5138Q19F1X)	AMMONIA	0.045 g in 0.3 mL

Inactive Ingredients

Ingredient Name	Strength
ALCOHOL (UNII: 3K9958V90M)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-3334-00	0.3 mL in 1 AMPULE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		09/18/2018	

Part 2 of 5

BURN JEL

gel for burns gel

Product Information

Item Code (Source)	NDC:0498-0203
Route of Administration	TOPICAL

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
LIDOCAINE HYDROCHLORIDE (UNII: V13007Z41A) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE HYDROCHLORIDE ANHYDROUS	2 g in 100 g

Inactive Ingredients	
Ingredient Name	Strength
TEA TREE OIL (UNII: VIF565UC2G)	
DIAZOLIDINYL UREA (UNII: H5RIZ3MPW4)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
GLYCERIN (UNII: PDC6A3C0OX)	
TROLAMINE (UNII: 9O3K93S3TK)	
CARBOMER HOMOPOLYMER TYPE C (ALLYL PENTAERYTHRITOL CROSSLINKED) (UNII: 4Q93RCW27E)	
CARBOMER HOMOPOLYMER TYPE B (ALLYL PENTAERYTHRITOL CROSSLINKED) (UNII: HHT01Z NK31)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	
OCTOXYNOL-9 (UNII: 7JPC6Y25QS)	
DIPROPYLENE GLYCOL (UNII: E107L85C40)	

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-0203-00	3.5 g in 1 PACKET; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		09/19/2018	

Part 3 of 5
EYESALINE EMERGENCY EYEWASH
purified water liquid

Product Information	
Item Code (Source)	NDC:0498-0100
Route of Administration	OPHTHALMIC

Active Ingredient/Active Moiety				
Ingredient Name			Basis of Strength	Strength
WATER (UNII: 059QF0KO0R) (WATER - UNII:059QF0KO0R)			WATER	98.6 mL in 100 mL
Inactive Ingredients				
Ingredient Name				Strength
SODIUM PHOSPHATE, DIBASIC (UNII: GR686LBA74)				
SODIUM PHOSPHATE, MONOBASIC, MONOHYDRATE (UNII: 593YOG76RN)				
SODIUM CHLORIDE (UNII: 451W47IQ8X)				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-0100-01	30 mL in 1 BOTTLE; Type 0: Not a Combination Product		
Marketing Information				
Marketing Category		Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug		M018	12/18/2018	
Part 4 of 5				
TRIPLE ANTIBIOTIC				
bacitracin zinc, polymyxin b sulfate, neomycin sulfate ointment				
Product Information				
Item Code (Source)		NDC:0498-0750		
Route of Administration		TOPICAL		
Active Ingredient/Active Moiety				
Ingredient Name			Basis of Strength	Strength
POLYMYXIN B SULFATE (UNII: 19371312D4) (POLYMYXIN B - UNII:J2VZ07J96K)			POLYMYXIN B	5000 [iU] in 1 g
BACITRACIN ZINC (UNII: 89Y4M234ES) (BACITRACIN - UNII:58H6RWO52I)			BACITRACIN	400 [iU] in 1 g
NEOMYCIN SULFATE (UNII: 057Y626693) (NEOMYCIN - UNII:I16QD7X297)			NEOMYCIN	3.5 mg in 1 g
Inactive Ingredients				
Ingredient Name				Strength

PETROLATUM (UNII: 4T6H12BN9U)

Product Characteristics

Color	white	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-0750-35	0.9 g in 1 PACKET; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		09/19/2018	

Part 5 of 5

ANTISEPTIC TOWELETTE

benzalkonium chloride liquid

Product Information

Item Code (Source)	NDC:0498-0501
Route of Administration	TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BENZALKONIUM CHLORIDE (UNII: F5UM2KM3W7) (BENZALKONIUM - UNII: 7N6JUD5X6Y)	BENZALKONIUM CHLORIDE	1.3 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-0501-00	1.4 mL in 1 PACKET; Type 0: Not a Combination Product		
Marketing Information				
Marketing Category		Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other			12/22/2017	
Marketing Information				
Marketing Category		Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other			09/13/2018	

Labeler - Honeywell Safety Products USA, Inc. (118768815)