

FORTICEPT BLUE BUTTER ANTIMICROBIAL GEL- benzethonium chloride, thymol gel
Lidan, Inc.

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

Active Ingredients

Benzethonium Chloride0.1%
Thymol0.1%

□ Inactive ingredients:

Emollients, botanical extracts, and FD&C colors.....99.8%

Uses

Helps protect animal skin and supports healing of minor wounds, scrapes, burns, and lacerations, including pressure sores, ulcers, and cracked skin. Topical antiseptic to help decrease the risk of infection.

Rapid-acting with moderate duration of action.

Warnings

***For external use only *Not for human use *Keep out of reach of children.**

When using this product - avoid eye contact. **Stop use** and ask a veterinarian: If condition worsens, symptoms last more than 7 days, or clear up and occur again within a few days.

Do not use on deep or puncture wounds, animal bites or serious burns unless directed by a veterinarian.

□ Directions for use

Wash and dry affected skin. Put a thin layer of Forticept Blue Butter Gel on the affected skin. Cover with a clean or sterile bandage if practical or necessary. Repeat procedure twice daily or as needed until condition improves.

□ Storage and handling

Keep container closed when not in use. Store at room temperature. Do not expose to temperatures below 32F/0°C or above 95F/35°C for extended periods of time.

FIRST AID

Eye contact: In case of contact, immediately rinse eyes with cool water for 15 minutes. Get medical attention if irritation continues.

Ingestion: If swallowed DO NOT induce vomiting unless directed to do so by medical personnel. If large quantities of this material are swallowed, call a poison control center immediately.



Forticept® Blue Butter®
Antimicrobial Gel





Is a part of the new generation of antiseptic wound care products based on multidisciplinary research of botanicals, polymers, and emollients. It helps prevent and control infection by gram-negative and gram-positive bacteria, ringworm, and some viruses. Blue Butter® supports healing of multiple types of skin damage: traumatic wounds, lacerations, abrasions, and burns.

Storage and Handling
 Keep container closed when not in use. Store at room temperature. Do not expose to temperatures below 32F/0°C or above 95F/35°C for extended periods of time.

First Aid
Eye contact: In case of a contact, immediately rinse with a cool water for at least 15 minutes. Get a medical attention if irritation continues.
Ingestion: If swallowed DO NOT induce vomiting unless directed to do so by medical personnel. If large quantities of the product are swallowed, call a poison control center immediately.



<p>DRUG FACTS Active Ingredients Benzethonium Chloride.....0.1% Thymol.....0.1% Inactive Ingredients Emollients, botanical extracts, and FD&C color.....99.80% Warnings *For external use only *Not for human use *Keep out of reach of children. When using this product - avoid eye contact. Stop use and ask a veterinarian. If condition worsens, symptoms last more than 7 days or clear up and occur again within a few days.</p>	  	<p>Forticept® Blue Butter® Antimicrobial Gel Based on proprietary Polyacrylate Polymer Technology (Benzethonium Chloride 0.1% & Thymol 0.1%) With natural extracts of Chamomile & Yarrow First Aid Antiseptic 4 OZ. (114 g)</p>	<p>Directions for Use Wash and dry affected skin. Put a thin layer of Forticept® Blue Butter® Gel on the affected area. Cover with a clean or sterile bandage if practical or necessary. Repeat procedure twice daily or as needed until condition improves. Do not use on deep or puncture wounds, animal bites or serious burns unless directed by a veterinarian.</p>	<p>Animal Use Only For questions, please call: +1 (212) 709-8133 LIDAN, INC 30 WALL ST. 8TH FLOOR NEW YORK, NY 10005 WWW.FORTICEPT.COM FORTICEPT® is registered Trade Mark of Lidan, Inc. All rights reserved 2016.</p> <p>MADE IN USA</p>   
---	---	--	--	---

<p>DRUG FACTS ACTIVE INGREDIENTS Benzethonium Chloride.....0.1% Thymol.....0.1% INACTIVE INGREDIENTS Emollients, botanical extracts, and FD&C color.....99.80% USE Helps protect animal skin and supports healing of minor wounds, abrasions, burns, and lacerations, including pressure sores, ulcers, and cracked skin. Topical antiseptic. To help decrease the risk of infection, keep using with moderate frequency of use. WARNINGS *For external use only *Not for human use *Keep out of reach of children. When using this product - avoid eye contact. Stop use and ask a veterinarian. If condition worsens, symptoms last more than 7 days or clear up and occur again within a few days.</p>	<p>DO NOT USE on deep or puncture wounds, animal bites or serious burns unless directed by a veterinarian. DIRECTIONS FOR USE Wash and dry affected skin. Put a thin layer of Forticept® Blue Butter® Gel on the affected area. Cover with a clean or sterile bandage if practical or necessary. Repeat procedure twice daily or as needed until condition improves. STORAGE AND HANDLING Keep container closed when not in use. Store at room temperature. Do not expose to temperatures below 32°F/0°C or above 95°F/35°C for extended periods of time. FIRST AID Eye Contact: In case of a contact, immediately rinse with a cool water for at least 15 minutes. Get medical attention if irritation continues. Ingestion: If swallowed DO NOT induce vomiting unless directed to do so by medical personnel. If large quantities of the product are swallowed, call a poison control center immediately.</p>	  	<p>Forticept® Blue Butter® Antimicrobial Gel Based on proprietary Polyacrylate Polymer Technology (Benzethonium Chloride 0.1% & Thymol 0.1%) With natural extracts of Chamomile & Yarrow First Aid Antiseptic 8 OZ. (240 g)</p>	<p>Forticept® Blue Butter® Antimicrobial Gel Is a part of the new generation of antiseptic wound care products based on multidisciplinary research of botanicals, polymers, and emollients. It helps prevent and control infection by gram-negative and gram-positive bacteria, ringworm, and some viruses. Blue Butter® supports healing of multiple types of skin damage: traumatic wounds, lacerations, abrasions, and burns.</p> <p>Animal Use Only For questions, please call: +1 (212) 709-8133 LIDAN, INC 30 WALL ST. 8TH FLOOR NEW YORK, NY 10005 WWW.FORTICEPT.COM FORTICEPT® is registered Trade Mark of Lidan, Inc. All rights reserved 2016.</p> <p>MADE IN USA</p>   
--	---	---	--	---



BLUE BUTTER®

Hot Spot & Wound Treatment
Benzethonium Chloride 0.1% & Thymol 0.1%

Antimicrobial Gel
FOR DOGS & CATS

2 oz. (60g)

For external use only

Active Ingredients

Benzethonium Chloride - 0.1%
Thymol - 0.1%

Purpose

Antiseptic
Antiseptic

Uses

Helps protect animal skin and supports healing of minor wounds, scrapes, burns, and lacerations, including pressure sores, ulcers, and cracked skin. Topical antiseptic to help decrease the risk of infection.

Warnings

For external use only. Not for human use. Keep out of reach of children.

When using this product avoid eye contact.

Stop use and ask a veterinarian if condition worsens, symptoms last more than 7 days, or clear up and occur again within a few days.

Do not use on deep or puncture wounds, animal bites or serious burns unless directed by a veterinarian.

Directions for use

Wash and dry affected skin. Put a thin layer of Blue Butter® Gel on the affected skin. Cover with a clean or sterile bandage if practical or necessary. Repeat procedure twice daily or as needed until condition improves.

Storage and handling

Keep container closed when not in use. Store at room temperature.

First Aid

Eye contact: In case of contact, immediately rinse eyes with cool water for 15 minutes. Get medical attention if irritation continues.

Ingestion: If swallowed DO NOT induce vomiting unless directed to do so by medical personnel. If large quantities of this material are swallowed, call a poison control center or seek medical help.

Inactive Ingredients

Allantoin, Cetostearyl Alcohol, FD&C Blue #1, Glycerin, Isohexadecane, Lanolin, Mineral Oil, Petrolatum, Polihexanide, Polysorbate 80, Shea Butter, Sodium Acrylate/Sodium Acryloyldimethyltaurate Copolymer, Steareth-2, Steareth-21, Water

Lidan, Inc.
30 Wall Str., 8th Floor,
New York, NY 10005 USA
www.forticept.com
For questions, please call:
+1 (212) 709-8133



Forticept® is registered Trademark of Lidan, Inc. All rights reserved 2022

FORTICEPT BLUE BUTTER ANTIMICROBIAL GEL

benzethonium chloride, thymol gel

Product Information

Product Type	OTC ANIMAL DRUG	Item Code (Source)	NDC:72127-0702
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
benzethonium chloride (UNII: PH41D05744) (BENZETHONIUM - UNII:1VU15B70BP)	benzethonium chloride	1 g in 1000 g
thymol (UNII: 3J50XA376E) (THYMOL - UNII:3J50XA376E)	thymol	1 g in 1000 g

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:72127-0702-4	114 g in 1 CAN		
2	NDC:72127-0702-8	240 g in 1 CAN		
3	NDC:72127-0702-2	60 g in 1 TUBE		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		11/29/2016	

Labeler - Lidan, Inc. (014456716)

Registrant - Lidan, Inc. (014456716)

Establishment

Name	Address	ID/FEI	Business Operations
Cosco International, Inc.		016433141	api manufacture, analysis, manufacture, label, pack

Revised: 1/2023

Lidan, Inc.