

4149 FIRST AID KIT- 4149 first aid
Honeywell Safety Products USA, Inc.

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

0498-4149: First Aid Kit (alcohol wipes, HC cr, PVP wipes, sting relief, EW-SF00003660)

Sting Relief
Active ingredient (in each wipe)

Ethyl alcohol 50.0%

Lidocaine HCl 2.0%

Sting Relief
Purposse

Antiseptic

Topical pain relief

Sting Relief
Uses

- prevent infection in minor scrapes, and temporary relief of itching of insect bites

Sting Relief
Warnings

For external use only

Flammable, keep away from open fire or flame

Do not use

- over large areas of the body
- in eyes
- over raw or blistered areas

Stop use and ask a doctor

- if conditions worsen or persist for more than 7 days or clear up and occur again within a few days

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Sting Relief

Directions

- adults and children 2 years and older: Apply to cleaned affected area not more than 3 times daily.
- children under 2 years of age: consult a doctor.

Sting Relief

Inactive ingredients

benzalkonium chloride, menthol, and purified water

Sting Relief

Questions or Comments?

1-800-430-5490

Eyewash

Active ingredient

Sterile Water 99%

Eyewash

Purpose

Eyewash

Eyewash

Uses

- for flushing the eye to remove loose foreign material, air pollutants or chlorinated water

Eyewash

Warnings

For external use only

- Obtain immediate medical treatment for all open wounds in or near eyes.
- To avoid contamination, do not touch tip of container to any surface.
- Do not reuse.
- Once opened, discard.

Do not use

- if solution changes color or becomes cloudy
- if you have open wounds in or near the eyes, get medical help right away.

Stop use and ask a doctor if

- you experience eye pain
- changes in vision
- continued redness or irritation of the eye
- condition worsens or persists

Keep out of reach of children

If swallowed, get medical help or contact a Poison Control Center right away.

Eyewash***Directions***

- remove contacts before using
- twist top to remove
- flush the affected area as needed
- control rate of flow by pressure on the bottle
- if necessary, continue flushing with emergency eyewash or shower

Eyewash***Inactive ingredients***

sodium chloride, sodium phosphate dibasic, sodium phosphate monobasic

Eyeash***Questions***

Call 1-800-430-5490 Honeywell Safety Products USA, Inc. Smithfield, RI 02917

Hydrocortisone***Active ingredient (in each gram)***

Hydrocortisone acetate (equivalent to Hydrocortisone 1%)

Hydracortisone***Purpose***

Anti-itch cream

Hydrocortisone***Uses***

- for the temporary relief of itching associated with minor skin irritations and rashes

Hydrocortisone***Warnings***

For external use only

Ask a doctor before use if

- you are using any other hydrocortisone product

When using the product

- avoid contact with eyes
- do not begin use of any other hydrocortisone product unless you have consulted a doctor
- do not use for the treatment of diaper rash

Stop use and ask a doctor if

- condition worsens
- condition persists for more than 7 days
- condition clears up and recurs within a few days

Keep out of reach of children

If swallowed, get medical help or contact a Poison Control Center right away.

Hydrocortisone

Directions

- adults and children 2 years and older:
- clean the affected area
- apply to the area not more than 3 to 4 times daily
- children under 2 years of age: consult a doctor

Hydrocortisone

Other information

- store at room temperature (do not freeze)

Hydrocortisone

Inactive ingredients

cetyl alcohol, citric acid, diazolidinyl urea, edetate disodium, glycerin, glyceryl monostearate, methylparaben, mineral oil, polyethylene glycol, propylene glycol, propylparaben, purified water, stearic acid, trolamine

Hydrocortisone

Questions or Comments?

1-800-430-5490

Alcohol
Active ingredient

Isopropyl alcohol 70%

Alcohol
Purpose

First aid antiseptic

Alcohol
Uses

first aid to help prevent infection in

- minor cuts
- scrapes
- burns

Alcohol
Warnings

For external use only

Flammable, keep away from fire and flame

Do not use

- in or near eyes
- over large areas of the body

Ask a doctor before use if you have

- deep or puncture wounds
- animal bites
- serious burns

When using this product

- do not use longer than 1 week unless directed by a doctor

Stop use and consult a doctor if

- condition persists or gets worse

Keep out of reach of children

if swallowed, get medical help or contact a Poison Control Center right away

Alcohol
Directions

- clean the affected area
- may be covered with a sterile bandage
- apply wipe to affected area 1 to 3 times daily

- discard wipe after single use

Alcohol

Other information

- store at room temperature 15 ° to 25 ° C (59 ° to 77 ° F)
- do not use if packet is torn or opened

Alcohol

Inactive ingredient

water

Alcohol

Questions

1-800-430-5490

PVP

Active ingredient

Povidone-iodine 10% (equivalent to 1% titratable iodine)

PVP

Purpose

First aid antiseptic

PVP

Uses

- first aid antiseptic to help prevent infection in minor cuts, scrapes and burns

PVP

Warnings

For external use only.

Ask a doctor before use if you have

- deep or puncture wounds
- animal bites
- serious burns

Stop use and ask a doctor if

- condition worsens or persists for more than 72 hours
- irritation and redness develops

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

PVP

Directions

- clean the affected area
- apply 1 to 3 times daily
- may be covered with a sterile bandage
- if bandaged, let dry first
- discard wipe after single use

PVP

Other information

- do not use on individuals who are allergic or sensitive to iodine
- store at controlled temperature 59-86°F (15-30°C)
- do not use if pouch is open or torn

PVP

Inactive ingredients

nonoxynol 9, water


4149

SF00003660 Kit Contents

1 KNUCKLE BAND 8 PER
2 TRIANGULAR BDG, NON-STERILE
1 ADH TAPE, .5" X 2.5 YD, 2 PER
1 FORCEPS & SCISSORS, 1 EA
2 GAUZE BANDAGE, 2" X 6 YD, 2 PER
1 GAUZE COMP, 1 SQ YARD, 1 PER
1 INSTANT COLD PACK 4" X 6"
1 BANDAGE COMP, 2" OFFSET, 4 PER
1 BANDAGE COMP, 4" OFFSET, 1 PER
1 FINGERTIP BANDAGE, 10 PER
1 1 OZ EYE WASH W/PADS & STRIPS
2 WATER JEL DRESSING, 2" X 2"
2 WATER JEL DRESSING, 2" X 6"
1 ALCOHOL PREP PADS 10P

1 HYDROCORTISON,1.0%,1/32 OZ,10P
3 PVP IODINE WIPES 10 PER
1 IVYX CLEANSER TOWEL 5 PER
1 NITRILE GLOVES 2PR BBP
2 ADH BDG, CLOTH, 1"X3", 16 PER
1 CPR FILTERSHIELD 77-100
1 4OZ BFS EYEWASH TRILINGUAL BOTTLE
LBL STOCK 6-3/8"X4"
LBL STOCK 4"X2-7/8"
1 LBL STOCK 3"x1-7/8"
1 KIT 36 UNIT PLASTIC
1 LBL 36U CVR NORTH ID C.
1 STING Relief WIPES 10

Sting Relief Principal Display Panel



Eyewash Principal Display Panel

Honeywell

TAMPER-EVIDENT CAP.
TAPA CON SELLO DE SEGURIDAD.
BOUCHON INDICATEUR D'INFRACTION.

eyesaline®

LAVAOJOS
EYESALINE

EYESALINE
EYEWASH

LAVAGE
OCULAIRE
EYESALINE

Solución
Isotónico Estéril

Sterile
Isotonic Solution

La Solution
Isotonique Stérile

16 fl. oz. (473 mL)

NPN: 80057528

64809 45033 117

Drug Facts (for USA only)
Active ingredient
Sterile water 99%
Purpose
Eyewash
Uses
for flushing the eye to remove loose foreign material, air pollutants, or chlorinated water.
Warnings
For external use only - Obtain immediate medical treatment for all open wounds in or near the eyes. To avoid contamination, do not touch tip of container to any surface. Do not reuse. Once opened, discard.
Do not use
• if solution changes color or becomes cloudy
• if you have open wounds in or near the eyes, get medical help right away
Stop use and consult a doctor if:
• you experience eye pain • changes in vision
• continued redness or irritation of the eye
• condition worsens or persists
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.
Directions
• remove contacts before using • twist top to remove
• flush the affected area as needed
• control rate of flow by pressure on the bottle
• if necessary, continue flushing with emergency eyewash or shower
Inactive ingredients
sodium chloride, sodium phosphate dibasic, sodium phosphate monobasic
Questions? Call 1-800-430-5490
Honeywell Safety Products USA, Inc. Smithfield, RI. 02917

LABEL 432-004519 Rev. J REORDER / NUEVO PEDIDO / RÉAPPROVISIONNEMENT 432-000454-0000
space for lot code and supplier part number
PEEL / PELAR / PELER


Datos de medicamento (Para EE.UU. solamente)

| Ingrediente Activo | Propósito |
|---|------------------|
| Agua estéril 99% | Lavaojos |
| Usos para el lavado de ojo para quitar las partículas sueltas y extrañas, los contaminantes aéreos, o agua de cloruro | |
| Advertencias Para el uso externo sólo - Obtenga tratamiento médico inmediato para todas las heridas abiertas en o cerca de los ojos. Para evitar la contaminación, no toque la punta del envase con ninguna superficie. No vuelva a usar. Vez abierto, descarte. No se use • si la solución se enturbia o cambia de color • si tiene heridas abiertas en o cerca del ojo, obtenga ayuda médica de inmediato Deje de usar y consulte a un médico si: • experimenta dolor de ojo • cambio de visión • rojez continuo o irritación del ojo • la condición empeora o persiste Manténgase fuera del alcance de los niños. En caso de ingestión accidental, obtenga atención médica o llame a un Centro de control de envenenamiento inmediatamente. Instrucciones • quite los lentes de contacto antes de usar la solución • tuerza la tapa para quitar • enjuague el área afectada según se necesite • controle el chorro haciendo presión en la botella • si es necesario, sigue enjuagando con un lavaojos o ducha de emergencia Ingredientes inactivos cloruro de sodio, fosfato de sodio dibásico, fosfato de sodio monobásico ¿Preguntas? Llame al 1-800-430-5490 Honeywell Safety Products USA, Inc. Smithfield, RI. 02917 | |


Information

| |
|---|
| Usages Pour le rinçage des yeux afin d'enlever un corps étranger, des polluants atmosphériques ou de l'eau chlorée. |
| Advertissements Pour usage externe seulement - Obtenir immédiatement des soins médicaux pour toutes les plaies ouvertes dans ou près des yeux. Pour éviter toute contamination, ne pas toucher la pointe du récipient à n'importe quelle surface. Ne pas réutiliser. Une fois ouvert, jetez-le. Ne pas utiliser • si la solution a changé de couleur ou si elle est brouillée • si vous avez des plaies ouvertes aux yeux ou à proximité, consultez immédiatement un médecin Cesser d'utiliser la solution et consulter un médecin • vous ressentez une douleur oculaire • si votre vision change • rougeur ou irritation persistante des yeux • condition empire ou persiste Garder hors de la portée des enfants. En cas d'ingestion, communiquer immédiatement avec un médecin ou avec un centre antipoison. Mode d'emploi • enlever les verres de contact avant l'utilisation • dévisser le bouchon pour l'enlever • rincer la zone touchée selon les besoins • ajuster le débit d'écoulement de la solution en augmentant ou en réduisant la pression exercée sur le contenant • si nécessaire, continuer de rincer avec une solution de rinçage oculaire d'urgence ou une douche Ingédients eau stérile, chlorure de sodium, phosphate dibasique de sodium, phosphate monobasique de sodium Des questions? Faites le 1-800-430-5490 Honeywell Safety Products USA, Inc. Smithfield, RI. 02917 |



Hydrocortisone Principal Display Panel



Alcohol
Principal Display Panel



PVP
Principal Display Panel



4149 Kit Label
SF00003660



4149 FIRST AID KIT

4149 first aid kit

Product Information

| | | | |
|---------------------|----------------|---------------------------|---------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:0498-4149 |
|---------------------|----------------|---------------------------|---------------|

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|---------------------|----------------------|--------------------|
| 1 | NDC:0498-4149-01 | 1 in 1 KIT | 09/13/2018 | |

Quantity of Parts

| Part # | Package Quantity | Total Product Quantity |
|---------------|------------------|------------------------|
| Part 1 | 1 BOTTLE | 30 mL |
| Part 2 | 10 POUCH | 4 mL |
| Part 3 | 10 POUCH | 4 mL |
| Part 4 | 10 PACKET | 9 g |
| Part 5 | 30 POUCH | 9 mL |
| Part 6 | 1 BOTTLE | 118 mL |
| Part 7 | 10 PACKET | 9 g |

Part 1 of 7

EYESALINE EMERGENCY EYEWASH

purified water liquid

Product Information

Item Code (Source) NDC:0498-0100

Route of Administration OPHTHALMIC

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|---|-------------------|-------------------|
| WATER (UNII: 059QF0KO0R) (WATER - UNII:059QF0KO0R) | WATER | 98.6 mL in 100 mL |

Inactive Ingredients

| Ingredient Name | Strength |
|--|----------|
| SODIUM PHOSPHATE, MONOBASIC, MONOHYDRATE (UNII: 593YOG76RN) | |
| SODIUM CHLORIDE (UNII: 451W47IQ8X) | |
| SODIUM PHOSPHATE, DIBASIC (UNII: GR686LBA74) | |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|--|----------------------|--------------------|
| 1 | NDC:0498-0100-01 | 30 mL in 1 BOTTLE; Type 0: Not a Combination Product | | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| OTC Monograph Drug | M018 | 12/18/2018 | |

Part 2 of 7

ALCOHOL WIPE

isopropyl alcohol swab

Product Information

Item Code (Source) NDC:0498-0143

Route of Administration TOPICAL

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|---|-------------------|----------------|
| ISOPROPYL ALCOHOL (UNII: ND2M416302) (ISOPROPYL ALCOHOL - UNII:ND2M416302) | ISOPROPYL ALCOHOL | 0.7 mL in 1 mL |

Inactive Ingredients

| Ingredient Name | Strength |
|---------------------------------|----------|
| WATER (UNII: 059QF0KO0R) | |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|--|----------------------|--------------------|
| 1 | NDC:0498-0143-04 | 0.4 mL in 1 POUCH; Type 0: Not a Combination Product | | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|-----------------------|--|----------------------|--------------------|
| unapproved drug other | | 09/18/2018 | |

Part 3 of 7**STING RELIEF PAD**

ethyl alcohol, lidocaine swab

Product Information

| | |
|--------------------------------|---------------|
| Item Code (Source) | NDC:0498-0733 |
| Route of Administration | TOPICAL |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|---|-----------------------------------|----------------|
| LIDOCAINE HYDROCHLORIDE (UNII: V13007Z41A) (LIDOCAINE - UNII:98PI200987) | LIDOCAINE HYDROCHLORIDE ANHYDROUS | 20 mg in 1 mL |
| ALCOHOL (UNII: 3K9958V90M) (ALCOHOL - UNII:3K9958V90M) | ALCOHOL | 0.5 mL in 1 mL |

Inactive Ingredients

| Ingredient Name | Strength |
|-----------------|----------|
|-----------------|----------|

| | |
|---|--|
| BENZALKONIUM CHLORIDE (UNII: F5UM2KM3W7) | |
| MENTHOL (UNII: L7T10EIP3A) | |
| WATER (UNII: 059QF0KO0R) | |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|--|----------------------|--------------------|
| 1 | NDC:0498-0733-00 | 0.4 mL in 1 POUCH; Type 0: Not a Combination Product | | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------------|--|----------------------|--------------------|
| unapproved drug other | | 12/23/2017 | |

Part 4 of 7

HYDROCORTISONE

anti-itch cream ointment

Product Information

| | |
|--------------------------------|---------------|
| Item Code (Source) | NDC:0498-0800 |
| Route of Administration | TOPICAL |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|--|------------------------|-----------------|
| HYDROCORTISONE ACETATE (UNII: 3X7931PO74) (HYDROCORTISONE - UNII:W4X0X7BPJ) | HYDROCORTISONE ACETATE | 1 g in 100 g |

Inactive Ingredients

| Ingredient Name | Strength |
|--|----------|
| LIGHT MINERAL OIL (UNII: N6K5787QVP) | |
| POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A) | |
| CETYL ALCOHOL (UNII: 936JST6JCN) | |
| METHYLPARABEN (UNII: A2I8C7HI9T) | |
| PROPYLENE GLYCOL (UNII: 6DC9Q167V3) | |
| EDETATE DISODIUM (UNII: 7FLD91C86K) | |
| STEARIC ACID (UNII: 4ELV7Z65AP) | |
| GLYCERYL MONOSTEARATE (UNII: 230OU9XXE4) | |
| TROLAMINE (UNII: 9O3K93S3TK) | |
| DIAZOLIDINYL UREA (UNII: H5RIZ3MPW4) | |

| | |
|---|--|
| PROPYLPARABEN (UNII: Z8IX2SC1OH) | |
| WATER (UNII: 059QF0KO0R) | |
| GLYCERIN (UNII: PDC6A3C0OX) | |
| CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP) | |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|--|----------------------|--------------------|
| 1 | NDC:0498-0800-34 | 0.9 g in 1 PACKET; Type 0: Not a Combination Product | | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------------|--|----------------------|--------------------|
| unapproved drug other | | 03/06/2013 | |

Part 5 of 7

PVP IODINE WIPE

povidone-iodine 10% swab

Product Information

| | |
|--------------------------------|---------------|
| Item Code (Source) | NDC:0498-0121 |
| Route of Administration | TOPICAL |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|--|-------------------|---------------|
| POVIDONE-IODINE (UNII: 85H0HZU99M) (IODINE - UNII:9679TC07X4) | IODINE | 10 mg in 1 mL |

Inactive Ingredients

| Ingredient Name | Strength |
|---------------------------------------|----------|
| WATER (UNII: 059QF0KO0R) | |
| NONOXYNOL-9 (UNII: 48Q180SH9T) | |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|--|----------------------|--------------------|
| 1 | NDC:0498-0121-00 | 0.3 mL in 1 POUCH; Type 0: Not a Combination Product | | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------------|--|----------------------|--------------------|
| unapproved drug other | | 09/18/2018 | |

Part 6 of 7

EYESALINE EMERGENCY EYEWASH

purified water liquid

Product Information

| | |
|-------------------------|---------------|
| Item Code (Source) | NDC:0498-0100 |
| Route of Administration | OPHTHALMIC |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|---|-------------------|-------------------|
| WATER (UNII: 059QF0KO0R) (WATER - UNII:059QF0KO0R) | WATER | 98.6 mL in 100 mL |

Inactive Ingredients

| Ingredient Name | Strength |
|--|----------|
| SODIUM PHOSPHATE, DIBASIC (UNII: GR686LBA74) | |
| SODIUM PHOSPHATE, MONOBASIC, MONOHYDRATE (UNII: 593YOG76RN) | |
| SODIUM CHLORIDE (UNII: 451W47IQ8X) | |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|---|----------------------|--------------------|
| 1 | NDC:0498-0100-02 | 118 mL in 1 BOTTLE; Type 0: Not a Combination Product | | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| OTC Monograph Drug | M018 | 12/18/2018 | |

Part 7 of 7

HYDROCORTISONE

anti-itch cream

Product Information

| | |
|-------------------------|---------------|
| Item Code (Source) | NDC:0498-0801 |
| Route of Administration | TOPICAL |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|---|------------------------|-----------------|
| HYDROCORTISONE ACETATE (UNII: 3X7931PO74) (HYDROCORTISONE - UNII:W4X0X7BPJ) | HYDROCORTISONE ACETATE | 1 g in 100 g |

Inactive Ingredients

| Ingredient Name | Strength |
|---|----------|
| LIGHT MINERAL OIL (UNII: N6K5787QVP) | |
| POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A) | |
| CETYL ALCOHOL (UNII: 936JST6JCN) | |
| METHYLPARABEN (UNII: A2I8C7HI9T) | |
| PROPYLENE GLYCOL (UNII: 6DC9Q167V3) | |
| EDETATE DISODIUM (UNII: 7FLD91C86K) | |
| STEARIC ACID (UNII: 4ELV7Z65AP) | |
| GLYCERYL MONOSTEARATE (UNII: 230OU9XXE4) | |
| TROLAMINE (UNII: 9O3K93S3TK) | |
| DIAZOLIDINYL UREA (UNII: H5RIZ3MPW4) | |
| PROPYLPARABEN (UNII: Z8IX2SC1OH) | |
| WATER (UNII: 059QF0KO0R) | |
| GLYCERIN (UNII: PDC6A3C0OX) | |
| CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP) | |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|-----------|--|----------------------|--------------------|
| 1 | | 0.9 g in 1 PACKET; Type 0: Not a Combination Product | | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------------|--|----------------------|--------------------|
| unapproved drug other | | 03/06/2013 | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------------|--|----------------------|--------------------|
| unapproved drug other | | 09/13/2018 | |

Labeler - Honeywell Safety Products USA, Inc. (118768815)