PURELIGHT SPF50- avobenzone and octinoxate lotion Dermalogica, Inc.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

PureLight SPF50

Drug Facts

Active ingredients

Avobenzone (3.0%)

Octinoxate (7.5%)

Purpose

Sunscreen

Uses

- Helps prevent sunburn.
- If used as directed with other sun protection measures (see **Directions**), helps decrease the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only

Do not use

• on damaged or broken skin.

When using this product

• keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor

if rash occurs.

Keep out of reach of children.

• If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Apply liberally 30 minutes before sun exposure
- Reapply at least every two hours
- Use a water-resistant sunscreen if swimming or sweating
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To help decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. -2 p.m.
 - wear long-sleeve shirts, pants, hats and sunglasses

Do not use on infants under 6 months old.

Other information

Protect this product from excessive heat and direct sun.

Inactive ingredients

Water/Aqua/Eau, Carthamus Tinctorius (Safflower) Oleosomes, Butylene Glycol, Glycerin, C12-15 Alkyl Benzoate, Polysorbate 80, Dimethyl Capramide, Sodium Hyaluronate Crosspolymer, Cananga Odorata Flower Oil, Eucalyptus Globulus Leaf Oil, Lavandula Hybrida Oil, Lavendula Spica (Lavender) Flower Oil, Laminaria Ochroleuca Extract, Palmaria Palmata Extract, Oligopeptide-34, Dipotassium Glycyrrhizate, Lactobacillus/Pumpkin Fruit Ferment Filtrate, Niacinamide, Zinc Glycinate, Polysorbate 60, Ammonium Acryloyldimethyltaurate/VP Copolymer, Vinyl Dimethicone/Methicone Silsesquioxane Crosspolymer, Hydroxyethyl Acrylate/Sodium Acryloyldimethyl Taurate Copolymer, Isohexadecane, Butylene Glycol Behenate, Glyceryl Polyacrylate, Disodium EDTA, Sodium Hydroxide, Ethylhexylglycerin, Phenoxyethanol.

Questions or comments?

Call toll free 1-800-831-5150 in the US.

PRINCIPAL DISPLAY PANEL - 50 mL Tube Carton

pure light

spf

50 broad

spectrum

UVA high protection

PowerBright TR_{x}^{TM}

1.7 US FL OZ / 50 mL e

dermalogica[®]

pure light

(E)

pure light



Advanced daytime Broad Spectrum moisturizer shields the skin from pigment-inducing UV light.

This medium-weight treatment, now with advanced SPF-boosting Oleosome Technology, contains critical Broad
Spectrum protection against
UV-induced hyperpigmentation. A powerful peptide helps regulate melanin production while a potent blend of Red and Brown Algae combined with botanical extracts, help balance uneven skin tone. Cross-linked Hyaluronic Acid fortifies the skin's natural moisture barrier, reducing the appearance of This medium-weight treatment, reducing the appearance of fine dehydration lines. For best results, apply after C-12 Pure Bright Serum.

Formulated without artificial fragrances, colors or parabens. Product guaranteed when professionally recommended.



Made in the USA

© Dermalogica, Inc. Dermalogica, Dist. Los Angeles, CA 90009 USA 1-800-831-5150 Europe: London KT22 &JB UK

dermalogica

dermalogica.com

Drug Facts

Active ingredients

Purpose Sunscreen

Uses

- Helps prevent sunburn.
 If used as directed with other sun protection measures (see Directions), helps decrease the risk of skin cancer and early skin aging caused by the sun.

Warnings For external use only

Do not use

on damaged or broken skin.

When using this product ■ keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor ■ if rash occurs.

Keep out of reach of children.
■ If swallowed, get medical help or contact a Poison Control Center

- Directions
 Apply liberally 30 minutes before sun exposure
 Reapply at least every two hours
 Beapply at least every two hours
 Use a water-resistant sunscreen if swimming or sweating
 Sun Protection Measures.
 Spending time in the sun increases your risk of skin cancer and early skin aging.
 To help decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF of 15 or higher and other sun protection measures including:
 Ilmit time in the sun, especially from 10 a.m. − 2 p.m.
 wear long-sleeve shirts, pants, hats and sunglasses
 Do not use on infants under 6 months old.

pure light



Institute International skin care system researched and developed l

Drug Facts (continued)

Other information

Protect this product from excessive heat and direct sun.

Inactive ingredients

Inactive ingredients
Water/Aqua/Eau, Carthamus
Tinctorius (Safflower) Olessomes,
Butylene Glycol, Glycerin, C12-15
Alkyl Benzoate, Polysorbate 80,
Dimethyl Capramide, Sodium
Hyduronate Crosspolymer,
Cananga Odorata Flower Oil,
Eucatyptus Globulus Leaf Oil,
Lavandula Hytr da Oil, Lavandula
Spica (Lavander) Flower Oil,
Laminaria Ochrolauca Extract,
Oligopeptide-34, Dipotassium
Glycyrrhizate, Lactoba allius'
Pumpkin Fruit Ferment Filtrate,
Niacinamide, Zinc Glycinate,
Polysorbate 60, Ammonium
Arryloydimethyl taurate Arryloydimethyl taurate Copolymer,
Crosspolymer, Hydroxyethyl
Acrylate/Sodium Acryloydiam EDTA, Sodium
Hydroxide, Ethylhexylgycerin,
Phenoxyethanol.

Questions or

Questions or



(UVA) high protection

PowerBright TR_x"

1.7 US FL OZ / 50 mL 🗨

(D1213-00)





PURELIGHT SPF50

avobenzone and octinoxate lotion

l	Product Information			
l	Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:68479-213

Route of Administration TOPICAL

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
Avobenzone (UNII: G63QQF2NOX) (Avobenzone - UNII:G63QQF2NOX)	Avobenzone	30 mg in 1 mL	
Octinoxate (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	75 mg in 1 mL	

Ingredient Name	Strength
Water (UNII: 059QF0KO0R)	
Carthamus Tinctorius Seed Oleosomes (UNII: 9S60Q72309)	
Butylene Glycol (UNII: 3XUS85K0RA)	
Glycerin (UNII: PDC6A3C0OX)	
Alkyl (C12-15) Benzoate (UNII: A9EJ3J61HQ)	
Polysorbate 80 (UNII: 6OZP39ZG8H)	
Dimethyl Capramide (UNII: O29Y6X2JEZ)	
Cananga Oil (UNII: 8 YO Y78 GNNX)	
Eucalyptus Oil (UNII: 2R04ONI662)	
Lavandin Oil (UNII: 9RES347CKG)	
Lavender Oil (UNII: ZBP1YXW0H8)	
Laminaria Ochroleuca (UNII: 4R2124HE76)	
Dulse (UNII: 7832HOY4ZQ)	
Glycyrrhizinate Dipotassium (UNII: CA2Y0FE3FX)	
Niacinamide (UNII: 25X51I8 RD4)	
Zinc Glycinate (UNII: 681VJX72FE)	
Polysorbate 60 (UNII: CAL22UVI4M)	
Ammonium Acryloyldimethyltaurate/VP Copolymer (UNII: W59H9296ZG)	
Hydroxyethyl Acrylate/Sodium Acryloyldimethyl Taurate Copolymer (100000 MPA.S at 1.5%) (UNII: 86FQE96TZ4)	
Isohexadecane (UNII: 918 X10 UF1E)	
Butylene Glycol Behenate (UNII: X0IW5BP6ZL)	
Edetate Disodium (UNII: 7FLD91C86K)	
Sodium Hydroxide (UNII: 55X04QC32I)	
Ethylhexylglycerin (UNII: 147D247K3P)	

Product Characteristics				
Color	WHITE	Score		
Shape		Size		
Flavor		Imprint Code		
Contains				

P	Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date	
1	NDC:68479-213-02	1 in 1 CARTON	02/18/2014		
1		50 mL in 1 TUBE; Type 0: Not a Combination Product			
2	NDC:68479-213-00	2 mL in 1 POUCH; Type 0: Not a Combination Product	02/18/2014		
3	NDC:68479-213-01	10 mL in 1 TUBE; Type 0: Not a Combination Product	02/18/2014		

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC MONOGRAPH FINAL	part352	02/18/2014		

Labeler - Dermalogica, Inc. (177698560)

Establishment				
Name	Address	ID/FEI	Business Operations	
THIBIANT		083913913	MANUFACTURE(68479-213)	

Establishment			
Name	Address	ID/FEI	Business Operations
Diamond Wipes		161104729	MANUFACTURE(68479-213)

Revised: 12/2017 Dermalogica, Inc.