#### 4134 FIRST AID KIT- 4134 first aid kit Honeywell Safety Products USA, INC

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

-----

## 0498-4134: First Aid Kit (BZK wipes, FABC, EW, ASA- SF00004169)

#### First Aid Burn Cream Active ingredient

Benzalkonium chloride o.13%

Lidocaine HCI 0.5%

# First Aid Burn Cream *Purpose*

First aid antiseptic

External analgesic

#### First Aid Burn Cream Uses

- prevent skin infection
- for temporary relief of pain associated with minor burns

# First Aid Burn Cream *Warnings*

### For external use only

#### Do not use

- in or near the eyes
- if you are allergic to any of the ingredients
- in large areas of the body, particularly over raw surfaces or blistered areas
- for more than 10 days

# Ask a doctor before use if you have

- deep or puncture wounds
- animal bites
- serious burns

# Stop use and ask a doctor if

condition worsens

 symptoms persist for more than 7 days or clear up and occurs again within a few days

#### First Aid Burn Cream *Directions*

- adults and children 2 years of age and older:
- clean the affected area
- apply a small amount of this product (equal to the surface area of the tip of a finger) onto affected area 1 to 3 times daily
- may be covered with a sterile bandage
- children under 2 years of age: consult a doctor

#### First Aid Burn Cream *Other information*

- tamper evident sealed packets
- do not use if packet is opened or torn

### First Aid Burn Cream Inactive ingredients

aloe barbadensis juice, cetyl alcohol, diazolidinyl urea, edetate disodium, glycerin, glyceryl stearate SE, methylparaben, mineral oil, PEG-100, propylene glycol, propylparaben, stearic acid, trolamine, water

# First Aid Burn Cream *Questions*

1-800-430-5490

## Eyewash Active ingredient

Sterile Water 99%

#### Eyewash *Purpose*

Eyewash

# Eyewash

### Uses

• for flushing the eye to remove loose foreign material, air pollutants or chlorinated water

## Eyewash *Warnings*

**For external use only** Obtain immediate medical treatment for all open wounds in or near eyes. To avoid contamination, do not touch tip of container to any surface. Do not reuse. Once opened, discard.

# Do not use

- if solution changes color or becomes cloudy
- if you have open wounds in or near the eyes, get medical help right away.

## Stop use and ask a doctor if

- you experience eye pain
- changes in vision
- continued redness or irritation of the eye
- condition worsens or persists

### Keep out of reach of children

• If swallowed, get medical help or contact a Poison Control Center right away.

#### Eyewash *Directions*

- remove contacts before using
- twist top to remove
- flush the affected area as needed
- control rate of flow by pressure on the bottle
- if necessary, continue flushing with emergency eyewash or shower

## Eyewash Inactive ingredients

sodium chloride, sodium phosphate dibasic, sodium phosphate monobasic

#### Eyewash *Questions*

1-800-430-5490

# Aspirin Active ingredient (in each tablet)

Aspirin 325 mg (NSAID)\* \*nonsteroidal anti-inflammatory drug

#### Aspirin *Purpose*

Pain reliever/fever reducer

# Aspirin *Uses*

temporarily reduces fever and relieves minor aches and pains associated with:

- a cold
- headache
- toothache
- muscular aches
- backache
- minor pain of arthritis
- premenstrual and menstrual periods

### Aspirin *Warnings*

**Reye's syndrome**: Children and teenagers who have or are recovering from chicken pox or flu-like symptoms should not use this product. When using this product, if changes in behavior with nausea and vomiting occur, consult a doctor because these symptoms could be an early sign of Reye's syndrome, a rare but serious illness.

Allergy alert: Aspirin may cause a severe allergic reaction which may include:

- hives
- facial swelling
- asthma (wheezing)
- shock

**Stomach bleeding warning:** This product contains an NSAID, which may cause severe stomach bleeding. The chance is higher if you:are:

- age 60 or older
- have had stomach ulcers or bleeding problems
- take a blood thinning (anticoagulant) or steroid drug
- take other drugs containing prescription or nonprescription NSAIDs (aspirin, ibuprofen, naproxen, or others)
- have 3 or more alcoholic drinks every day while using this product
- take more or for a longer time than directed

# Do not use

• if you are allergic to aspirin or any other pain reliever/fever reducer

# Ask a doctor before use if

- stomach bleeding warning applies to you
- you have a history of stomach problems such as heartburn
- you have high blood pressure, heart disease, liver cirrhosis or kidney disease
- you are taking a diuretic
- you have asthma

# Ask a doctor or pharmacist before use if you are

• taking a prescription drug for diabetes, gout or arthritis

### Stop use and ask a doctor if

- you experience any of the following signs of stomach bleeding:
- feel faint
- vomit blood
- have bloody or black stools
- have stomach pain that does not get better
- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days
- redness or swelling is present in the painful area
- ringing in the ears or loss of hearing occurs
- any new symptoms appear

### If pregnant or breast-feeding,

**If pregnant or breat-feeding,** ask a health professional before use. It is especially important not to use aspirin during the last three months of pregnancy unless definitely directed to do so by a doctor because it may cause problems in the unborn child or complications during delivery.

#### Keep out of reach of children.

• In case of overdose, get medical help or contact Poison Control Center right away.

# Aspirin

#### Directions

- drink a full glass of water with each dose
- adults and children 12 years of age and older: take 1 or 2 tablets every 4 hours while symptoms last, not more than 12 tablets in 24 hours
- children under 12 years of age: consult a doctor

### Aspirin

#### Other information

- store at room temperature 15° 30°C (59° 86°F)
- TAMPER EVIDIENT PACKETS
- DO NOT USE IF OPEN OR TORN

#### Aspirin Inactive ingredients

corn starch, croscarmellose sodium\*, hypromellose\*, microcrystalline cellulose\*, mineral oil\*, polyethylene glycol\*, povidone, propylene glycol, silicon dioxide, stearic acid\*, titanium dioxide\*

\*may contain these ingredients

Aspirin

# **Questions or Comments**

1-800-430-5490

# BZK Active ingredient

Benzalkonium chloride 0.13% w/v

#### BZK Purpose

First aid antiseptic

#### BZK Uses

Antiseptic cleansing of face, hands, and body without soap and water

# BZK Warnings

For external use only

# Do not use

- in the eyes or over large areas of the body
- on mucous membranes
- on irritated skin
- in case of deep puncture wounds, animal bites or serious burns, consult a doctor
- longer than 1 week unless directed by a doctor

# Keep out of reach of children

If swallowed, get medical help or contact a Poison Control Center right away.

# Stop use and ask a doctor if

- irritation, redness or other symptoms develop
- the condition persists or gets worse

#### BZK Directi

# Directions

tear open packet and use as a washcloth

#### BZK Other information

• store at room temperature 15  $^{0}$  to 30  $^{0}$  C (59  $^{0}$  - 86  $^{0}$  F)

• do not reuse towelette

#### BZK Inactive ingredients

water

#### BZK Questions


1-800-430-5490

### 4134


### SF00004169 Kit Contents

1 3/4 X 3 PLAS 100/BOX **1 TRIANGULAR BDG, NON-STERILE** 1 INSTANT COLD PACK 4" X 6" **3 ANTIMCRBL ANTSPTC TWLETTS** 1 ADHESIVE TAPE W/P 1/2"X 5 YD 1 TWEEZER PLASTICS 4" 1 GAUZE CLEAN-WRAP BDGE N/S 4" 1 ABD COMBINE PAD 5" X 9" 110Z, BUFF EYEWASH 1 SCISSOR BDGE 4" RED PLS HDL 1 # 25 EMPTY NO LOGO BLANK 1 F. A. INST CHART SM (INDIVIDUAL LBL) LBL STOCK 6-3/8"X4" LBL STOCK 4"X2-7/8" 1 LBL STOCK 3"x1-7/8" 2 PR LRG NITRILE GLVES ZIP BAG 6 FIRST AID CREAM 1.0GR PKT EACH 2 ADHES TAPE EYE STRIPS 2'S 2 EYE PADS STD OVAL STERILE 5 GAUZE PADS 4"X4" 12PLY 12 ASPIRIN BULK 2/PK


796353-10 Rev. A Unit Carton Printing Plate for "B" size




#### Eyewash Principal Display Panel



#### Aspirin Principal Display Panel







7001083 ev B	səttələwoT oitqəsitnA
	Drug Facts
	Active Ingredient Purpose Benzalkonium chloride 0.133% w/v First aid antiseptic
	Uses      • antiseptic cleaning of face, hands and body without soap and water.     • air dries in seconds
	Warnings For external use only
	When using this product • do not use in the eyes or apply overlarge areas of the body
	Ask a doctor before use   in case of deep or puncture wounds, animal bites, or serious burns
	Stop use and consult a doctor if • irritation, redness or other symptoms develop • condition persists or gets worse
	Do not use
	Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.
	Directions • tear open packet, unfold and use as washcloth
	Other Information •store at room temperature 15° -30° C(59° -86° F) •do not reuse towe lotte
	<ul> <li>store at room temperature 15" - 50" C (59" - 56" F)</li> <li>Store at room temperature 15" - 50" C (59" - 56" F)</li> </ul>

4134 Kit Label SF00004169



Distributed by Honeywell Safety Products USA, Inc. Smithfield, RI 02917

	4134 FIRST AID KIT 4134 first aid kit kit								
Ρ	Product Information								
P	Product Type HUMAN OTC DRUG Item C			de (Source)	NDC:0498-4134				
P	Packaging								
#	ltem Code	Package Descriptio	Package Description		Marketing End Date				
1	NDC:0498-4134- 01	1 in 1 KIT; Type 0: Not a Combinat Product							

# **Quantity of Parts**

Part #	Package Quantity	Total Product Quantity
Part 1	6 PACKET	5.4 g
Part 2	1 BOTTLE	30 mL
Part 3	3 PACKET	4.2 mL
Part 4	12 PACKET	24

# Part 1 of 4

# **FIRST AID BURN**

benzalkonium chloride, lidocaine hydrochloride cream

# **Product Information**

Item Code (Source)	NDC:0498-0903
Route of Administration	TOPICAL

Active Ingredient/Active Moiety					
Ingredient Name	<b>Basis of Strength</b>	Strength			
<b>BENZALKONIUM CHLORIDE</b> (UNII: F5UM2KM3W7) (BENZALKONIUM - UNII:7N6JUD5X6Y)	BENZALKONIUM CHLORIDE	0.13 g in 100 g			
LIDOCAINE HYDROCHLORIDE (UNII: V13007Z41A) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE HYDROCHLORIDE	0.5 g in 100 g			

# Inactive Ingredients

Ingredient Name	Strength
GLYCERYL MONOSTEARATE (UNII: 2300U9XXE4)	
PEG-100 STEARATE (UNII: YD01N1999R)	
LIGHT MINERAL OIL (UNII: N6K5787QVP)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
TROLAMINE (UNII: 903K93S3TK)	
GLYCERIN (UNII: PDC6A3C0OX)	
PROPYLPARABEN (UNII: Z8IX2SC10H)	
DIAZOLIDINYL UREA (UNII: H5RIZ 3MPW4)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
ALOE VERA LEAF (UNII: ZY81Z83H0X)	
WATER (UNII: 059QF0KO0R)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
CETYL ALCOHOL (UNII: 936JST6JCN)	

#	ltem Code	Packa	age Description	Marketing Start Date	Marketing End Date
-		).9 g in 1 PACKET; Product	Type 0: Not a Combination		
_			-		
Ma		g Informat			
	Marketing Category		tion Number or Monograph Citation	Marketing Start Date	Marketing End Date
nap the	pproved drug			12/20/2017	
Pa	rt 2 of	4			
EY	<b>ESALIN</b>	E EMERGE	NCY EYEWASH		
our	rified water	liquid			
		<b>- •</b> !			
	oduct Info		NDC:0498-0100		
	m Code (So ute of Adm		OPHTHALMIC		
κοι	ute of Adm	inistration	OPHTHALMIC		
Act	tive Ingre	dient/Active	Moiety		
				Basis of Strength	Strength
		9QFUNUUR) (WAIE	R - UNII:059QF0KO0R)	WATER	98.6 mL in 100 mL
N A 1					
	active Ing				
			Ingredient Name		Strength
na	active Ing	<b>redients</b> PHATE, MONOBA	SIC, MONOHYDRATE (UNII: 593)	(OG76RN)	Strength
na 500	active Ing DIUM PHOSP DIUM CHLOR	<b>redients</b> PHATE, MONOBA RIDE (UNII: 451W47	SIC, MONOHYDRATE (UNII: 593' 7IQ8X)	(OG76RN)	Strength
na 500	active Ing DIUM PHOSP DIUM CHLOR	<b>redients</b> PHATE, MONOBA RIDE (UNII: 451W47	SIC, MONOHYDRATE (UNII: 593)	(OG76RN)	Strength
na 500	active Ing DIUM PHOSP DIUM CHLOR	<b>redients</b> PHATE, MONOBA RIDE (UNII: 451W47	SIC, MONOHYDRATE (UNII: 593' 7IQ8X)	(OG76RN)	Strength
na 500 500	active Ing DIUM PHOSP DIUM CHLOR	<b>redients</b> PHATE, MONOBA RIDE (UNII: 451W47	SIC, MONOHYDRATE (UNII: 593' 7IQ8X)	(OG76RN)	Strength
na Soc Soc	active Ing DIUM PHOSP DIUM CHLOR DIUM PHOSP	redients PHATE, MONOBA RIDE (UNII: 451W47 PHATE, DIBASIC (	SIC, MONOHYDRATE (UNII: 593' 7IQ8X)	(OG76RN) Marketing Start Date	Strength Marketing End
na soc soc soc	Active Ing DIUM PHOSP DIUM CHLOR DIUM PHOSP Ckaging Item Code IDC:0498-010	redients PHATE, MONOBA SIDE (UNII: 451W47 PHATE, DIBASIC ( PHATE, DIBASIC ( PHATE, DIBASIC ( 0- 30 mL in 1 BO	SIC, MONOHYDRATE (UNII: 593) 7IQ8X) UNII: GR686LBA74)	Marketing Start	Marketing End
Ina Soc Soc Pac	active Ing DIUM PHOSP DIUM CHLOR DIUM PHOSP Ckaging Item Code	redients PHATE, MONOBA RIDE (UNII: 451W47 PHATE, DIBASIC ( PHATE, DIBASIC (	SIC, MONOHYDRATE (UNII: 593) 71Q8X) UNII: GR686LBA74) ckage Description	Marketing Start	Marketing End
na soc soc soc	Active Ing DIUM PHOSP DIUM CHLOR DIUM PHOSP Ckaging Item Code IDC:0498-010	redients PHATE, MONOBA SIDE (UNII: 451W47 PHATE, DIBASIC ( PHATE, DIBASIC ( PHATE, DIBASIC ( 0- 30 mL in 1 BO	SIC, MONOHYDRATE (UNII: 593) 71Q8X) UNII: GR686LBA74) ckage Description	Marketing Start	Marketing End
na soc soc soc yaa	Ckaging Item Code	redients PHATE, MONOBA RIDE (UNII: 451W47 PHATE, DIBASIC ( PHATE, DIBASIC	SIC, MONOHYDRATE (UNII: 593) 7(Q8X) UNII: GR686LBA74) Ckage Description TTLE; Type 0: Not a Combination	Marketing Start	Marketing End
Ina 500 500 9a0 #	Ckaging Item Code	redients HATE, MONOBA IDE (UNII: 451W47 HATE, DIBASIC ( PA O 30 mL in 1 BO Product DI 1 format	SIC, MONOHYDRATE (UNII: 593) 7(Q8X) UNII: GR686LBA74) Ckage Description TTLE; Type 0: Not a Combination	Marketing Start Date	Marketing End

Part 3 of 4							
ANTISEPTIC TOWELETTE benzalkonium chloride liquid							
Product Inform	mation						
ltem Code (Sour	ce)	NDC:0498-0501					
Route of Admini	stration	TOPICAL					
Active Ingredi	ent/Active	Moiety					
	-	dient Name		Basis of Stre	ength	Strength	
BENZALKONIUM C UNII:7N6JUD5X6Y)	HLORIDE (UNII	: F5UM2KM3W7) (BENZALKONIUM -		BENZ ALKONIUM CHLORIDE		1.3 mg in 1 mL	
Inactive Ingre	dients						
		redient Name			Streng	yth	
WATER (UNII: 059Q)	F0KO0R)						
Packaging							
# Item Code	Pa	ckage Description		eting Start Date	Mark	eting End Date	
	1.4 mL in 1 PA Product	CKET; Type 0: Not a Combination					
Marketing I	nformat	ion					
Marketing Category	Applica	tion Number or Monograph Citation	Mark	eting Start Date	Mar	keting End Date	
unapproved drug other			09/18/2	018			
other							
Part 4 of 4							
ASPIRIN aspirin tablet							
Product Infor	nation						
ltem Code (Sour		NDC:0498-0114					

Active Ingredie	ent/Acti	ive Moiety						
-		redient Name			Basis of Stre	ngth	Strength	
ASPIRIN (UNII: R16C	O5Y76E) (/	ASPIRIN - UNII:R16C	O5Y76E)		ASPIRIN	-	325 mg	
Inactive Ingree	dients							
		•	nt Name				Strength	
CELLULOSE, MICRO								
POLYETHYLENE GL			3WJQ0SDW1A)					
STEARIC ACID (UNII								
STARCH, CORN (UN								
POVIDONE (UNII: FZ								
SILICON DIOXIDE (			0)					
CROSCARMELLOSE								
HYPROMELLOSE 22	-		E3P/12K)					
MINERAL OIL (UNII:								
TITANIUM DIOXIDE PROPYLENE GLYCO								
Product Chara	cteristi	ics						
Color		white	Score			2 piece	es	
Shape		ROUND	Size		10mm			
Flavor			Imprint Code	nt Code			FR21	
Contains								
Packaging								
# Item Code		Package Desc	ription	M	arketing Start Date	Mar	keting End Date	
<b>1</b> NDC:0498-0114- 01	2 in 1 PAC Product	CKET; Type 0: Not a	a Combination					
Markating								
Marketing I								
Marketing Category	Арр	lication Number Citatio			Marketing Start Date	Ma	rketing End Date	
unapproved drug other				0	9/18/2018			
Marketing I	nform	nation						
Marketing Category	Арр	lication Number Citatio			Marketing Start Date	Ma	rketing End Date	
unapproved drug other				1	0/18/2018			

Labeler - Honeywell Safety Products USA, INC (118768815)

Revised: 1/2024

Honeywell Safety Products USA, INC