LEADER EARWAX REMOVAL KIT- carbamide peroxide 6.50% kit liquid Cardinal Health, 110 dba Leader

LEADER Earwax Removal Kit

Carbamide Peroxide 6.5% non USP*

*pH differs from USP specifications

Earwax removal aid

For occasional use as an aid to soften, loosen, and remove excessive earwax.

Ask a doctor before use if you have:

ear drainage or discharge

ear pain, irritation, or rash in ear

recently had ear surgery

dizziness

an injury or perforation of the eardrum

Citric acid

Flavor

Glyrcerin

Propylene glycol

Sodium Lauroyl Sarcosinate

Sodium Stannate

Purified water

- tilt head sideways
- palce 5 to 10 drops into ear
- tip of applicator should not enter ear canal
- keep drops in ear for several minutes by keeping head tilted or placing cotton in the ear
- use twice daily for up to four days if needed, or as directed by a doctor
- any wax remaining after treatment may be removed by gently flushing ear with warm water, using a soft rubber bulb ear syringe

If swallowed, get medical help or contact a Posion Control Center right away.

LEADER?

Earwax Removal Drops

Carbamide Peroxide, 6.5% Earwax Removal Aid

Drug Facts

Active ingredient

Purpose

Carbanide perceide 6.5% non USP* ... Earwax removal aid "pH differs from USP specifications

Use For occasional use as an aid to soften, lossen and remove excessive earway.

Warnings

Ask a doctor before use if you have a ear drainage or discharge a ear pain, initiation, or rash in the ear a recently had ear surgery a discinese an injury or perforation ficie) of the eardrum

When using this product avoid contact with the eyes Stop use and ask a doctor if m you need to use for more than four days m excessive earnest remains after a four day treatment with this product.

Keep out of the reach of children. If swellowed, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

FOR USE IN THE EAR ONLY

Remove any hearing aids before use Adults and children ever 12 yrs of ago: till head to the side and place 5 to 10 drops into the ear canal

- Tip of applicator should not enter into the ear canal
 Keep drops in ear for several minutes by leaping
- head filted sideways or placing crition in the ear

 Liber twice daily for up to 4 days if needed, or as directed by a doctor - Any wax remaining after treatment may be removed by gently flushing the ear with warm water, using a soft nubber butb ear syringe

Children under 12 yrs of age: Consult a physician Continued >

* This product is not manufactured or distributed by Prestige Brands Inc., owner of the registered trademark Debrox* Ear Drops.

Drug Facts (continued)

Other information

■ do not store above 25°C (77°F) ■ store bottle in outer carlon ■ product foams on contact with serwax due to the release of oxygen. There may be an associated "cracking" sound ■ keep cap on bottle when not in use

Inactive ingredients Citric Acid, Flavor, Glycerin, Propylene Glycol, Sodium Lauroyl Sarcosinale, Sodium Stannate, Purified Water

Questions & comments? 1-800-423-6967

IMPORTANT

Keep this carton for future reference on full labeling.

02022 Cardinal Health, All Eights Reserved, CARDINAL HEALTH, the Cardinal Health (ISO) are trademarks or registered trademarks or Cardinal Health, All other marks are the property of their respective symens.

DISTRIBUTED BY CARDINAL HEALTH Dublin, 0410 45017

100% Money Back Guarantee Return to place of purchase first satisfied.

LEADER

NDC 70000-0490-T

Earwax Removal Drops

Carbamide Peroxide, 6.5% Earwax Removal Aid

Earwax Removal Aid

Safe & Gentle

Foaming Cleansing Action COMPARE TO DEBROX' EAR DROPS active ingredient'

100% Money Back Guerantee

0.5 FL OZ (15 mL)

Actual Size

SEALED FOR YOUR

DO NOT USE IF SHRINK

BAND ON BOTTLE IS

TIME OF PURCHASE.

BROKEN OR MISSING AT

PROTECTION.



12

LEADER

NDC 70000-0490-1

Earwax Removal **Drops**

Carbamide Peroxide, 6.5% Earwax Removal Aid

Safe & Gentle Foaming Cleansing Action

0.5 FL OZ (15 mL)

DO NOT USE IF SHRINKBAND ON BOTTLE IS BROKEN OR MISSING

Drug Facts

Use For occasional use as an aid to soften, loosen and remove excessive earwax. pH differs from USP specifications

Earwax removal aid

Carbamide peroxide 6.5% non USP*

Active ingredient

Ask a doctor before use if you have mear drainage or discharge

 ear pain, irritation, or rash in the ear recently had ear surgery an injury or perforation (hole) of the eardrum dizziness

Stop use and ask a doctor if a you need to use for more than four days Keep out of the reach of children. If swallowed, get medical help excessive earwax remains after a four day treatment with this product or contact a Poison Control Center (1-800-222-1222) right away. When using this product avoid contact with the eyes

Directions FOR USE IN THE EAR ONLY. Remove any hearing aids before use

Adults and children over 12 yrs of age: tilt head to the side and place 5 to 10 drops into the ear canal. Tip of applicator should not enter into the ear canal ■ Keep drops in ear for several minutes by keeping head iffed sideways or placing cotton in the ear. ■ Use twice daily for up to 4 days if needed, or as directed by a doctor - Any wax remaining after treatment may be removed by gently flushing the ear with warm water using a soft rubber bulb ear syringe

Inactive ingredients Citric Acid, Flavor, Glycein, Propylene Glycol, Sodium Lauroyl Sercosinate, Sodium Stannate, Purified Water. Children under 12 yrs of age: Consult a physician.

©2022 Cardinal Health RETAIN OUTER CARTON FOR FULL LABELING. Questions & comments? 1-800-423-6967 DIST. BY CAH DUBLIN OH, 43017

Return to place of purchase if not satisfied. 00% Money Back Guarant

R 02/18/22

CIN 5511647 REV. 6/22





Carbamide Peroxide, 6.5% Earwax Removal Aid

SEALED FOR YOUR PROTECTION. DO NOT USE IF SHRIMK BAND ON BOTTLE IS **BROKEN OR MISSING AT** TIME OF PURCHASE.

Actual Size

Drug Facts

Active ingredient Purpose
Carbanice psouds 6.5% non USP __Earner, remoral aid
"pH offers from USP specifications

Use For occasional use as an aid to soften, looser and remove excessive earwer.

Warnings

Ask a doctor before use if you have a ser drainage or discharge a ser pain, initiation, or rash in the ear a recently had ear surgery a dizziness a an injury or perforation (hole) of the eardrum

When using this product avoid contact with the ey Stop use and ask a doctor if a you need to use for more than four days is excessive convex remains after a four day treatment with this product

Keep out of the reach of children. If swellowed, get nedical help or contact a Poison Control Center (1-800-222-1222) right may.

FOR USE IN THE EAR ONLY

Plemore any husing sids before use Adults and children over 12 yrs of aga: Ilk head to the side and place 5 to 10 drops into the ear canal a Tip of applicator should not enter into the ear canal

If or applicator should not enter into the ear canal is Keep drops in ear for several minutes by beging head litted sideways or placing cotton in the ear is Use twice daily for up to 4 days if needed, or as directed by a doctor is Any wax remaining after treatment may be removed by goetly furning the ear with warm water, using a soft nubber butb ear syringe.

Children under 12 yes of age: Consult a physician Continued >

Drug Facts (continued)

Other information m do not store above
25°C (77°F) m store
bottle in outer carlon m
product foams on
contact with earwax due
to the release of ongen.

There may be an associated "cracking" sound a keep cap on bottle when not in use

Inactive ingredients Clinic Acid, Flavor, Glycerin, Propylene Glycol, Sodium Lauroyl Stannate, Purified Water

Questions & comments? 1-808-662-3435

IMPORTANT Keep this carton for

future reference on full labeling.

© 2019 Cardinal Health, All Rights Reserved, CARDONAL HEALTH, the Cardinal Health (DGO, LEADER, and the Leader (DGO are trademarks or registered trademarks of Cardinal Health, All other marks are the property of their respective owners.

DISTRIBUTED BY CARDINAL HEALTH DABLIN, CHIO 45017

100% Money Back Guarantee Brian to place of purcase if not satisfied.

LEADER

NDC 70000-0490-1

Earwax Removal **Drops**

Carbamide Peroxide, 6.5% Earwax Removal Aid

Earwax Removal Aid Safe & Gentle

Foaming Cleansing Action

COMPARE TO DEBROX" EAR DROPS active ingredient!

0.5 FL OZ (15 mL)

Special Coating Knockout

96295 13704



LEADER EARWAX REMOVAL KIT

carbamide peroxide 6.50% kit liquid

ı	Product Information			
ı	Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:70000-0490
	Route of Administration	AURICULAR (OTIC)		

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
CARBAMIDE PEROXIDE (UNII: 31PZ 2VAU81) (HYDROGEN PEROXIDE - UNII: BBX060AN9V)	CARBAMIDE PEROXIDE	6.5 g in 100 mL	

Inactive Ingredients				
Ingredient Name	Strength			
SODIUM LAUROYL SARCOSINATE (UNII: 632GS99618)				
WATER (UNII: 059QF0KO0R)				
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)				
SODIUM STANNATE (UNII: NJ7C1V83KG)				
GLYCERIN (UNII: PDC6A3C0OX)				
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)				

Packaging					
#	Item Code	Package Description	Marketing Start Date	Marketing End Date	
1	NDC:70000- 0490-2	15 mL in 1 CONTAINER; Type 0: Not a Combination Product	05/06/2019		
2	NDC:70000- 0490-1	1 in 1 CARTON	05/06/2019		

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
Marketing Information				
	5 mL in 1 BOTTLE, DROPPER; Type 0: Not a ombination Product			

Labeler - Cardinal Health, 110 dba Leader (063997360)

Registrant - Pharma Nobis, LLC (118564114)

Establishment				
Name	Address	ID/FEI	Business Operations	
Pharma Nobis, LLC		118564114	pack(70000-0490) , label(70000-0490) , manufacture(70000-0490) , analysis (70000-0490)	

Revised: 12/2023 Cardinal Health, 110 dba Leader