TUSSIN DM COUGH AND CHEST CONGESTION- dextromethorphan hbr, guaifenesin solution NuCare Pharmaceuticals.Inc.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Perrigo Tussin DM Drug Facts

Active ingredients (in each 10 mL)

Dextromethorphan HBr, USP 20 mg Guaifenesin, USP 200 mg

Purposes

Cough suppressant

Expectorant

Uses

- temporarily relieves cough due to minor throat and bronchial irritation as may occur with a cold
- helps loosen phlegm (mucus) and thin bronchial secretions to drain bronchial tubes

Warnings

Do not use

• if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- cough that occurs with too much phlegm (mucus)
- cough that lasts or is chronic such as occurs with smoking, asthma, chronic bronchitis, or emphysema

Stop use and ask a doctor if

cough lasts for more than 7 days, comes back, or is accompanied by fever, rash, or persistent headache. A persistent cough may be a sign of a serious condition.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

Directions

- do not take more than 6 doses in any 24-hour period
- measure only with dosing cup provided
- keep dosing cup with product
- mL = milliliter
- this adult product is not intended for use in children under 12 years of age

age	dose
adults and children	10 mL
12 years and over	every 4 hours
children under 12 years	do not use

Other information

- Phenylketonurics: Contains Phenylalanine 30 mg per 10 mL
- store at 20-25°C (68-77°F)


Inactive ingredients

aspartame, benzoic acid, flavor, glycerin, hydroxyethyl cellulose, menthol, polyethylene glycol, purified water

Questions or comments?

1-800-719-9260

Principal Display Panel



TUSSIN DM COUGH AND CHEST CONGESTION

dextromethorphan hbr, guaifenesin solution

Product Information				
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:68071-4884(NDC:0113-0578)	
Route of Administration	ORAL			

Active Ingredient/Active Moiety				
Ingredient Name	Basis of Strength	Strength		
	DEXTROMETHORPHAN HYDROBROMIDE	20 mg in 10 mL		
GUAIFENESIN (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)	GUAIFENESIN	200 mg in 10 mL		

Inactive Ingredients				
Ingredient Name	Strength			
ASPARTAME (UNII: Z0H242BBR1)				
BENZOIC ACID (UNII: 85KN0B0MIM)				
GLYCERIN (UNII: PDC6A3C0OX)				
MENTHOL (UNII: L7T10EIP3A)				
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)				
WATER (UNII: 059QF0KO0R)				

Product Characteristics			
Color		Score	
Shape		Size	
Flavor	CHERRY	Imprint Code	
Contains			

Pä	ackaging			
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
	NDC:68071- 4884-4	118 mL in 1 BOX; Type 0: Not a Combination Product	05/06/2019	

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part341	09/20/1994	

Labeler - NuCare Pharmaceuticals,Inc. (010632300)

Establishment				
Name	Address	ID/FEI	Business Operations	
NuCare Pharmaceuticals, Inc.		010632300	relabel(68071-4884)	

Revised: 2/2021 NuCare Pharmaceuticals,Inc.