# 4302 FIRST AID KIT- 4302 first aid kit Honeywell Safety Products USA, INC

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

-----

0498-4302: First Aid Kit (ammonia inh, EW, Burn Jel, PVP wipes, BZK wipes, sting relief- SF00004248)

# Sting Relief Active ingredient

Ethyl alcohol 50.0%

Lidocaine HCl 2.0%

# Sting Relief Purpose

Antiseptic

Topical pain relief

# Sting Relief *Uses*

• prevent infection in minor scrapes, and temporary relief of itching of insect bites

# Sting Relief Warnings

# For external use only

Flammable, keep away from open fire or flame

#### Do not use

- over large areas of the body
- in eyes
- over raw or blistered areas

# Stop use and ask a doctor

• if conditions worsen or persist for more than 7 days or clear up and occur again within a few days

# Keep out of reach of children

If swallowed, get medical help or contact a Poison Control Center right away

# Sting Relief Directions

- adults and children 2 years and older: Apply to cleaned affected area not more than 3 times daily.
- children under 2 years of age: consult a doctor.

# Sting Relief Inactive ingredients

benzalkonium chloride, menthol, and purified water

# Sting relief Questions or Comments

1-800-430-5490

# Eyesaline Active ingredient

Sterile Water 99%

# Eyesaline *Purpose*

Eyewash

# Eyesaline

#### Uses

 for flushing the eye to remove loose foreign material, air pollutants or chlorinated water

# Eyesaline *Warnings*

# For external use only-

Obtain immediate medical treatment for all open wounds in or near eyes.

To avoid contamination, do not touch tip of container to any surface.

Do not reuse. Once opened, discard.

#### Do not use

- if solution changes color or becomes cloudy
- if you have open wounds in or near the eyes, get medical help right away.

# Stop use and ask a doctor if

- you experience eye pain
- changes in vision
- continued redness or irritation of the eye
- condition worsens or persists

## Keep out of reach of children

If swallowed, get medical help or contact a Poison Control Center right away.

# Eyesaline Directions

- remove contacts before using
- twist top to remove
- flush the affected area as needed
- control rate of flow by pressure on the bottle
- if necessary, continue flushing with emergency eyewash or shower

# Eyesaline Inactive ingredients

sodium chloride, sodium phosphate dibasic, sodium phosphate monobasic

# Eyesaline Questions

1-800-430-5490 Honeywell Sadety Products USA, Inc. Smithfield, RI 02917

# Ammonia Inhalent Active ingredient

Ammonia 15%

# Ammonia Inhalent *Purpose*

Respiratory stimulant

# Ammonia Inhalent *Uses*

• to prevent or tret fainting

# Ammonia Inhalent *Warnings*

## For external use only

#### Do not use

• if you have breathing problems such as asthma or emphysema

# Stop use and ask a doctor if

• condition persists

## Keep out of reach of children

If swallowed get medical help or contact a Poison Control Center right away.

# Ammonia Inhalent Directions

- hold inhalant away from face and crush ampoule between thumb and forefinger at position indicated on sleeve.
- hold near nostrils for inhalation of volatile vapor

# Ammonia Inhalent Other information

• store at room temperature away from light

# Ammonia Inhalent Other information

• store at room temperature away from light

# Ammonia Inhalent Inactive ingredients

alcohol USP, FD&C red #40, lavender oil, lemon oil fcc, nutmeg oil, purified water

# Ammonia Inhalent Questions or Comments

1-800-430-5490

# Burn Jel Active ingredient

Lidocaine HCl 2.0%

# Burn Jel *Purpose*

## Burn Jel *Uses*

• temporarily relieves pain due to minor burns

# Burn Jel *Warnings*

# For external use only

#### Do not use

• on large areas of the body, particularly over raw surfaces or blistered areas

# When using this product

avoid contact with eyes

## Stop use and ask a doctor if

- the condition gets worse
- symptoms persist for more than 7 days
- condition clears up and recurs within a few days

# Keep out of reach of children

• If swallowed, get medical help or contact a Poison Control Center right away.

# Burn Jel Directions

- adults and children 2 years of age and older; apply to affected area not more than 3 to 4 times daily
- children under 2 years of age: ask a doctor
- you may report a serious reaction to this product to 800-430-5490

# Burn Jel Other information

- store at room temperature
- do not use if opened or torn

# Burn Jel Inactive ingredients

carbopol 940, carbopol 1342, diazolidinyl urea, glycerin, melaleuca alternifolia (tea tree) leaf oil, methylparaben, octoxynol-9, propylene glycol, propylparaben, trolamine, water ...

# Burn Jel *Questions*

1-800-430-5490

# Povidone Iodine Swab Active ingredient

Povidone-iodine solution USP, 10% (equivalent to 1% titratable iodine)

# Povidone Iodine Swab *Purpose*

First aid antiseptic

# Povidone Iodine Swab *Uses*

first aid to help prevent the risk of infection in minor cuts, scrapes, and burns

# Povidone Iodine Swab *Warnings*

# For external use only

#### Do not use

- over large areas of the body
- on individuals who are allergic or sensitive to iodine

# Ask a doctor before use if you have

- deep or puncture wounds,
- animal bites
- serious burns

# When using this product

do not use longer than one wek unless directed by a doctor

# Stop use and ask a doctor if

- conditions persists or gets worse
- irritation and redness develops

# Keep out of reach of children

If swallowed, get medical help or contact a Poison Control Center right away

#### **Povidone Iodine Swab**

#### **Directions**

Reverse cardboard sleeve, then crush at dot between thumb and forefinger. Allow solution to saturate tip and apply solution to injury.

- clean affected area
- apply to affected area 1 to 3 times daily
- may be covered with a sterile bandage
- discard swab after single use

# Povidone Iodine Swab Other information

- store at room temperature away from light
- keep from freezing or excessive heat
- do not use if package is torn or open

# Povidone Iodine Swab Inactive ingredients

citric acid, disodium phosphate, nonoxynol-9, sodium hydroxide, water

# Povidone Iodine Swab Questions and comments

1-800-430-5490

# BZK Active ingredient

Benzalkonium chloride 0.13% w/v

# BZK *Purpose*

First aid antiseptic

# BZK *Uses*

Antiseptic cleansing of face, hands, and body without soap and water

# BZK Warnings

For external usse only

Do not use

- in the eyes or over large areas of the body
- on mucous membranes
- on irritated skin
- in case of deep puncture wounds, animal bites or serious burns, consult a doctor
- longer than 1 week unless directed by a doctor

## Stop use and ask a doctor if

- if irritation, redness or other symptoms develop
- the condition persists or gets worse

# Keep out of reach of children

If swallowed, get medical help or contact a Poison Control Center right away.

#### **BZK**

#### **Directions**

• tear open packet and use as a washcloth

#### **BZK**

## Other information

- store at room temperature 15  $^{0}$  to 30  $^{0}$  C (59  $^{0}$  86  $^{0}$ F)
- do not reuse towelette

# BZK Inactive ingredient

water

# BZK Questions


1-800-430-5490

# 4203 SF00004248 Kit Contents

- 1 FNGRTIP-5 PER. KNCKL BDG-4 PER
- 1 AMMONIA INHALANTS 10 PER
- 1 TRIANGULAR BDG, NON-STERILE
- 1 BUFFERED EYE WASH 1 OZ BTL
- 1 BANDAGE COMP, 2" OFFSET, 4 PER
- 1 BANDAGE COMP, 4" OFFSET, 1 PER
- 1 ADHESIVE BDG, PLSTIC, 1"X3"16PER

- 1 BURN JEL 1/8 OZ, 6 PER
- 1 WATER JEL DRESSING 4" X 4"
- 1 PVP IODINE WIPES 10 PER
- 1 BIOHAZARD BAG, WIPES/TOWELS BBP
- 1 BODY FLUID CLEAN-UP ABSORBENT
- 1 FACE MASK W/SHIELD 1 PER BBP
- 1 GOWN W/SLEEVES
- 1 NITRILE GLOVES 2PR BBP
- 1 COMPRESS, 8" X 10", 1 PER
- 1 FORCEPS POINTED METAL
- 1 CPR MICROSHIELD DOUBLE UNIT
- 1 SCISSOR BDGE 4" RED PLS HDL
- LBL STOCK 6-3/8"X4"
- 1 LBL STOCK 3"x1-7/8"
- 1 KIT STL 24 UN WHITE 01
- 1 LABL INSTR 24 & 36 UNIT KITS
- 1 ZIP LOCK BAG 5 X 8" 2 MIL
- 1 STING Relief SWAB 10

# Sting Relief Principal Display Panel



# **Eyesaline**

## **Principal Display Panel**



Isotonic Solution Isotonique Stérile 16 fl. oz. (473 mL)



Drug Facts (for USA only) #32-000454-0000 Active ingredient Purpose Evewash for flushing the eye to remove loose foreign material, air pollutants, RÉAPPROVISIONNEMENT Warnings
For external use only - Obtain immediate medical treatment for all open wounds in or near the eyes. To avoid contamination, do not touch tip of container to any surface. Do not reuse. Once opened, discard.

Do not use

if solution changes color or becomes cloudy

if you have open wounds in or near the eyes, get medical help right away. PEDIDO / Stop use and consult a doctor if: so you experience eye pain of hanges in vision confined reference or in the confined reference or in the condition of the eye condition worsens or persists

We go ut of reach of children. If swallowed, get medical help or contact a Poison Control Center right away. Directions

• remove contacts before using • twist top to remove
• flush the affected area as needed
• control rate of flow by pressure on the bottle
• if necessary, continue flushing with emergency eyewash or shower 32-004510 Rev. J Inactive ingredients odium chloride, sodium phosphate dibasic, sodium phosphate monobasic Questions? Call 1-800-430-5490 Honeywell Safety Products USA, Inc. Smithfield, RI. 02917

Datos de medicamento (Para EE.UU. solamente) Usos para el lavado de ojo para quitar las particulas sueltas y extrañas, los contaminantes aeros, o agua de cloruro Advertencias
Para el uso externo sólo - Obtenga tratamiento médico
inmediato para todas las heridas abiertas en o cerca de los ojos.
Para evitar la contaminación, no toque la punta del envase con
inguna superficie. No uvelva a usar. Vez abierto, descarte. No se use • si la solución se enturbia o cambia de color • si tiene heridas abiertas en o cerca del ojo, obtenga ayuda medica de inmediato de immediato
Deje de usar y consulte a un médico si:

• experimenta dolor de ojo

• cambio de visión

• rojez continuo o irritación del ojo
- la condición empeora o persiste
Manténgase fuera del alcance de los niños.
En caso de ingestión accidental, obtenga atención médica o llame a un Centro de control de envenenamiento inmediatamente. Instrucciones

- quitese los lentes de contacto antes de usar la solución

- tuerza la tapa para quitar

- en juaque el área afectada según se necesite

- controle el chorro haciendo presión el la botella

- si es necesario, sigue enjuagado con un lavaojos o ducha de emergencia Ingredientes inactivos cloruro de sodio, fosfato de sodio monobásico ¿Preguntas? Llame al 1-800-430-5490 Honeywell Safety Products USA, Inc. Smithfield, Rl. 02917

#### Information

**Usages**Pour le rinçage des yeux afin d'enlever un corps étranger, des polluants atmospheriques où de l'eau chlorée.

Advertissements

Pour usage externe seulement - Obtenir immédiatement des soins médicaux pour toutes les plaies ouvertes dans ou près des yeux. Pour éviter toute contamination, ne pas toucher la pointe du récipient à n'importe quelle surface. Ne pas réutiliser. Une fois ouvert, jetez-les.

Ne pas utiliser

• si la solution a changé de couleur ou si elle est brouillée

• si vous avez des plaies ouvertes aux yeux ou à proximité,

Mode d'emploi

• enlever les verres de contact avant l'utilisation • dévisser le bouchon pour l'enlever • rincer la zone touchée selon les besoins • ajuster le débit d'écoulement de la solution en augmentant ou en réduisant la pression exercée sur le contenar et si nécessaire, confuner de rincre avec unesolution de rinçage oculaire d'urgence ou une douche

Ingrédients eau stérile, chlorure de sodium, phosphate dibasique de sodium, phosphate monobasique de sodium


Des questions? Faites le 1-800-430-5490 Honeywell Safety Products USA, Inc. Smithfield, RI. 02917

Ammonia inhalent Principal Display Panel

796006 Rev. E (page 3 of 3)

# **Principal Display Panel**





# Povidone Iodine Swab Principal Display Panel



BZK Principal Display Panel

S	Honeywell	
lette		02-16-35MD
оме	5.	Antiseptic Towelettes
Antiseptic Towelettes		Benzalkonium chloride First aid antiseptic
tise		Six-Saturated Towelettes
An	Distributed by Honeywell Safety Products USA, Inc. Smithfield, RI 02917	

7001083 lev B	Antiseptic Towelettes
	Drug Facts
	Active Ingredient Purpose Benzalkonium chloride 0 133% w/v First aid antiseptic
	Uses • antiseptic cleaning of face, hands and body without soap and water. • air dries in seconds
	Warnings For external use only
	When using this product • do not use in the eyes or apply overlarge areas of the body
	Ask a doctor before use • in case of deep or puncture wounds, animal bites, or serious burns
	Stop use and consult a doctor if  irritation, redness or other symptoms develop  condition persists or gets worse
	Do not use ● longer than 1 week unless directed by doctor
	Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.
	Directions • tear open packet, unfold and use as washcloth
	Other Information  • store at room temperature 15° -30° C(59° -86° F)  • do not reuse towelette
	Inactive ingredient water
	Questions or comments 1-800-430-5490

4203 Kit Label SF00004248



Distributed by Honeywell Safety Products USA, Inc. Smithfield, RI 02917

# **4302 FIRST AID KIT**

4302 first aid kit kit

	mation

Product Type HUMAN OTC DRUG Item Code (Source) NDC:0498-4302

l	Packaging					
	#	Item Code	Package Description	Marketing Start Date	Marketing End Date	
ı		NDC:0498-4302-	1 in 1 KIT: Type 0: Not a Combination	10/10/2010		

Quant	Quantity of Parts			
Part # Package Quantity		Total Product Quantity		
Part 1	10 POUCH	4 mL		
Part 2	1 BOTTLE	30 mL		
Part 3	2 PACKET	2.8 mL		
Part 4	10 POUCH	3 mL		
Part 5	6 PACKET	21 g		

# Part 1 of 5

# STING RELIEF PAD

ethyl alcohol, lidocaine swab

Product

Product Information		
Item Code (Source)	NDC:0498-0733	
Route of Administration	TOPICAL	

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
LIDOCAINE HYDROCHLORIDE (UNII: V13007Z41A) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE HYDROCHLORIDE ANHYDROUS	20 mg in 1 mL	
ALCOHOL (UNII: 3K9958V90M) (ALCOHOL - UNII:3K9958V90M)	ALCOHOL	0.5 mL in 1 mL	

Inactive Ingredients		
Ingredient Name	Strength	
BENZALKONIUM CHLORIDE (UNII: F5UM2KM3W7)		
MENTHOL (UNII: L7T10EIP3A)		
WATER (UNII: 059QF0KO0R)		

Packaging				
#	ltem Code	Package Description	Marketing Start Date	Marketing End Date
1		0.4 mL in 1 POUCH; Type 0: Not a Combination Product		

<b>Marketing In</b>	formation		
Marketing	Application Number or Monograph	Marketing Start	Marketing End
Category	Citation	Date	Date

unapproved drug other	12/23/2017	

# Part 2 of 5

# **EYESALINE EMERGENCY EYEWASH**

purified water liquid

#### **Product Information**

Item Code (Source) NDC:0498-0100

Route of Administration OPHTHALMIC

# **Active Ingredient/Active Moiety**

Ingredient Name Basis of Strength Strength

WATER (UNII: 059QF0KO0R) (WATER - UNII:059QF0KO0R) WATER 98.6 mL in 100 mL

# **Inactive Ingredients**

Ingredient Name Strength

**SODIUM CHLORIDE** (UNII: 451W47IQ8X)

**SODIUM PHOSPHATE, DIBASIC** (UNII: GR686LBA74)

SODIUM PHOSPHATE, MONOBASIC, MONOHYDRATE (UNII: 593YOG76RN)

## **Packaging**

ı		tem Code	Package Description	Marketing Start Date	Marketing End Date
	1 ND 01	C:0498-0100-	30 mL in 1 BOTTLE; Type 0: Not a Combination Product		

# **Marketing Information**

Marketing	Application Number or Monograph	Marketing Start	Marketing End
Category	Citation	Date	Date
OTC Monograph Drug	M018	12/18/2018	

## Part 3 of 5

## **ANTISEPTIC TOWELETTE**

benzalkonium chloride liquid

#### **Product Information**

Item Code (Source) NDC:0498-0501

Route of Administration TOPICAL

## **Active Ingredient/Active Moiety**

Ingredient Name

BENZALKONIUM CHLORIDE (UNII: F5UM2KM3W7) (BENZALKONIUM - UNII:7N6JUD5X6Y)

BENZALKONIUM - BENZALKONIUM - CHLORIDE In 1 mL

## **Inactive Ingredients**

Ingredient Name Strength

WATER (UNII: 059QF0KO0R)

# # Item Code Package Description Marketing Start Date 1 NDC:0498-0501- 00 Product Product Product Product

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
unapproved drug other		12/21/2017		

# Part 4 of 5

## **PVP IODINE WIPE**

povidone-iodine 10% swab

#### **Product Information**

Item Code (Source) NDC:0498-0121

Route of Administration TOPICAL

#### **Active Ingredient/Active Moiety**

- 10 11 10 11 1g. 10 11			
	Ingredient Name	<b>Basis of Strength</b>	Strength
	POVIDONE-IODINE (UNII: 85H0HZU99M) (IODINE - UNII:9679TC07X4)	IODINE	10 mg in 1 mL

Inactive Ingredients			
Ingredient Name	Strength		
NONOXYNOL-9 (UNII: 48Q180SH9T)			
WATER (UNII: 059QF0KO0R)			

l	Packaging				
	#	Item Code	Package Description	Marketing Start Date	Marketing End Date
	1	NDC:0498-0121- 00	0.3 mL in 1 POUCH; Type 0: Not a Combination Product		

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
unapproved drug other		09/18/2018		

# Part 5 of 5

# **BURN JEL**

gel for burns gel

Product Information		
Item Code (Source)	NDC:0498-0203	
Route of Administration	TOPICAL	

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
LIDOCAINE HYDROCHLORIDE (UNII: V13007Z41A) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE HYDROCHLORIDE ANHYDROUS	2 g in 100 g

Inactive Ingredients	
Ingredient Name	Strength
TROLAMINE (UNII: 903K93S3TK)	
CARBOMER HOMOPOLYMER TYPE C (ALLYL PENTAERYTHRITOL CROSSLINKED) (UNII: 4Q93RCW27E)	
CARBOMER HOMOPOLYMER TYPE B (ALLYL PENTAERYTHRITOL CROSSLINKED) (UNII: HHT01ZNK31)	
DIAZOLIDINYL UREA (UNII: H5RIZ3MPW4)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	
OCTOXYNOL-9 (UNII: 7JPC6Y25QS)	

DIPROPYLENE GLYCOL (UNII: E107L85C40)	
TEA TREE OIL (UNII: VIF565UC2G)	
GLYCERIN (UNII: PDC6A3C0OX)	
METHYLPARABEN (UNII: A2I8C7HI9T)	

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-0203- 00	3.5 g in 1 PACKET; Type 0: Not a Combination Product		

Marketing In			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		09/19/2018	

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		10/18/2018	
otner			

# Labeler - Honeywell Safety Products USA, INC (118768815)

Revised: 1/2024 Honeywell Safety Products USA, INC