

**SKIN LONG-WEAR FLUID POWDER FOUNDATION BROAD SPECTRUM SPF 20-  
ensulizole, titanium dioxide, and zinc oxide liquid  
Bobbi Brown Professional Cosmetics Inc.**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----  
**SKIN LONG-WEAR FLUID POWDER FOUNDATION BROAD SPECTRUM SPF 20**

**Drug Facts**

**Active ingredients**

Ensulizole 2.0%  
Titanium Dioxide 3.7%  
Zinc Oxide 1.8%

**Purpose**

Sunscreen

**Use**

helps prevent sunburn

**Warnings**

**For external use only**

**Do not use** on damaged or broken skin

**When using this product** keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor if** rash occurs

**Keep out of reach of children.** If product is swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

For sunscreen use:

- apply liberally and evenly 15 minutes before sun exposure
- reapply at least every two hours
- use a water resistant sunscreen if swimming or sweating
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:

- limit time in the sun, especially from 10 a.m. - 2 p.m.
- wear long-sleeved shirts, pants, hats and sunglasses
- children under 6 months of age: ask a doctor

### **Inactive ingredients**

water/aqua/eau ■ dimethicone ■ methyl trimethicone ■ calcium aluminum borosilicate ■ polymethylsilsesquioxane ■ trimethylsiloxysilicate ■ isopentyldiol ■ hdi/ppg/polycaprolactone crosspolymer ■ lauryl peg-9 polydimethylsiloxyethyl dimethicone ■ hydrated silica ■ peg-10 dimethicone ■ dimethicone/vinyl dimethicone crosspolymer ■ whey protein/lactis protein/proteine du petit-lait ■ isononyl isononanoate ■ lactobacillus ferment ■ laminaria digitata extract ■ sodium hyaluronate ■ disodium stearyl glutamate ■ tocopheryl acetate ■ serine ■ aspartic acid ■ glutamic acid ■ leucine ■ alanine ■ lysine ■ trisiloxane ■ arginine ■ phenylalanine ■ tyrosine ■ histidine ■ isoleucine ■ threonine ■ proline ■ triethyl citrate ■ valine ■ lecithin ■ butylene glycol ■ caprylyl glycol ■ triethoxycaprylylsilane ■ aluminum dimyristate ■ disteardimonium hectorite ■ tromethamine ■ sodium chloride ■ glycine ■ magnesium sulfate ■ silica ■ disodium edta ■ bht ■ phenoxyethanol ■ [+/- mica ■ titanium dioxide (ci 77891) ■ iron oxides (ci 77491) ■ iron oxides (ci 77492) ■ iron oxides (ci 77499)] <iln46506>

### **Other information**

protect the product in this container from excessive heat and direct sun

### **PRINCIPAL DISPLAY PANEL - 40 ml Tube Carton**

BOBBI

BROWN

Skin Long-Wear

Fluid Powder Foundation

Broad Spectrum

SPF 20

1.4 FL. OZ./40 ml e



C172534

**Skin Long-Wear  
Fluid Powder Foundation  
Broad Spectrum SPF 20**

Self-setting foundation transforms instantly from a weightless liquid to a soft matte powder, leaving skin smooth, fresh and healthy-looking while minimizing the look of pores. Enjoy all day, comfortable wear that flexes with you.

- Light to Medium Buildable Coverage
- Soft Multi-Dimensional Matte Finish
- Ideal for Normal to Oily Skin

Shake well before applying.

©Dkt, Bobbi Brown Professional Cosmetics  
NY, NY 10022 • WLB LTD, GUS2 300, UK  
WLB NY, QSVEL BE-2260  
New York • London • Paris  
Made in Belgium [ENHM]  
WWW.BOBBI-BROWN.COM



**FPO/UPC**  
1-5/16 x 17/32

EN 94-01-112

**Drug Facts**

Active ingredients	Purpose
Enofolate 2.0%	Sunscreen
Titanium Dioxide 3.7%	
Zinc Oxide 1.8%	

**Use**  
helps prevent sunburn

**Warnings**

*For external use only*

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

For sunscreen use:

- apply liberally and evenly 15 minutes before sun exposure
- reapply at least every two hours
- use a water resistant sunscreen if swimming or sweating
- Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m. - 2 p.m.
  - wear long-sleeved shirts, pants, hats and sunglasses
- children under 6 months of age: ask a doctor

**BOBBI  
BROWN**

**Skin Long-Wear  
Fluid Powder Foundation  
Broad Spectrum  
SPF 20**

1.4 FL. OZ./40 ml e

**Drug Facts (continued)**

**Inactive ingredients**

water/acqua/aqua • dimethicone • methyltrimethicone • calcium aluminum borosilicate • polymethylsiloxane • trimethylsiloxysilicate • isopentyl diol • hd/ppe/polycaprolactone crosspolymer • lauryl peg-9 polydimethylsiloxyethyl dimethicone • hydrated silica • peg-10 dimethicone • dimethicone/vinyl dimethicone crosspolymer • wheat protein/lecithin protein/protéine du petit-lait • isononyl isononanoate • lactobacillus ferment • laminaria digitata extract • sodium hyaluronate • disodium stearyl glutamate • tocopheryl acetate • serine • aspartic acid • glutamic acid • leucine • alanine • lysine • trisiloxane • arginine • phenylalanine • tyrosine • histidine • isoleucine • threonine • proline • triethyl citrate • valine • lecithin • butylene glycol • caprylyl glycol • triethoxycaprylsilane • aluminum dimyristate • disteardimonium hecotate • tromethamine • sodium chloride • glycine • magnesium sulfate • silica • disodium edta • bht • phenoxethanol • [+/- mica (d 77491) • iron oxides (ci 77492) • iron oxides (ci 77499)] 4h46506

**Other information**

protect the product in this container from excessive heat and direct sun

# SKIN LONG-WEAR FLUID POWDER FOUNDATION BROAD SPECTRUM SPF 20

ensulizole, titanium dioxide, and zinc oxide liquid

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:64141-030
<b>Route of Administration</b>	TOPICAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>ENSULIZOLE</b> (UNII: 9YQ9DI1W42) (ENSULIZOLE - UNII:9YQ9DI1W42)	ENSULIZOLE	20 mg in 1 mL
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	37 mg in 1 mL
<b>ZINC OXIDE</b> (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	18 mg in 1 mL

## Inactive Ingredients

Ingredient Name	Strength
<b>METHYL TRIMETHICONE</b> (UNII: S73ZQI0GXM)	
<b>CALCIUM ALUMINUM BOROSILICATE</b> (UNII: 3JRB8A35M0)	
<b>POLYMETHYLSILSESQUIOXANE (4.5 MICRONS)</b> (UNII: 59Z907ZB69)	
<b>ISOPENTYLDIOL</b> (UNII: 19NOL5474Q)	
<b>LAURYL PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE</b> (UNII: 25G622K2RA)	
<b>HYDRATED SILICA</b> (UNII: Y6O7T4G8P9)	
<b>PEG-10 DIMETHICONE (600 CST)</b> (UNII: 8PR7V1SVM0)	
<b>WHEY</b> (UNII: 8617Z5FMF6)	
<b>ISONONYL ISONONANOATE</b> (UNII: S4V5BS6GCX)	
<b>LIMOSILACTOBACILLUS REUTERI</b> (UNII: 9913I24QEE)	
<b>LAMINARIA DIGITATA</b> (UNII: 15E7C67EE8)	
<b>HYALURONATE SODIUM</b> (UNII: YSE9PPT4TH)	
<b>DISODIUM STEAROYL GLUTAMATE</b> (UNII: 45ASM2L11M)	
<b>.ALPHA.-TOCOPHEROL ACETATE</b> (UNII: 9E8X80D2L0)	
<b>SERINE</b> (UNII: 452VLY9402)	
<b>ASPARTIC ACID</b> (UNII: 30KYC7MIAI)	
<b>GLUTAMIC ACID</b> (UNII: 3KX376GY7L)	
<b>LEUCINE</b> (UNII: GMW67QNF9C)	
<b>ALANINE</b> (UNII: OF5P57N2ZX)	
<b>LYSINE</b> (UNII: K3Z4F929H6)	
<b>TRISILOXANE</b> (UNII: 9G1ZW13R0G)	
<b>ARGININE</b> (UNII: 94ZLA3W45F)	
<b>PHENYLALANINE</b> (UNII: 47E5O17Y3R)	
<b>TYROSINE</b> (UNII: 42HK56048U)	
<b>HISTIDINE</b> (UNII: 4QD397987E)	
<b>ISOLEUCINE</b> (UNII: 04Y7590D77)	
<b>THREONINE</b> (UNII: 2ZD004190S)	
<b>PROLINE</b> (UNII: 9DLQ4CIU6V)	
<b>TRIETHYL CITRATE</b> (UNII: 8Z96QXD6UM)	
<b>VALINE</b> (UNII: HG18B9YRS7)	

<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)
<b>CAPRYLYL GLYCOL</b> (UNII: 00YIU5438U)
<b>TRIETHOXYCAPRYLYLSILANE</b> (UNII: LDC331P08E)
<b>ALUMINUM DIMYRISTATE</b> (UNII: J2KA067N9O)
<b>DISTEARDIMONIUM HECTORITE</b> (UNII: X687XDK09L)
<b>TROMETHAMINE</b> (UNII: 023C2WHX2V)
<b>SODIUM CHLORIDE</b> (UNII: 451W47IQ8X)
<b>GLYCINE</b> (UNII: TE7660XO1C)
<b>MAGNESIUM SULFATE, UNSPECIFIED FORM</b> (UNII: DE08037SAB)
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)
<b>EDETATE DISODIUM ANHYDROUS</b> (UNII: 8NLQ36F6MM)
<b>BUTYLATED HYDROXYTOLUENE</b> (UNII: 1P9D0Z171K)
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)
<b>MICA</b> (UNII: V8A1AW0880)
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)
<b>FERRIC OXIDE YELLOW</b> (UNII: EX438O2MRT)
<b>FERROSFERRIC OXIDE</b> (UNII: XM0M87F357)
<b>WATER</b> (UNII: 059QF0KO0R)
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:64141-030-01	1 in 1 CARTON	10/16/2019	
1		40 mL in 1 TUBE; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	M020	10/16/2019	

**Labeler** - Bobbi Brown Professional Cosmetics Inc. (627131279)

**Registrant** - Estee Lauder Companies Inc. (790802086)

### Establishment

Name	Address	ID/FEI	Business Operations
Estee Lauder N.V.		370151326	manufacture(64141-030) , pack(64141-030) , label(64141-030)