

**MULTI DOSE MD- iodine solution, concentrate**  
**DeLaval**

*Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.*

-----  
**DeLaval Multi Dose MD**

**Concentrated Iodine Teat Sanitizer**  
**Aids in reducing the spread of mastitis-causing organisms**

*Sellador Concentrado Para Pezones*

*Ayda a reducir la transmision de microorganismsos que causan mastis*

**ACTIVE INGREDIENTS**

Iodine.....4.0% W/V  
Emollient (contains glycerin).....40.0% W/V

**AFTER DILUTION ACCORDING TO INSTRUCTIONS:**

Iodine.....1.0%	Emollient.....10.0%
Iodine.....0.75%	Emollient.....7.5%
Iodine.....0.5%	Emollient.....5.0%
Iodine.....0.25%	Emollient.....2.5%

1323-C0116

I<sub>2</sub>

**NPE FREE** Formula

**KEEP OUT OF REACH OF CHILDREN**

**! CAUTION**

**MANTENER FUERA DEL ALCANCE DE LOS NINOS**

**! CUIDADO**

**1323**

NDC 55756-323

**SI USTED NO PUEDE LEER ESTA ETIQUETA, POR FAVOR PIDA A ALGUIEN MAS QUE SE LA LEA ANTES DE USAR ESTE PRODUCTO**

**READ AND UNDERSTAND ALL INSTRUCTIONS BEFORE USING THIS PRODUCT**

**FIRST AID**

Contact with product can cause irritation to eyes. Avoid contact with eyes.

Eye Contact: Flush with water. Remove contact lenses, if present, after first 5 minutes. Then continue rinsing. Get immediate medical attention.

If Swallowed: Do not induce vomiting. If victim is fully conscious, give a cupful of water. Never give anything my mouth to an unconscious person. Get immediate medical attention.

**STORAGE AND DISPOSAL**

**THOROUGHLY RINSE ALL MEASURING DEVICES AND STORE OUT OF REACH OF CHILDREN.** Avoid contact with food or feed. Avoid storing near heat or open flame.

Keep container tightly closed when not in use. If product has frozen, thaw in a warm room and shake well before use. Do not reuse empty container. Rinse empty container before disposing of in a safe manner. Do not store in direct sunlight. Store this product in an area where temperatures are less than 95 deg F.

**CHEM-TREC EMERGENCY NUMBER 1-800-324-9300**

**Not for Human Use**

**Additional Information on Material Safety Data Sheet**

**Follow dilution directions below to achieve the desired formula. DeLaval recommends blending with DeLaval's automatic and manual dispensing systems. Failure to follow these mixing instructions could cause injury to your animals or reduce the effectiveness of the product as a teat dip. Use diluted dip within twelve months.**

## DILUTION RATIOS

1%-10% Post Dip Application	.75%-7.5% Post Dip Application	0.5%-5% Post Dip Application	0.25%-2.5% Post Dip Application
1 gallon DeLaval Multi Dose MD™ to 3 gallons of water	1 gallon DeLaval Multi Dose MD™ to 4.3 gallons of water	1 gallon DeLaval Multi Dose MD™ to 7 gallons of water	1 gallon DeLaval Multi Dose MD™ to 15 gallons of water

### USE DIRECTIONS

- Do not use concentrate at full strength. Must dilute per instructions above.
- Consult your veterinarian before starting or continuing to use teat dip if cow's teats are sore or chapped.
- Discard any teat dipping solution that becomes dirty or contaminated.
- Clean and sanitize teats before milking to avoid contamination and assist in control of mastitis
- Post Milking: Dip teats to assist in control of mastitis.

### PRE-DIPPING

- Remove excess organic debris and forestrip.
- Dip or spray cow's teats with properly diluted DeLaval Multi Dose MD™.
- Allow a 30 second contact time.
- Dry teats thoroughly with a clean, single-service paper towel.
- Attach milker unit

### POST-DIPPING

- Immediately after removing the milker unit, dip or spray each teat with properly diluted DeLaval Multi Dose MD™.
- Before exposing cows to below-freezing temperatures, the teats should be thoroughly dry to reduce the potential of frostbite. Failure to follow these instructions may result in frozen teats and injured animals.

Manufactured for: **DeLaval, Inc.**  
 11100 N. Congress Avenue  
 Kansas City, MO 64153  
 Phone: 816-891-7700  
 Manufactured by: WestAgro, Inc.  
 ©2018, Made in USA

1323-E0618

**Multi Dose MD™**

**Concentrated Iodine Teat Sanitizer**  
 Aids in reducing the spread of mastitis-causing organisms  
*Sellador Concentrado Para Pezones*  
 Ayuda a reducir la transmisión de microorganismos que causan mastitis

**ACTIVE INGREDIENTS**  
 Iodine ..... 4.0% W/V  
 Emollient (contains glycerin) ... 40.0% W/V

**AFTER DILUTION ACCORDING TO INSTRUCTIONS:**

Iodine ..... 1.0%	Emollient ..... 10.0%
Iodine ..... 0.75%	Emollient ..... 7.5%
Iodine ..... 0.5%	Emollient ..... 5.0%
Iodine ..... 0.25%	Emollient ..... 2.5%

KEEP OUT OF REACH OF CHILDREN



MANTENER FUERA DEL ALCANCE DE LOS NIÑOS



**1323**

NDC 55756-323

#### FIRST AID

Contact with product can cause irritation to eyes. Avoid contact with eyes.  
**Eye Contact:** Flush with water. Remove contact lenses, if present, after first 5 minutes. Then continue rinsing. Get immediate medical attention.  
**If Swallowed:** Do not induce vomiting. If victim is fully conscious, give a cupful of water. Never give anything by mouth to an unconscious person. Get immediate medical attention.

#### STORAGE AND DISPOSAL

**THOROUGHLY RINSE ALL MEASURING DEVICES AND STORE OUT OF REACH OF CHILDREN.** Avoid contact with food or feed. Avoid storing near heat or open flame. Keep container tightly closed when not in use. If product has frozen, thaw in a warm room and shake well before use. Do not reuse empty container. Rinse empty container before disposing of in a safe manner. Do not store in direct sunlight. **Store this product in an area where temperatures are less than 95°F.**

**CHEM-TREC EMERGENCY NUMBER 1-800-424-9300**

Not For Human Use

#### Additional Information on Safety Data Sheet

Follow dilution directions below to achieve the desired formula. DeLaval recommends blending with DeLaval's automatic and manual dispensing systems. Failure to follow these mixing instructions could cause injury to your animals or reduce the effectiveness of the product as a teat dip. Use diluted dip within twelve months.

#### DILUTION RATIOS

1%-10% Post Dip Application	.75%-7.5% Post Dip Application	0.5%-5% Pre-Post Application	0.25%-2.5% Pre Dip Application
1 gallon DeLaval Multi Dose MD™ to 3 gallons of water	1 gallon DeLaval Multi Dose MD™ to 4.3 gallons of water	1 gallon DeLaval Multi Dose MD™ to 7 gallons of water	1 gallon DeLaval Multi Dose MD™ to 15 gallons of water

#### USE DIRECTIONS

- Do not use concentrate at full strength. Must dilute per instructions above.
- Consult your veterinarian before starting or continuing to use teat dip if cow's teats are sore or chapped.
- Discard any teat dipping solution that becomes dirty or contaminated.
- Clean and sanitize teats before milking to avoid contamination and assist in control of mastitis.
- Post Milking: Dip teats to assist in control of mastitis.

#### PRE-DIPPING

- Remove excess organic debris and forestrip.
- Dip or spray cow's teats with properly diluted DeLaval Multi Dose MD™.
- Allow a 30 second contact time.
- Dry teats thoroughly with a clean, single-service paper towel.
- Attach milker unit.

#### POST-DIPPING

- Immediately after removing the milker unit, dip or spray each teat with properly diluted DeLaval Multi Dose MD™.
- Before exposing cows to below-freezing temperatures, the teats should be thoroughly dry to reduce the potential of frostbite. Failure to follow these instructions may result in frozen teats and injured animals.

Manufactured for: **DeLaval, Inc.**  
 11100 N. Congress Avenue  
 Kansas City, MO 64153  
 Phone: 816-891-7700  
 Manufactured by: WestAgro, Inc.,  
 ©2018, Made in USA

**NET CONTENTS: 55 US GAL. (208.2 L)**

**LOT NO.:**

**EXP. DATE:**



**MULTI DOSE MD**

iodine solution, concentrate

**Product Information**

<b>Product Type</b>	OTC ANIMAL DRUG	<b>Item Code (Source)</b>	NDC:55756-323
<b>Route of Administration</b>	TOPICAL		

**Active Ingredient/Active Moiety**

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
IODINE (UNII: 9679TC07X4) (IODINE - UNII:9679TC07X4)	IODINE	4000 mg in 1 L

**Inactive Ingredients**

<b>Ingredient Name</b>	<b>Strength</b>
GLYCERIN (UNII: PDC6A3C00X)	
C9-11 PARETH-8 (UNII: 80E6PSE1XL)	
POLOXAMER 335 (UNII: G6DQL26D50)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
SODIUM IODIDE (UNII: F5WR8N145C)	
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	
WATER (UNII: 059QF0K00R)	

**Packaging**

#	<b>Item Code</b>	<b>Package Description</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
1	NDC:55756-323-01	208.4 L in 1 DRUM		
2	NDC:55756-323-27	1042.2 L in 1 TANK		
3	NDC:55756-323-02	56.8 L in 1 DRUM		
4	NDC:55756-323-23	18927 L in 1 TANK		

**Marketing Information**

<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
unapproved drug other		01/01/2012	

**Labeler** - DeLaval (173704867)**Registrant** - WestAgro, Inc. (069288728)**Establishment**

<b>Name</b>	<b>Address</b>	<b>ID/FEI</b>	<b>Business Operations</b>
WestAgro, Inc.		147528723	analysis, api manufacture, label, manufacture, pack

**Establishment**

<b>Name</b>	<b>Address</b>	<b>ID/FEI</b>	<b>Business Operations</b>
K Klean dba WestAgro, Inc.		00222368	analysis, api manufacture, label, manufacture, pack

**Establishment**

<b>Name</b>	<b>Address</b>	<b>ID/FEI</b>	<b>Business Operations</b>
WestAgro, Inc.		095906480	analysis, api manufacture, label, manufacture, pack

**Establishment**

<b>Name</b>	<b>Address</b>	<b>ID/FEI</b>	<b>Business Operations</b>
Hill's Supply, Inc.		078589018	repack

### **Establishment**

<b>Name</b>	<b>Address</b>	<b>ID/FEI</b>	<b>Business Operations</b>
Great Lakes Dairy Supply, Inc.		785525387	repack

### **Establishment**

<b>Name</b>	<b>Address</b>	<b>ID/FEI</b>	<b>Business Operations</b>
S&S Dairy Systems LLC		964813583	repack

### **Establishment**

<b>Name</b>	<b>Address</b>	<b>ID/FEI</b>	<b>Business Operations</b>
Dairymen Specialty Co., Inc		023762966	repack, relabel

### **Establishment**

<b>Name</b>	<b>Address</b>	<b>ID/FEI</b>	<b>Business Operations</b>
JBZ Dairy Advantage Inc.		016914287	repack

### **Establishment**

<b>Name</b>	<b>Address</b>	<b>ID/FEI</b>	<b>Business Operations</b>
Ederer Dairy Supply LLC		076158336	repack

### **Establishment**

<b>Name</b>	<b>Address</b>	<b>ID/FEI</b>	<b>Business Operations</b>
DeLaval Inc.		159786966	repack

### **Establishment**

<b>Name</b>	<b>Address</b>	<b>ID/FEI</b>	<b>Business Operations</b>
Meyer Electric and Farm, Inc		557481199	repack