

MULTI DOSE MD- iodine solution, concentrate

DeLaval

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

DeLaval Multi Dose MD

Concentrated Iodine Teat Sanitizer

Aids in reducing the spread of mastitis-causing organisms

Sellador Concentrado Para Pezones

Ayda a reducir la transmission de microoganismsos que causan mastis

ACTIVE INGREDIENTS

Iodine.....4.0% W/V

Emollient (contains glycerin).....40.0% W/V

AFTER DILUTION ACCORDING TO INSTRUCTIONS:

Iodine.....1.0% Emollient.....10.0%

Iodine.....0.75% Emollient.....7.5%

Iodine.....0.5% Emollient.....5.0%

Iodine.....0.25% Emollient.....2.5%

1323-C0116

I₂

NPE FREE Formula

KEEP OUT OF REACH OF CHILDREN

! CAUTION

MANTENER FUERA DEL ALCANCE DE LOS NINOS

! CUIDADO

1323

NDC 55756-323

SI USTED NO PUEDE LEER ESTA ETIQUETA, POR FAVOR PIDA A ALGUIEN MAS QUE SE LA LEA ANTES DE USAR ESTE PRODUCTO

READ AND UNDERSTAND ALL INSTRUCTIONS BEFORE USING THIS PRODUCT

FIRST AID

Contact with product can cause irritation to eyes. Avoid contact with eyes.

Eye Contact: Flush with water. Remove contact lenses, if present, after first 5 minutes. Then continue rinsing. Get immediate medical attention.

If Swallowed: Do not induce vomiting. If victim is fully conscious, give a cupful of water. Never give anything my mouth to an unconscious person. Get immediate medical attention.

STORAGE AND DISPOSAL

THOROUGHLY RINSE ALL MEASURING DEVICES AND STORE OUT OF REACH OF

CHILDREN. Avoid contact with food or feed. Avoid storing near heat or open flame. Keep container tightly closed when not in use. If product has frozen, thaw in a warm room and shake well before use. Do not reuse empty container. Rinse empty container before disposing of in a safe manner. Do not store in direct sunlight. Store this product in an area where temperatures are less than 95 deg F.

CHEM-TREC EMERGENCY NUMBER 1-800-324-9300

Not for Human Use

Additional Information on Material Safety Data Sheet

Follow dilution directions below to achieve the desired formula. DeLaval recommends blending with DeLaval's automatic and manual dispensing systems. Failure to follow these mixing instructions could cause injury to your animals or reduce the effectiveness of the product as a teat dip. Use diluted dip within two months.

DILUTION RATIOS

1%-10% Post Dip Application	.75%-7.5% Post Dip Application	0.5%-5% Post Dip Application	0.25%-2.5% Post Dip Application
1 gallon DeLaval Multi Dose MD™ to 3 gallons of water	1 gallon DeLaval Multi Dose MD™ to 4.3 gallons of water	1 gallon DeLaval Multi Dose MD™ to 7 gallons of water	1 gallon DeLaval Multi Dose MD™ to 15 gallons of water

USE DIRECTIONS

- Do not use concentrate at full strength. Must dilute per instructions above.

- Consult your veterinarian before starting or continuing to use teat dip if cow's teats are sore or chapped.
- Discard any teat dipping solution that becomes dirty or contaminated.
- Clean and sanitize teats before milking to avoid contamination and assist in control of mastitis
- Post Milking: Dip teats to assist in control of mastitis.

PRE-DIPPING

- Remove excess organic debris and forestrip.
- Dip or spray cow's teats with properly diluted DeLaval Multi Dose MD™.
- Allow a 30 second contact time.
- Dry teats thoroughly with a clean, single-service paper towel.
- Attach milker unit

POST-DIPPING

- Immediately after removing the milker unit, dip or spray each teat with properly diluted DeLaval Multi Dose MD™.
- Before exposing cows to below-freezing temperatures, the teats should be thoroughly dry to reduce the potential of frostbite. Failure to follow these instructions may result in frozen teats and injured animals.

Manufactured for:

DeLaval

Kansas City, MO 64153

Copyright 2013, DeLaval

Made in U.S.A.

DeLaval

Multi Dose MD™

Concentrated Iodine Teat Sanitizer
Aids in reducing the spread of mastitis-causing organisms
Sellador Concentrado Para Pezones
Ayuda a reducir la transmisión de microorganismos que causan mastitis

ACTIVE INGREDIENTS
Iodine 4.0% W/V
Emollient (contains glycerin) ... 4.0% W/V

AFTER DILUTION ACCORDING TO INSTRUCTIONS:
Iodine 1.0% Emollient 10.0%
Iodine 0.75% Emollient 7.5%
Iodine 0.5% Emollient 5.0%
Iodine 0.25% Emollient 2.5%

KEEP OUT OF REACH OF CHILDREN
CAUTION

MANTENER FUERA DEL ALCANCE DE LOS NIÑOS
CUIDADO

1323
NDC 55756-323

SI USTED NO PUEDE LEER ESTA ETIQUETA, POR FAVOR PIDA A ALGUIEN MAS QUE SE LA LEA ANTES DE USAR ESTE PRODUCTO
READ AND UNDERSTAND ALL INSTRUCTIONS BEFORE USING THIS PRODUCT

FIRST AID
Contact with product can cause irritation to eyes. Avoid contact with eyes.
Eye Contact: Flush with water. Remove contact lenses, if present, after first 5 minutes. Then continue rinsing. Get immediate medical attention.
If Swallowed: Do not induce vomiting. If victim is fully conscious, give a cupful of water. Never give anything by mouth to an unconscious person. Get immediate medical attention.

STORAGE AND DISPOSAL
THOROUGHLY RINSE ALL MEASURING DEVICES AND STORE OUT OF REACH OF CHILDREN. Avoid contact with food or feed. Avoid storing near heat or open flame. Keep container tightly closed when not in use. If product has frozen, thaw in a warm room and shake well before use. Do not reuse empty container. Rinse empty container before disposing of in a safe manner. Do not store in direct sunlight. Store this product in an area where temperatures are less than 95°F.

CHEM-TREC EMERGENCY NUMBER 1-800-424-9300

Not For Human Use
Additional Information on Material Safety Data Sheet

Follow dilution directions below to achieve the desired formula. DeLaval recommends blending with DeLaval's automatic and manual dispensing systems. Failure to follow these mixing instructions could cause injury to your animals or reduce the effectiveness of the product as a teat dip. Use diluted dip within two months.

DILUTION RATIOS			
1%-10% Post Dip Application 1 gallon DeLaval Multi Dose MD™ to 3 gallons of water	75%-7.5% Post Dip Application 1 gallon DeLaval Multi Dose MD™ to 4.3 gallons of water	0.5%-5% Pre-Post Application 1 gallon DeLaval Multi Dose MD™ to 7 gallons of water	0.25%-2.5% Pre Dip Application 1 gallon DeLaval Multi Dose MD™ to 15 gallons of water

USE DIRECTIONS

- Do not use concentrate at full strength. Must dilute per instructions above.
- Consult your veterinarian before starting or continuing to use teat dip if cow's teats are sore or chapped.
- Discard any teat dipping solution that becomes dirty or contaminated.
- Clean and sanitize teats before milking to avoid contamination and assist in control of mastitis.
- Post Milking: Dip teats to assist in control of mastitis.

PRE-DIPPING

- Remove excess organic debris and forestrip.
- Dip or spray cow's teats with properly diluted DeLaval Multi Dose MD™.
- Allow a 30 second contact time.
- Dry teats thoroughly with a clean, single-service paper towel.
- Attach milker unit.

POST-DIPPING

- Immediately after removing the milker unit, dip or spray each teat with properly diluted DeLaval Multi Dose MD™.
- Before exposing cows to below-freezing temperatures, the teats should be thoroughly dry to reduce the potential of frostbite. Failure to follow these instructions may result in frozen teats and injured animals.

Manufactured for:
DeLaval, Inc.,
by WestAgro, Inc.,
11100 N. Congress Avenue
Kansas City, MO 64153
Phone: 816-891-7700
© Copyright 2016, Made in USA

NET CONTENTS: 55 US GAL. (208.2 L)

LOT NO.:

EXP. DATE:

7 320466 005207 >

MULTI DOSE MD

iodine solution, concentrate

Product Information			
Product Type	OTC ANIMAL DRUG	Item Code (Source)	NDC:55756-323
Route of Administration	TOPICAL		
Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	

IODINE (UNII: 9679TC07X4) (IODINE - UNII:9679TC07X4)		IODINE	4000 mg in 1 L	
Inactive Ingredients				
Ingredient Name			Strength	
GLYCERIN (UNII: PDC6A3C0OX)				
C9-11 PARETH-8 (UNII: 80E6PSE1XL)				
POLOXAMER 335 (UNII: G6DQL26D50)				
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)				
SODIUM IODIDE (UNII: F5WR8N145C)				
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)				
SODIUM HYDROXIDE (UNII: 55X04QC32I)				
WATER (UNII: 059QF0K00R)				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:55756-323-01	208.4 L in 1 DRUM		
2	NDC:55756-323-27	1042.2 L in 1 TANK		
Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
unapproved drug other		01/01/2012		

Labeler - DeLaval (173704867)

Registrant - WestAgro, Inc. (069288728)

Establishment

Name	Address	ID/FEI	Business Operations
WestAgro, Inc.		147528723	analysis, api manufacture, label, manufacture, pack

Establishment

Name	Address	ID/FEI	Business Operations
K Klean dba WestAgro, Inc.		002222368	analysis, api manufacture, label, manufacture, pack

Establishment

Name	Address	ID/FEI	Business Operations
WestAgro, Inc.		044610140	analysis, api manufacture, label, manufacture, pack

Establishment

Name	Address	ID/FEI	Business Operations
Hill's Supply, Inc.		097613525	repack

Establishment

Name	Address	ID/FEI	Business Operations
Hill's Supply, Inc.		078589018	repack

Establishment

Name	Address	ID/FEI	Business Operations
Great Lakes Dairy Supply, Inc.		785525387	repack