OCEAN POTION QUICK DRY KIDS 50 SUNSCREEN - avobenzone, homosalate, octisalate, octocrylene lotion

Sun & Skin Care Research, Inc

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Drug Facts

Active Ingredients

Homosalate: 15% Octisalate: 5% Octocrylene: 7% Avobenzone: 3%

Purpose

Sunscreen

Uses

- helps prevent sunburn
- If used as directed with other skin protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only. Do not use on damaged or broken skin. **Stop use and ask a doctor if** rash occurs. **When using this product** keep out of eyes. Rinse with water to remove. **Keep out of the reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- apply liberally 15 minutes before sun exposure
- reapply after 80 minutes of swimming or sweating and immediately after towel drying
- at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including limiting time in the sun, especially from 10a.m.-2p.m., wear long-sleeved shirts, pants hats and sunglasses.
- children under 6 months: Ask a doctor

Other Information

- For use on skin only
- Avoid contact with fabric
- Protect this product from excessive heat and direct sun

Vitamin D is essential to good health. Each 1 oz. application delivers to the skin 200 IU of Vitamin D₃.

Protection your kids will love to wear with a fresh tropical fruit fragrance!

Drug Facts

Active Ingredients

Purpose

Avobenzone 3.0%, Homosalate 15.0%. Octisalate 5.0%, Octocrylene 7.0%

Sunscreen

Uses

helps prevent sunburn ■ if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only.

Do not use on damaged or broken skin

Stop use and ask a doctor if rash occurs

When using this product keep out of eyes. Rinse with water to remove.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away

Directions

- apply liberally 15 minutes before sun exposure

- reapply:
 * after 80 minutes of swimming or sweating
 * immediately after towel drying * at least every 2 hours
 Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
- limit time in the sun, especially from 10 a.m. 2 p.m
- · wear long-sleeved shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor

Inactive Ingredients

Acrylates / C10-30 Alkyl Acrylate Crosspolymer, Acrylates Copolymer, Caprylyl Glycol, Carbomer, Cholecalciferol, Diisopropyl Adipate, Dimethyl Capramide, Disodium EDTA, Fragrance, Hydroxypropyl Methylcellulose, Macrocystis Pyrifera Extract, Phenoxyethanol, Polyester-8, Propylene Glycol, Schtim Olotte, Trockhapel Acate Trickhapelanio. Water Sorbitan Oleate, Tocopheryl Acetate, Triethanolamine, Water

Other Information

■ For use on skin only. Avoid contact with fabric protect this product from excessive heat and direct sun





Manufactured and Distributed by



Sun & Skin Care Research, Inc. 851 Greensboro Rd., Cocoa, FL 32926 Made in U.S.A. www.oceanpotion.com 1-800-715-3485

PMS 301

PMS 225

Black

PMS 3292

OIL FREE Non-greasy – Fruity Fragrance **Broad Spectrum SPF** 50+ now: Oxybenzone Free ✓ Paraben Free Vitamin D₃ Fortified **Water Resistant** (80 minutes) 8 fl oz (237mL)

OCEAN POTION QUICK DRY KIDS 50 SUNSCREEN

avobenzone, homosalate, octisalate, octocrylene lotion

Product Information

Product Type HUMAN OTC DRUG Item Code (Source) NDC:62802-183

TOPICAL Route of Administration

Active Ingredient/Active Moiety					
Ingredient Name	Basis of Strength	Strength			
HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	15 mL in 100 mL			
OCTISALATE (UNII: 4X49 Y0596 W) (OCTISALATE - UNII:4X49 Y0596 W)	OCTISALATE	5 mL in 100 mL			
OCTOCRYLENE (UNII: 5A68 WGF6 WM) (OCTOCRYLENE - UNII:5A68 WGF6 WM)	OCTOCRYLENE	7 mL in 100 mL			
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	3 mL in 100 mL			

Inactive Ingredients	
Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
CARBOMER COPOLYMER TYPE B (ALLYL PENTAERYTHRITOL CROSSLINKED) (UNII: 1G56KV7BUJ)	
CAPRYLYL GLYCOL (UNII: 00 YIU5438 U)	
CARBOMER HOMOPOLYMER TYPE C (UNII: 4Q93RCW27E)	
CHOLECALCIFEROL (UNII: 1C6 V77QF41)	
DIISOPROPYL ADIPATE (UNII: P7E6 YFV72X)	
DIMETHYL CAPRAMIDE (UNII: O29 Y6 X2JEZ)	
EDETATE DISO DIUM (UNII: 7FLD9 1C86K)	
HYPROMELLOSE 2208 (15000 MPA.S) (UNII: Z78RG6M2N2)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
POLYESTER-8 (1400 MW, CYANO DIPHENYLPRO PENO YL CAPPED) (UNII: T9296U138P)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
SORBITAN MONO OLEATE (UNII: 06 XEA2VD56)	
ALPHA-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
TROLAMINE (UNII: 9O3K93S3TK)	

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:62802-183-08	237 mL in 1 BOTTLE		
2	NDC:62802-183-03	89 mL in 1 BOTTLE		

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC monograph not final	part352	0 1/0 1/20 12		

Labeler - Sun & Skin Care Research, Inc (849772207)

Establishment				
Name	Address	ID/FEI	Business Operations	
Sun & Skin Care Research, Inc		849772207	manufacture	