

4321 FIRST AID KIT- 4321 first aid kit

4309 FIRST AID KIT- 4309 first aid kit

Honeywell Safety Products USA, INC

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

0498-4309 & 0498-4321: First Aid Kit (FABC, BZK wipes- SF00004436, SF00004623)

First Aid Burn Cream

Active ingredient

Benzalkonium chloride 0.13%

Lidocaine HCl 0.5%

First Aid Burn Cream

Purpose

First aid antiseptic

External analgesic

First Aid Burn Cream

Uses

- prevent skin infection
- for temporary relief of pain associated with minor burns

First Aid Burn Cream

Warnings

For external use only

Do not use

- in or near the eyes
- if you are allergic to any of the ingredients
- in large areas of the body, particularly over raw surfaces or blistered areas
- for more than 10 days

Ask a doctor before use if you have

- deep or puncture wounds
- animal bites
- serious burns

Stop use and ask a doctor if

- condition worsens
- symptoms persist for more than 7 days or clear up and occurs again within a few days

First Aid Burn Cream***Directions***

- **adults and children 2 years of age and older:**
- clean the affected area
- apply a small amount of this product (equal to the surface area of the tip of a finger) onto affected area 1 to 3 times daily
- may be covered with a sterile bandage
- children under 2 years of age: consult a doctor

First Aid Burn Cream***Other information***

- tamper evident sealed packets
- do not use if packet is opened or torn

First Aid Burn Cream***Inactive ingredients***

aloe barbadensis juice, cetyl alcohol, diazolidinyl urea, edetate disodium, glycerin, glyceryl stearate SE, methylparaben, mineral oil, PEG-100, propylene glycol, propylparaben, stearic acid, trolamine, water

First Aid Burn Cream***Questions***

1-800-430-5490

BZK Wipes***Active ingredient***

Benzalkonium chloride 0.13% w/v

BZK Wipes***Purpose***

First aid antiseptic

BZK***Uses***

Antiseptic cleansing of face, hands, and body without soap and water

BZK

Warnings

For external use only

Do not use

- in the eyes or over large areas of the body
- on mucous membranes
- on irritated skin
- in case of deep puncture wounds, animal bites or serious burns, consult a doctor
- longer than 1 week unless directed by a doctor

Stop use and ask a doctor if

- if irritation, redness or other symptoms develop
- the condition persists or gets worse

Keep out of reach of children

If swallowed, get medical help or contact a Poison Control Center right away.

BZK

Directions

- tear open packet and use as a washcloth

BzK

Inactive ingredient

water

BZK

Questions

1-800-430-5490

4309

SF00004436 kit contents

1 TRIANGULAR BDG, NON-STERILE

1 GAUZE COMPRESS, 1728 SQ IN 1

1 ADHESIVE BDG, PLSTIC, 1"X3"16PER

1 NITRILE GLOVES 2PR BBP

1 ANTIMCRBL ANTSPCTC TWLETTS

1 F. A. INST CHART SM (INDIVIDUAL LBL)

1 BANDAGE COMP 4" W/TEFPA PAD 1
LBL STOCK 6-3/8"X4"
1 LBL STOCK 3"x1-7/8"
1 KIT, PP 10 UNIT FA
1 WOVEN KNUCKLE 8'S
1 FIRST AID BURN CREAM 10

4321

SF00004623 kit contents

LBL STOCK 6-3/8"X4"
1 LBL STOCK 3"x1-7/8"
4 BZK ANTISEPTIC WIPE, BULK
4 FIRST AID CREAM 1.0GR PKT EACH
1 KIT PP PROMOTIONAL FA KIT
10 ADH BANDAGE 3/8" X 1 1/2" DNX
8 PLASTIC BANDAGE 3/4" X 3"
2 WOVEN KNUCKLE BANDAGE
2 HEAVY FLEX LARGE PATCH 2" X 3"

**First Aid Burn Cream
Principal Display Panel**



Principal Display Panel

47001083 Rev B	Antiseptic Towelettes Honeywell 02-16-35MD Antiseptic Towelettes <i>Benzalkonium chloride</i> <i>First aid antiseptic</i> Six-Saturated Towelettes Distributed by Honeywell Safety Products USA, Inc. Smithfield, RI 02917
-------------------	--

47001083 Rev B	Antiseptic Towelettes Honeywell <table border="1"><tr><td colspan="2">Drug Facts</td></tr><tr><td>Active Ingredient Benzalkonium chloride 0.133% w/v</td><td>Purpose First aid antiseptic</td></tr><tr><td colspan="2">Uses • antiseptic cleaning of face, hands and body without soap and water. • air dries in seconds</td></tr><tr><td colspan="2">Warnings For external use only</td></tr><tr><td colspan="2">When using this product • do not use in the eyes or apply over large areas of the body</td></tr><tr><td colspan="2">Ask a doctor before use • in case of deep or puncture wounds, animal bites, or serious burns</td></tr><tr><td colspan="2">Stop use and consult a doctor if • irritation, redness or other symptoms develop • condition persists or gets worse</td></tr><tr><td colspan="2">Do not use • longer than 1 week unless directed by doctor</td></tr><tr><td colspan="2">Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.</td></tr><tr><td colspan="2">Directions • tear open packet, unfold and use as washcloth</td></tr><tr><td colspan="2">Other Information • store at room temperature 15° -30° C (59° -86° F) • do not reuse towlette</td></tr><tr><td colspan="2">Inactive ingredient water</td></tr><tr><td colspan="2">Questions or comments 1-800-430-5490</td></tr></table>	Drug Facts		Active Ingredient Benzalkonium chloride 0.133% w/v	Purpose First aid antiseptic	Uses • antiseptic cleaning of face, hands and body without soap and water. • air dries in seconds		Warnings For external use only		When using this product • do not use in the eyes or apply over large areas of the body		Ask a doctor before use • in case of deep or puncture wounds, animal bites, or serious burns		Stop use and consult a doctor if • irritation, redness or other symptoms develop • condition persists or gets worse		Do not use • longer than 1 week unless directed by doctor		Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.		Directions • tear open packet, unfold and use as washcloth		Other Information • store at room temperature 15° -30° C (59° -86° F) • do not reuse towlette		Inactive ingredient water		Questions or comments 1-800-430-5490	
Drug Facts																											
Active Ingredient Benzalkonium chloride 0.133% w/v	Purpose First aid antiseptic																										
Uses • antiseptic cleaning of face, hands and body without soap and water. • air dries in seconds																											
Warnings For external use only																											
When using this product • do not use in the eyes or apply over large areas of the body																											
Ask a doctor before use • in case of deep or puncture wounds, animal bites, or serious burns																											
Stop use and consult a doctor if • irritation, redness or other symptoms develop • condition persists or gets worse																											
Do not use • longer than 1 week unless directed by doctor																											
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.																											
Directions • tear open packet, unfold and use as washcloth																											
Other Information • store at room temperature 15° -30° C (59° -86° F) • do not reuse towlette																											
Inactive ingredient water																											
Questions or comments 1-800-430-5490																											

4309 Kit Label
SF00004436



Distributed by Honeywell Safety Products USA, Inc Smithfield, RI 02917

4321 Kit label
SF00004623



NABHOLZ

Distributed by Honeywell Safety Products USA, Inc. Smithfield, RI 02917

4321 FIRST AID KIT

4321 first aid kit kit

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0498-4321
---------------------	----------------	---------------------------	---------------

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-4321-01	1 in 1 KIT; Type 0: Not a Combination Product	10/18/2018	

Quantity of Parts

Part #	Package Quantity	Total Product Quantity
Part 1	4 PACKET	3.6 g
Part 2	4 PACKET	5.6 mL

Part 1 of 2

FIRST AID BURN

benzalkonium chloride, lidocaine hydrochloride cream

Product Information

Item Code (Source) NDC:0498-0903

Route of Administration TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BENZALKONIUM CHLORIDE (UNII: F5UM2KM3W7) (BENZALKONIUM - UNII: 7N6JUD5X6Y)	BENZALKONIUM CHLORIDE	0.13 g in 100 g
LIDOCAINE HYDROCHLORIDE (UNII: V13007Z41A) (LIDOCAINE - UNII: 98PI200987)	LIDOCAINE HYDROCHLORIDE	0.5 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
ALOE VERA LEAF (UNII: ZY81Z83H0X)	
WATER (UNII: 059QF0KO0R)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
CETYL ALCOHOL (UNII: 936JST6JCN)	
GLYCERYL MONOSTEARATE (UNII: 230OU9XXE4)	
PEG-100 STEARATE (UNII: YD01N1999R)	
LIGHT MINERAL OIL (UNII: N6K5787QVP)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
TROLAMINE (UNII: 9O3K93S3TK)	
GLYCERIN (UNII: PDC6A3C0OX)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	
DIAZOLIDINYL UREA (UNII: H5RIZ3MPW4)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1		0.9 g in 1 PACKET; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		12/20/2017	

Part 2 of 2

ANTISEPTIC TOWELETTE

benzalkonium chloride liquid

Product Information

Item Code (Source) NDC:0498-0501

Route of Administration TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BENZALKONIUM CHLORIDE (UNII: F5UM2KM3W7) (BENZALKONIUM - UNII: 7N6JUD5X6Y)	BENZALKONIUM CHLORIDE	1.3 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-0501-00	1.4 mL in 1 PACKET; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		12/21/2017	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		10/18/2018	

4309 FIRST AID KIT

4309 first aid kit kit

Product Information				
Product Type		HUMAN OTC DRUG	Item Code (Source)	NDC:0498-4309
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-4309-01	1 in 1 KIT; Type 0: Not a Combination Product	10/18/2018	
Quantity of Parts				
Part #	Package Quantity		Total Product Quantity	
Part 1	10 PACKET		9 g	
Part 2	1 PACKET		1.4 mL	
Part 1 of 2				
FIRST AID BURN				
benzalkonium chloride, lidocaine hydrochloride cream				
Product Information				
Item Code (Source)		NDC:0498-0903		
Route of Administration		TOPICAL		
Active Ingredient/Active Moiety				
Ingredient Name			Basis of Strength	Strength
BENZALKONIUM CHLORIDE (UNII: F5UM2KM3W7) (BENZALKONIUM - UNII: 7N6JUD5X6Y)			BENZALKONIUM CHLORIDE	0.13 g in 100 g
LIDOCAINE HYDROCHLORIDE (UNII: V13007Z41A) (LIDOCAINE - UNII: 98PI200987)			LIDOCAINE HYDROCHLORIDE	0.5 g in 100 g
Inactive Ingredients				
Ingredient Name				Strength
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)				
ALOE VERA LEAF (UNII: ZY81Z83H0X)				
WATER (UNII: 059QF0KO0R)				
STEARIC ACID (UNII: 4ELV7Z65AP)				
METHYLPARABEN (UNII: A2I8C7HI9T)				
CETYL ALCOHOL (UNII: 936JST6JCN)				
GLYCERYL MONOSTEARATE (UNII: 230OU9XXE4)				
PEG-100 STEARATE (UNII: YD01N1999R)				
LIGHT MINERAL OIL (UNII: N6K5787QVP)				
EDETATE DISODIUM (UNII: 7FLD91C86K)				

TROLAMINE (UNII: 9O3K93S3TK)	
GLYCERIN (UNII: PDC6A3C0OX)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	
DIAZOLIDINYL UREA (UNII: H5RIZ3MPW4)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-0903-34	10 in 1 BOTTLE, UNIT-DOSE		
1		0.9 g in 1 PACKET; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		12/20/2017	

Part 2 of 2

ANTISEPTIC TOWELETTE

benzalkonium chloride liquid

Product Information

Item Code (Source)	NDC:0498-0501
Route of Administration	TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BENZALKONIUM CHLORIDE (UNII: F5UM2KM3W7) (BENZALKONIUM - UNII: 7N6JUD5X6Y)	BENZALKONIUM CHLORIDE	1.3 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-0501-	1.4 mL in 1 PACKET; Type 0: Not a Combination		

00	Product		
Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		12/21/2017	
Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		10/18/2018	

Labeler - Honeywell Safety Products USA, INC (118768815)

Revised: 1/2024

Honeywell Safety Products USA, INC