4311 FIRST AID KIT- 4311 first aid Honeywell Safety Products USA, Inc.

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

0498-4311: First Aid Kit (Burn Jel, alcohol wipes, PVP wipes, sting relief, EW-SF00004446)

Burn Jel Active ingredient

Lidocaine HCl 2.0%

Burn Jel *Purpose*

External analgesic

Burn Jel

Uses

• temporarily relieves pain due to minor burns

Burn Jel *Warnings*

For external use only

Do not use

• on large areas of the body, particularly over raw surfaces or blistered areas

When using this product

• avoid contact with eyes

Stop use and ask a doctor if

- the condition gets worse
- symptoms persist for more than 7 days
- condition clears up and recurs within a few days

Keep out of reach of children

• If swallowed, get medical help or contact a Poison Control Center right away.

Burn JEI Directions

• adults and children 2 years of age and older; apply to affected area not more than 3

to 4 times daily

- children under 2 years of age: ask a doctor
- you may report a serious reaction to this product to 800-430-5490

Burn Jel Other information

• store at room temperature - do not use if opened or torn

Burn Jel Inactive ingredients

carbopol 940, carbopol 1342, diazolidinyl urea, glycerin, melaleuca alternifolia (tea tree) leaf oil, methylparaben, octoxynol-9, propylene glycol, propylparaben, trolamine, water

Burn Jel *Questions*

1-800-430-5490

Sting Relief Active ingredient (in each wipe)

Ethyl alcohol 50.0%

Lidocaine HCl 2.0%

Sting Relief *Purposse*

Antiseptic

Topical pain relief

Sting Relief *Uses*

• prevent infection in minor scrapes, and temporary relief of itching of insect bites

Sting Relief *Warnings*

For external use only

Flammable, keep away from open fire or flame

Do not use

• over large areas of the body

- in eyes
- over raw or blistered areas

Stop use and ask a doctor

• if conditions worsen or persist for more than 7 days or clear up and occur again within a few days

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Sting Relief *Directions*

- adults and children 2 years and older: Apply to cleaned affected area not more than 3 times daily.
- children under 2 years of age: consult a doctor.

Sting Relief Inactive ingredients

benzalkonium chloride, menthol, and purified water

Sting Relief *Questions or Comments?*

1-800-430-5490

Eyewash Active ingredient

Sterile Water 99%

Eyewassh *Purpose*

Eyewash

Eyewash *Uses*

• for flushing the eye to remove loose foreign material, air pollutants or chlorinated water

Eyewash *Warnings*

For external use only

- Obtain immediate medical treatment for all open wounds in or near eyes.
- To avoid contamination, do not touch tip of container to any surface.
- Do not reuse.
- Once opened, discard.

Do not use

- if solution changes color or becomes cloudy
- if you have open wounds in or near the eyes, get medical help right away.

Stop use and ask a doctor if

- you experience eye pain
- changes in vision
- continued redness or irritation of the eye
- condition worsens or persists

Keep out of reach of children

If swallowed, get medical help or contact a Poison Control Center right away.

Eyeash *Directions*

- remove contacts before using
- twist top to remove
- flush the affected area as needed
- control rate of flow by pressure on the bottle
- if necessary, continue flushing with emergency eyewash or shower

Eyewash Inactive ingredients

sodium chloride, sodium phosphate dibasic, sodium phosphate monobasic

Eyeash *Questions*

Call 1-800-430-5490 Honeywell Safety Products USA, Inc. Smithfield, RI 02917

Alcohol Active ingredient

Isopropyl alcohol 70%

Alcohol *Purpose*

First aid antiseptic

Alcohol *Uses*

first aid to help prevent infection in

- minor cuts
- scrapes
- burns

Alcohol *Warnings*

For external use only

Flammable, keep away from fire and flame

Do not use

- in or near eyes
- over large areas of the body

Ask a doctor before use if you have

- deep or puncture wounds
- animal bites
- serious burns

When using this product

• do not use longer than 1 week unless directed by a doctor

Stop use and consult a doctor if

• condition persists or gets worse

Keep out of reach of children

if swallowed, get medical help or contact a Poison Control Center right away

Alcohol

Directions

- clean the affected area
- may be covered with a sterile bandage
- apply wipe to affeted are 1 to 3 times daily
- discard wipe after single use

Alcohol

Other information

- store at room temperature 15 0 to 25 0 C (59 0 to 77 0 F)
- do not use if packet is torn or opened

Alcohol Inactive ingredient

water

Alcohol *Questions*

1-800-430-5490

PVP Active ingredient

Povidone-iodine 10% (equivalent to 1% titratable iodine)

PVP *Purpose*

First aid antiseptic

PVP

Uses

• first aid antiseptic to help prevent infection in minor cuts, scrapes and burns

PVP Warnings

For external use only.

Ask a doctor before use if you have

- deep or puncture wounds
- animal bites
- serious burns

Stop use and ask a doctor if

- condition worsens or persists for more than 72 hours
- irritation and redness develops

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

PVP Directions

- clean the affected area
- apply1 to 3 times daily

- may be covered with a sterile bandage
- if bandaged, let dry first
- discard wipe after single use

PVP

Other information

- do not use on individuals who are allergic or sensitive to iodine
- store at controlled temperature 59-86°F (15-30°C)
- do not use if pouch is open or torn

PVP

Inactive ingredients

nonoxynol 9, water

4311 SF00004446 Kit Contents

1 KNUCKLE BAND 8 PER 2 INSTANT COLD PACK 4" X 6" 1 BUFFERED EYE WASH 1 OZ BTL 1 BANDAGE COMP, 4" OFFSET, 1 PER 1 ADHESIVE BDG, PLSTIC, 1"X3"16PER 1 BURN JEL 1/8 OZ, 6 PER 1 ALCOHOL PREP PADS 10P **1 PVP IODINE WIPES 10 PER 1 STING RELIEF WIPES 10 PER BOX** 1 ADHESIVE TAPE W/P 1/2"X 5 YD 1 POISON OAK/IVY CLEANSER 4 OZ 1 KIT TWEEZER 3 1/2" SLANTED LBL STOCK 6-3/8"X4" LBL STOCK 4"X2-7/8" 1 LBL STOCK 3"x1-7/8" 2 PR LRG NITRILE GLVES ZIP BAG 1 KIT STL 16 UN (HORIZONTAL)


Burn Jel Principal Display Panel




796353 Rev. E Unit Carton Printing Plate for "B" size cartor



Sting Relief Principal Display Panel




Eyewash Principal Display Panel





	Ingrediente Activo Propósito
	Agua estéril 99% Lavaojos
	Usos para el lavado de ojo para quitar las particulas sueltas y extrañas,
	los contaminantes aeros, o agua de cloruro
	Advertencias Para el uso externo sólo - Obtenga tratamiento médico inmediato para todas las heridas abiertas en o cerca de los ojos. Para evitar la contaminación, no toque la punta del envase con ninguna superfície. No vuelva a usar. Vez abierto, descarte.
	No se use • si la solución se enturbia o cambia de color • si tiene heridas abiertas en o cerca del ojo, obtenga ayuda medica de inmediato
	Deje de usar y consulte a un médico si: • experimenta dolor de ojo • cambio de visión • rojez continuo o irritación del ojo • la condición empeora o persiste
	Manténgase fuera del alcance de los niños. En caso de ingestión accidental, obtenga atención médica o llame a un Centro de control de envenenamiento inmediatamente.
	Instrucciones • quitese los lentes de contacto antes de usar la solución • uerza la tapa para quitar • enjuague el área afectada según se necesite • controle el chorro haciendo presión el la botella • si es necesario, sigue enjuagado con un lavaojos o ducha de emergencia
	Ingredientes inactivos cloruro de sodio, tostato de sodio dibásico, fosfato de sodio monobásico
	¿Preguntas? Llame al 1-800-430-5490
	Honeywell Safety Products USA, Inc. Smithfield, RI. 02917
i	Information Usages Pour la ripage des your ofin d'aplayer un corps étanger
1	Pour le rinçage des yeux afin d'enlever un corps étranger, des polluants atmospheriques oú de l'eau chlorée.
ł	Advertissements Pour usage externe seulement - Obtenir immédiatement des soins médicaux pour toutes les plaies ouvertes dans ou près des yeux. Pour éviter toute contamination, ne pas toucher la pointe du
1	récipient à n'importe quelle surface. Ne pas réutiliser. Une fois ouvert, jetez-les.
	récipient à n'importe quelle surface. Ne pas réutiliser. Une fois
	récipient à n'importe quelle surface. Ne pas réutiliser. Une fois ouvert, jetez-les. Ne pas utiliser • si la solution a changé de couleur ou si elle est brouillée • si vous avez des plaies ouvertes aux yeux ou à proximité, consultez immédiatement un médecin Cesser d'utiliser la solution et consulter un médecin • vous ressentez une douleur oculaire • • si votre vision change • rougeur ou infration persistante des yeux
	récipient à n'importe quelle surface. Ne pas réutiliser. Une fois ouvert, jetz-les. Ne pas utiliser • si la solution a changé de couleur ou si elle est brouillée • si vous avez des plaies ouvertes aux yeux ou à proximité, consultez immédiatement un médecin Cesser d'utiliser la solution et consulter un médecin • vous ressentez une douleur oculaire • si votre vision change
	récipient à n'importe quelle surface. Ne pas réutiliser. Une fois ouvert, jetz-les. Ne pas utiliser • si la solution a changé de couleur ou si elle est brouillée • si vous avez des plaies ouvertes aux yeux ou à proximité, consultez immédiatement un médecin Cesser d'utiliser la solution et consulter un médecin • vous ressentez une douleur oculaire • oigueur ou irritation persistante des yeux • condition empire ou persiste Garder hors de la portée des enfants. En cas d'ingestion, communiquer immédiatement avec un médecin
	récipient à n'importe quelle surface. Ne pas réutiliser. Une fois ouvert, jetez-les. Ne pas utiliser • si la solution a changé de couleur ou si elle est brouillée • si vous avez des plaies ouvertes aux yeux ou à proximité, consultez immédiatement un médecin • vous ressertez une doubeur oculaire • si votre vision change • vous ressertez une doubeur oculaire • si votre vision change • vous ressertez une doubeur oculaire • si votre vision change • condition empire ou persiste Garder hors de la porté des enfants. En cas d'ingestion, communiquer immédiatement avec un médecin ou avec un centre antipoison. Mode d'emploi • enlever les verres de contact avant l'utilisation • dévisser le bouchon pour l'enlever • rincer la zone touchée selon les augmentant ou en réduisant la pression exercée sur le contenant • si nécessaire, continuer de rincer avec unesolution de rincage

Alcohol **Principal Display Panel**



PVP Principal Display Panel





4311 Kit Label SF00004446



Distributed by Honeywell Safety Products USA, Inc. Smithfield, RI 02917

_	. FIRST AII) KIT		
+JII				
Produ	uct Informat	ion		
Produ	ct Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0498-4311
Deele	-			
Packa	aging			
# I	tem Code	Package Description	Marketing Start Date	Marketing End Date
1 NDC:	0498-4311-01	1 in 1 KIT	09/13/2018	
Quan	tity of Parts			
-	-	ckage Quantity	Total Produ	ict Quantity
Part #	-	ckage Quantity	Total Produ	ict Quantity
Quan Part # Part 1 Part 2	e Pa	ckage Quantity		ict Quantity
Part # Part 1 Part 2	e Pac 6 PACKET	ckage Quantity	21 g	ict Quantity
Part # Part 1	e Pac 6 PACKET 1 BOTTLE	ckage Quantity	21 g 30 mL	ict Quantity
Part # Part 1 Part 2 Part 3	6 PACKET 1 BOTTLE 10 POUCH	ckage Quantity	21 g 30 mL 4 mL	ict Quantity

Part 1 of 5

BURN JEL

gel for burns gel

Product Info	mation			
ltem Code (Sou	rce)	NDC:0498-0203		
Route of Admin	istration	TOPICAL		
Active Ingred	ient/Active	Moiety		
	Ingredie	nt Name	Basis of Stren	gth Strength
LIDOCAINE HYDR UNII:98PI200987)	-	NII: V13007Z41A) (LIDOCAINE -	Lidocaine hydrochlof Anhydrous	
Inactive Ingre	edients			
		Ingredient Name		Strength
TEA TREE OIL (UN	II: VIF565UC2G)			
DIAZOLIDINYL UR	EA (UNII: H5RIZ	3MPW4)		
METHYLPARABEN	(UNII: A2I8C7HI	9T)		
EDETATE DISODI	JM (UNII: 7FLD9	1С86К)		
GLYCERIN (UNII: P	DC6A3C0OX)			
TROLAMINE (UNII:				
4Q93RCW27E)		PE C (ALLYL PENTAERYTHRITOL		
CARBOMER HOM HHT01ZNK31)	OPOLYMER TY	PE B (ALLYL PENTAERYTHRITOL	CROSSLINKED) (UNII:	
PROPYLPARABEN	(UNII: Z8IX2SC	LOH)		
OCTOXYNOL-9 (U	NII: 7JPC6Y25QS)		
DIPROPYLENE GL	YCOL (UNII: E10)7L85C40)		
Packaging				
# Item Code	Pa	ckage Description	Marketing Start Date	Marketing End Date
1 NDC:0498-0203-	3.5 g in 1 PAC Product	KET; Type 0: Not a Combination		
	Informat	ion		
Marketing	Applica	tion Number or Monograph	Marketing Start	Marketing End
Marketing Marketing Category		Citation	Date	Date

Part 2 of 5

EYESALINE EMERGENCY EYEWASH

purified water liquid

Product Inform	mation			
ltem Code (Sour	ce)	NDC:0498-0100		
Route of Admini	stration	OPHTHALMIC		
Active Ingredi	opt/Activo	Maiaty		
Active myreuk	Ingredien	-	Basis of Strength	Strength
WATER (UNII: 059Q)	-		WATER	98.6 mL in 100 mL
Inactive Ingre	dients			
		Ingredient Name		Strength
SODIUM PHOSPHA				
		SIC, MONOHYDRATE (UNII: 593Y	OG76RN)	
SODIUM CHLORID	(UNII: 451W4	7IQ8X)		
Packaging				
# Item Code	Pa	ckage Description	Marketing Start Date	Marketing End Date
	30 mL in 1 BO Product	TTLE; Type 0: Not a Combination		
Marketing I	nformat	ion		
Marketing Category	Applica	tion Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Dru	g M018		12/18/2018	
Part 3 of 5				
ALCOHOL W				
isopropyl alcohol				
	mation			
Product Inform	Πατισπ			
		NDC:0498-0143		
Product Inform Item Code (Sour Route of Adminis	ce)	NDC:0498-0143 TOPICAL		

Active Ingredie	nt/Active	Moiety				
	Ingre	edient Name		Basis o Streng		Strength
ISOPROPYL ALCOHO UNII:ND2M416302)	DL (UNII: ND21	4416302) (ISOPROPYL ALCOHOL -		ISOPROPYL ALCOHOL		0.7 mL in 1 mL
Inactive Ingred	iontc					
mactive mgreu		redient Name			Streng	th
WATER (UNII: 059QFC						
Packaging						
# Item Code	Da	kana Deceription	Market	ing Start	Mark	eting End
		ckage Description	D	ate		Date
	.4 mL in 1 PO roduct	UCH; Type 0: Not a Combination				
Markating Ir	format	ion				
Marketing Ir			Marka	ting Ctout	Maul	ating End
Marketing Category	Аррисат	tion Number or Monograph Citation		ting Start Date	Mari	ceting End Date
unapproved drug other			09/18/203	18		
Part 4 of 5						
STING RELIE	F PAD					
ethyl alcohol, lidoo	caine swab					
Product Inform	ation					
Item Code (Source		NDC:0498-0733				
Route of Administ		TOPICAL				
Noute of Administ						
Active Ingredie	nt/Active	Moiety				
	Ingredie			is of Streng		Strength
UNII:98PI200987)	HLORIDE (UN	NII: V13007Z41A) (LIDOCAINE -	ANHYDROU	HYDROCHLORI S	DE	20 mg in 1 mL
ALCOHOL (UNII: 3K99	958V90M) (ALC	COHOL - UNII:3K9958V90M)	ALCOHOL			0.5 mL in 1 mL
Inactive Ingred	ients					
indetive nigred	ienes	Ingredient Name			St	trength

BENZALKONIUM C				
MENTHOL (UNII: L7	T10EIP3A)			
WATER (UNII: 059Q	F0KO0R)			
Packaging				
# Item Code	Pa	ckage Description	Marketing Start Date	Marketing End Date
1 NDC:0498-0733- 00	0.4 mL in 1 PC Product	UCH; Type 0: Not a Combination		
Marketing I	Informat	ion		
Marketing Category	Applica	tion Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other			12/23/2017	
Part 5 of 5				
povidone-iodine Product Inform	10% swab	NDC-0408-0121		
povidone-iodine Product Infor Item Code (Sour	10% swab mation rce)	NDC:0498-0121		
PVP IODINE povidone-iodine Product Inform Item Code (Sour Route of Adminis	10% swab mation rce)	NDC:0498-0121 TOPICAL		
povidone-iodine Product Infor Item Code (Sour Route of Admini	10% swab mation rce) stration	TOPICAL		
povidone-iodine Product Infor Item Code (Sour Route of Admini	10% swab mation rce) stration ent/Active	TOPICAL	Basis of Strer	ngth Strength
povidone-iodine Product Inform Item Code (Sour Route of Adminis Active Ingredia	10% swab mation rce) stration ent/Active Ingred	TOPICAL Moiety	Basis of Stren	
Product Inform Item Code (Sour Route of Adminis Active Ingredic	10% swab mation ce) stration ent/Active Ingred	TOPICAL Moiety ient Name		
povidone-iodine Product Infor Item Code (Sour Route of Adminis Active Ingredie	10% swab mation rce) stration ent/Active Ingred : (UNII: 85H0HZ dients	TOPICAL Moiety lient Name U99M) (IODINE - UNII:9679TC07X4)		10 mg in 1 mL
Product Inform Item Code (Sour Route of Adminis Active Ingredic POVIDONE-IODINE	10% swab mation rce) stration ent/Active Ingred : (UNII: 85H0HZ dients	TOPICAL Moiety ient Name		
Product Inform Item Code (Sour Route of Adminis Active Ingredic POVIDONE-IODINE Inactive Ingre	10% swab mation rce) stration ent/Active Ingred : (UNII: 85H0HZ dients	TOPICAL Moiety lient Name U99M) (IODINE - UNII:9679TC07X4)		10 mg in 1 mL
Product Inform Item Code (Sour Route of Adminic Active Ingredic POVIDONE-IODINE Inactive Ingred WATER (UNII: 059Q NONOXYNOL-9 (UN	10% swab mation rce) stration ent/Active Ingred : (UNII: 85H0HZ dients	TOPICAL Moiety lient Name U99M) (IODINE - UNII:9679TC07X4)		10 mg in 1 mL
Product Inform Item Code (Sour Route of Adminic Active Ingredic POVIDONE-IODINE Inactive Ingred WATER (UNII: 059Q NONOXYNOL-9 (UN	10% swab mation rce) stration ent/Active Ingred : (UNII: 85H0HZ dients	TOPICAL Moiety lient Name U99M) (IODINE - UNII:9679TC07X4)	IODINE	10 mg in 1 mL
Product Inform Item Code (Sour Route of Adminis Active Ingredic POVIDONE-IODINE Inactive Ingre	10% swab mation ce) stration ent/Active Ingred : (UNII: 85H0HZ dients fokoor) VII: 48Q180SH9	TOPICAL Moiety lient Name U99M) (IODINE - UNII:9679TC07X4)		10 mg in 1 mL
Product Inform Item Code (Sour Route of Adminis Active Ingredie POVIDONE-IODINE Inactive Ingre WATER (UNII: 059Q NONOXYNOL-9 (UN Packaging # Item Code	10% swab mation ce) stration ent/Active Ingred : (UNII: 85H0HZ dients I FOKOOR) VII: 48Q180SH9	TOPICAL Moiety lient Name U99M) (IODINE - UNII:9679TC07X4) ngredient Name T)	IODINE	10 mg in 1 mL Strength Marketing End

nformation		
Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
	09/18/2018	
nformation		
nformation Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
	Application Number or Monograph	Application Number or Monograph Marketing Start Citation Date

Labeler - Honeywell Safety Products USA, Inc. (118768815)

Revised: 1/2024

Honeywell Safety Products USA, Inc.