

**EQUALINE NASAL DECONGESTANT NON DROWSY MAXIMUM STRENGTH-  
pseudoephedrine hcl tablet, film coated  
United Natural Foods, Inc. dba UNFI**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----  
**SuperValu Inc. Nasal Decongestant Drug Facts**

**Active ingredient (in each tablet)**

Pseudoephedrine HCl 30 mg

**Purpose**

Nasal decongestant

**Uses**

- temporarily relieves sinus congestion and pressure
- temporarily relieves nasal congestion due to the common cold, hay fever or other upper respiratory allergies

**Warnings**

**Do not use**

if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

**Ask a doctor before use if you have**

- heart disease
- high blood pressure
- thyroid disease
- diabetes
- trouble urinating due to an enlarged prostate gland

**When using this product**

**do not exceed recommended dosage**

**Stop use and ask a doctor if**

- nervousness, dizziness, or sleeplessness occur

- symptoms do not improve within 7 days or occur with a fever

**If pregnant or breast-feeding,**

ask a health professional before use.

**Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

**Directions**

adults and children 12 years and over	<ul style="list-style-type: none"> <li>• take 2 tablets every 4 to 6 hours</li> <li>• do not take more than 8 tablets in 24 hours</li> </ul>
children ages 6 to 11 years	<ul style="list-style-type: none"> <li>• take 1 tablet every 4 to 6 hours</li> <li>• do not take more than 4 tablets in 24 hours</li> </ul>
children under 6 years	do not use this product in children under 6 years of age

**Other information**

- **each tablet contains:** calcium 20 mg
- store at 20° -25° C (68° -77° F)
- **do not use if blister unit is broken or torn**

**Inactive ingredients**

carnauba wax, dibasic calcium phosphate dihydrate, FD&C red no. 40 aluminum lake, hypromellose, magnesium stearate, microcrystalline cellulose, polyethylene glycol, polysorbate 80, silicon dioxide, titanium dioxide

**Questions or comments?**

**1-855-423-2630**

**Principal Display Panel**

EQUALINE®

compare to Sudafed® Congestion active ingredient

maximum strength

nasal decongestant

pseudoephedrine hydrochloride tablets, 30mg (nasal decongestant)

congestion

non-drowsy

relieves:

- sinus pressure
- nasal congestion

actual size

48 tablets, 30mg each

EQUALINE®

# nasal decongestant

pseudoephedrine hydrochloride tablets, 30mg  
(nasal decongestant)

EQUALINE®

NDC 41163-432-67

compare to  
Sudafed® Congestion  
active ingredient\*

# maximum strength nasal decongestant

pseudoephedrine hydrochloride tablets, 30mg  
(nasal decongestant)

congestion  
non-drowsy

relieves:

- sinus pressure
- nasal congestion

**48** tablets, 30mg each



actual size

43267 EL C8

Important: Read all product information before using. Keep this box for important information.

### Drug Facts

Active ingredient (in each tablet)	Purpose
Pseudoephedrine HCl 30 mg	Nasal decongestant

### Uses

- temporarily relieves sinus congestion and pressure
- temporarily relieves nasal congestion due to the common cold, hay fever or other upper respiratory allergies

### Warnings

Do not use if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- heart disease
- high blood pressure
- thyroid disease
- diabetes
- trouble urinating due to an enlarged prostate gland

When using this product do not exceed recommended dosage

Stop use and ask a doctor if

- nervousness, dizziness, or sleeplessness occur
- symptoms do not improve within 7 days or occur with a fever

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

### Drug Facts (continued)

### Directions

- |                                       |  |
|---------------------------------------|--|
| adults and children 12 years and over | <ul style="list-style-type: none"> <li>■ take 2 tablets every 4 to 6 hours</li> <li>■ do not take more than 8 tablets in 24 hours</li> </ul> |
| children ages 6 to 11 years           | <ul style="list-style-type: none"> <li>■ take 1 tablet every 4 to 6 hours</li> <li>■ do not take more than 4 tablets in 24 hours</li> </ul>  |
| children under 6 years                | do not use this product in children under 6 years of age   |

### Other information

- each tablet contains: calcium 20 mg
- store at 20°-25°C (68°-77°F)
- do not use if blister unit is broken or torn

**Inactive ingredients** carnauba wax, dibasic calcium phosphate dihydrate, FD&C red no. 40 aluminum lake, hypromellose, magnesium stearate, microcrystalline cellulose, polyethylene glycol, polyorbate 80, silicon dioxide, titanium dioxide

### Questions or comments? 1-855-423-2630

\*This product is not manufactured or distributed by McNeil Consumer Health Care, distributor of Sudafed® Congestion. Distributed by UNFI, Providence, RI 02908 USA

Like it or let us make it right. That's our quality promise. 855-423-2630



GLUTEN FREE

43267 EL C8

Code Area

OPEN OTHER END

CONVENIENT RECYCLING TAB

EQUALINE®

# nasal decongestant

pseudoephedrine hydrochloride tablets, 30mg



(nasal decongestant)

0 41163-432 0

# EQUALINE NASAL DECONGESTANT NON DROWSY MAXIMUM STRENGTH

pseudoephedrine hcl tablet, film coated

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:41163-432
<b>Route of Administration</b>	ORAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>PSEUDOEPHEDRINE HYDROCHLORIDE</b> (UNII: 6V9V2RYJ8N) (PSEUDOEPHEDRINE - UNII:7CUC9DDI9F)	PSEUDOEPHEDRINE HYDROCHLORIDE	30 mg

## Inactive Ingredients

Ingredient Name	Strength
<b>CARNAUBA WAX</b> (UNII: R12CBM0EIZ)	
<b>DIBASIC CALCIUM PHOSPHATE DIHYDRATE</b> (UNII: O7TSZ97GEP)	
<b>HYPROMELLOSE, UNSPECIFIED</b> (UNII: 3NXW29V3WO)	
<b>MAGNESIUM STEARATE</b> (UNII: 70097M6I30)	
<b>MICROCRYSTALLINE CELLULOSE</b> (UNII: OP1R32D61U)	
<b>POLYETHYLENE GLYCOL, UNSPECIFIED</b> (UNII: 3WJQ0SDW1A)	
<b>POLYSORBATE 80</b> (UNII: 6OZP39ZG8H)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)	
<b>FD&amp;C RED NO. 40</b> (UNII: WZB9127XOA)	

## Product Characteristics

<b>Color</b>	RED	<b>Score</b>	no score
<b>Shape</b>	ROUND (convex)	<b>Size</b>	7mm
<b>Flavor</b>		<b>Imprint Code</b>	L432
<b>Contains</b>			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:41163-432-67	8 in 1 CARTON	08/17/2004	
1		6 in 1 BLISTER PACK; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part341	08/17/2004	

**Labeler** - United Natural Foods, Inc. dba UNFI (943556183)

Revised: 8/2023

United Natural Foods, Inc. dba UNFI