

4129 FIRST AID KIT - 4129 first aid kit
Honeywell Safety Products USA, INC

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, [click here](#).

4129 First Aid Kit (alcohol wipes, HC cr, BZK wipe, Pyrocaine Sp, PVP wipe, amm. Inh, Sting relief- SF00004226)

Ammonia

Active ingredient

Ammonia 15%

Ammonia

Purpose

Respiratory stimulant

Ammonia

Uses

- to prevent or treat fainting

Ammonia

Warnings

For external use only

Do not use

- if you have breathing problems such as asthma or emphysema

Stop use and ask a doctor if

- condition persists

Keep out of reach of children

- If swallowed get medical help or contact a Poison Control Center right away.

Ammonia

Directions

- hold inhalant away from face and crush ampoule between thumb and forefinger at position indicated on sleeve.
- hold near nostrils for inhalation of volatile vapor

Ammonia

Other information

- store at room temperature away from light

Ammonia

Inactive ingredient

alcohol USP, FD&C red #40, lavender oil, lemon oil fcc, nutmeg oil, purified water

Ammonia

Questions or Comments?

1-800-430-5490

Pyrocaine

Active ingredient

Benzocaine 20%

Benzethonium chloride 0.2%

Pyrocaine

Purpose

Topical anesthetic

Topical antiseptic

Pyrocaine

Uses

For the temporary relief of pain and itching, and to help protect against skin infection in:

- minor burns
- minor skin irritations
- minor cuts and scrapes
- insect bites
- sunburns

Do not use

- in or near the eyes or over large portions of the body
- in case of deep or puncture wounds or on:
- raw surfaces
- blistered areas
- animal bites
- serious burns

Keep out of reach of children

- If swallowed, get medical help or contact a Poison Control Center right away

Pyrocaine

Warnings

For external use only

Flammable

- keep away from fire or flame
- contents under pressure
- do not puncture, incinerate or expose container to temperatures above 120 o F

Stop use and ask a doctor if

- If condition persists or worsens, or if symptoms persist for more than 7 days or clear up and occur

again within a few days

Pyrocaine

Directions

- clean the affected area
- shake can well before using
- hold can 6 to 12 inches away from the affected area and spray liberally
- apply to affected area not more than 3 times daily
- for adult institutional use only
- not intended for use on children

Pyrocaine

Other information

- avoid inhaling
- use only as directed
- intentional misuse by deliberately concentrating and inhaling the contents may be harmful or fatal

Pyrocaine

Inactive ingredients

butane, dipropylene glycol, isobutane, propane

PVP

Active ingredient

Povidone-iodine 10%

(equivalent to 1% titratable iodine)

PVP

Purpose

First aid antiseptic

PVP

Uses

- first aid antiseptic to help prevent infection in minor cuts, scrapes and burns

PVP

Warnings

For external use only.

Ask a doctor before use if you have

- deep or puncture wounds
- animal bites
- serious burns

Stop use and ask a doctor if

- condition worsens or persists for more than 72 hours

- irritation and redness develops

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

PVP

Directions

- clean the affected area
- apply 1 to 3 times daily
- may be covered with a sterile bandage
- if bandaged, let dry first
- discard wipe after single use

PVP

Other information

- do not use on individuals who are allergic or sensitive to iodine
- store at controlled temperature 59-86°F (15-30°C)
- do not use if pouch is open or torn

PVP

Inactive ingredients

nonoxynol 9, water

PVP

Questions

1-800-430-5490

Sting Relief

Active ingredient (in each wipe)

Ethyl alcohol 50.0%

Lidocaine HCl 2.0%

Sting Relief

Purpose

Antiseptic

Topical pain relief

Sting Relief

Uses

- prevent infection in minor scrapes, and temporary relief of itching of insect bites

Sting Relief

Warnings

For external use only

Flammable, keep away from open fire or flame

Do not use

- over large areas of the body
- in eyes
- over raw or blistered areas

Stop use and ask a doctor

- if conditions worsen or persist for more than 7 days or clear up and occur again within a few days

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Sting Relief

Directions

- adults and children 2 years and older: Apply to cleaned affected area not more than 3 times daily.
- children under 2 years of age: consult a doctor.

Sting Relief

Inactive ingredients

benzalkonium chloride, menthol, and purified water

Sting Relief

Questions or Comments?

1-800-430-5490

alcohol

Active ingredient

Isopropyl alcohol 70%

Alcohol

Purpose

First aid antiseptic

Alcohol

Uses

- first aid to help prevent infection in minor cuts, scrapes, and burns

Alcohol

Warnings

For external use only

Flammable, keep away from fire and flame

Ask a doctor before use if you have

- deep or puncture wounds
- animal bites

- serious burns

When using this product

- do not use longer than 1 week unless directed by a doctor

Stop use and consult a doctor if

- condition persists or gets worse

Keep out of the reach of children

- If swallowed, get medical help or contact a Poison Control center right away

Alcohol***Directions***

- clean the affected area
- may be covered with a sterile bandage
- apply wipe to affected area 1 to 3 times daily
- discard wipe after single use

Alcohol***Other information***

- store at room temperature 15⁰ to 25⁰ C (59⁰ to 77⁰ F)
- do not use if packet is torn or opened

Alcohol***Inactive ingredient***

water

Alcojol***Questions***

1-800-430-5490

Hydrocortisone***Active ingredient (in each gram)***

Hydrocortisone acetate (equivalent to Hydrocortisone 1%)

Hydrocortisone***Purpose***

Anti-itch cream

Hydrocortisone***Uses***

- for the temporary relief of itching associated with minor skin irritations and rashes

Hydrocortisone***Warnings***

For external use only

Ask a doctor before use

- if you are using any other hydrocortisone product

When using the product

- avoid contact with eyes
- do not begin use of any other hydrocortisone product unless you have consulted a doctor
- do not use for the treatment of diaper rash

Stop use and ask a doctor if

- condition worsens
- condition persists for more than 7 days
- condition clears up and recurs within a few days

Keep out of reach of children

If swallowed, get medical help or contact a Poison Control Center right away.

Hydrocortisone***Directions***

- adults and children 2 years and older:
- clean the affected area
- apply to the area not more than 3 to 4 times daily
- children under 2 years of age: consult a doctor

Hydrocortisone***Other information***

- store at room temperature (do not freeze)

Hydrocortisone***Inactive ingredients***

cetyl alcohol, citric acid, diazolidinyl urea, edetate disodium, glycerin, glyceryl monostearate, methylparaben, mineral oil, polyethylene glycol, propylene glycol, propylparaben, purified water, stearic acid, trolamine

Hydrocortisone***Questions or comments?***

1-800-430-5490

BZK***Active ingredient***

Benzalkonium chloride 0.13% w/v

BZK***Purpose***

First aid antiseptic

BZK***Uses***

Antiseptic cleansing of face, hands, and body without soap and water

BZK***Warnings***

For external use only

Do not use

- in the eyes or over large areas of the body
- on mucous membranes
- on irritated skin
- in case of deep puncture wounds, animal bites or serious burns, consult a doctor
- longer than 1 week unless directed by a doctor

Stop use and ask a doctor if

- if irritation, redness or other symptoms develop
- the condition persists or gets worse

Keep out of reach of children

If swallowed, get medical help or contact a Poison Control Center right away.

BZK***Directions***

- tear open packet and use as a washcloth

BZK***Other information***

- store at room temperature 15⁰ to 30⁰ C (59⁰ - 86⁰ F)
- do not reuse towelette

BZK***Inactive ingredient***

water

BZK***Questions***

1-800-430-5490

4129**SF00004226 Kit Contents**

1 AMMONIA INHALANTS 10 PER



1 EYE DRESS PKT W/4 ADH STRIPS

1 TRIANGULAR BDG, NON-STERILE

1 INSTANT COLD PACK 4" X 6"
1 ALCOHOL PREP PADS 10P
1 HYDROCORTISON,1.0%,1/32 OZ,10P
1 RESPONSE KIT BLOODBORNE PATHOG
1 SCISSOR BDGE 4" RED PLS HDL
1 BANDAGE COMP 2" W/TELFA PAD 4
1 BANDAGE COMP 4" W/TELFA PAD 1
LBL STOCK 6-3/8"X4"
LBL STOCK 4"X2-7/8"
1 LBL STOCK 3"x1-7/8"
1 PR LRG NITRILE GLVES ZIP BAG
1 1" X 3" PLASTIC BANDS 16/BAG
1 KIT STL 24 UN WHITE 01
1 PVP IODINE SWABS 10
1 STING Relief SWAB 10
1 PYRO-CAINE AERO 2/BX
1 RED BIO BAGS 2/BX
1 FACE MASK/EYE SHIELD
1 LIQD TRTMNT SYS 1 EA
1 DISP. TOWEL/WIPES 2EA
1 IMPERVIOUS GOWN 1 EA

Ammonia
Principal Display Panel

796006 Rev. E Unit Carton Printing Plate for "A" size carton.



796006 Rev. E (page 3 of 3)

825366 Rev B

Honeywell

Honeywell 032043P

Sting Relief Wipes

Use for:
Minor Cuts • Scrapes • Insect Bites

Single Use Pouches
Saturated Wipes

100 wipes

Honeywell 032043P

Sting Relief Wipes

Use for:
Minor Cuts • Scrapes • Insect Bites

Single Use Pouches
Saturated Wipes

100 wipes

Drug Facts

Active Ingredients Ethyl alcohol 50.0% Lidocaine HCl 2.0%	Purpose First aid antiseptic Topical anesthetic
Uses First aid to help prevent infection in minor scrapes and temporary relief of itching of insect bites.	
Warnings For external use only. Flammable, keep away from fire or flame.	
Do not use • over large areas of the body • in eyes • over raw or blistered areas	
Stop use and ask a doctor • if conditions worsen or persist for more than 7 days or clear up and occur again within a few days.	
Keep out of reach of children. If swallowed get medical help or contact Poison Control center right away.	
Directions • adults and children 2 years and older: apply to cleaned affected area not more than 3 times daily. • children under 2 years of age: consult a doctor.	
Inactive Ingredients benzalkonium chloride, menthol, purified water	
Questions or comments?	1-800-430-5490

Distributed by
Honeywell Safety
Products USA, Inc.
Smithfield, RI 02917

USA
1-800-430-5490
0-401-343-4400

www.honeywellsafety.com

2 1812 01284 1

Made in USA
Packaged in Mexico

Alcohol Principal Display Panel

Honeywell

ALCOHOL PREPS
Isopropyl Alcohol
First Aid Antiseptic

Reorder # 154818 50 Wipes

Honeywell **Honeywell** **Honeywell** **Honeywell**

Honeywell

Distributed by
Honeywell Safety
Products USA, Inc.
Smithfield, RI 02917

Drug Facts (continued)

Directions
• clean the affected area • apply to affected area 1 to 3 times daily
• may be covered with a sterile bandage • discard wipe after single use

Other information
• store at room temperature 15° to 25° C (59° to 77°F)
• do not use if package is torn or open

Inactive ingredient water

Questions? 1-800-430-5490

Other Wipes Available in:

- PVP Iodine Preps
- Antiseptic Wipes

ALCOHOL PREPS
Isopropyl Alcohol
First Aid Antiseptic

Honeywell

Reorder #154818 50 Wipes


Drug Facts

Active ingredient Isopropyl alcohol 70%	Purpose First aid antiseptic
Uses First aid to help prevent infection in minor cuts, scrapes, and burns	
Warnings For external use only. Flammable, keep away from fire or flame.	
Do not use • in or near the eyes • over large areas of the body	
Ask a doctor before use if you have • deep or puncture wounds • animal bites • serious burns	
When using this product do not use longer than one week unless directed by a doctor.	
Stop use and consult a doctor if condition persists or gets worse	
Keep out of reach of children If swallowed, get medical help or contact a Poison Control center right away.	

774818 Rev A

6 69635 15075 9

Hydrocortisone Principal Display Panel



Hydrocortisone Cream 1%
Anti-itch Cream

Drug Facts	Purpose
Active ingredient (in each gram) hydrocortisone acetate (equivalent to hydrocortisone 1%)	Anti-itch cream
Uses: For temporary relief of itching associated with minor skin irritations and rashes.	
Warnings: For external use only. Ask a doctor before use if you are using any other hydrocortisone product.	
When using the product: - avoid contact with eyes - do not begin the use of any other hydrocortisone product unless you have consulted a doctor - do not use for the treatment of diaper rash	
Stop use and ask a doctor if: - condition worsens - symptoms persist for more than 7 days - condition clears up and occurs again within a few days	
Keep out of reach of children: If swallowed, get medical help or contact a Poison Control Center right away.	
Directions: - adults and children 2 years of age or older: - clean the affected area - apply to affected area not more than 3 to 4 times daily - children under 2 years of age: do not use	
Other information: Keep at room temperature (do not freeze)	
Inactive ingredients: cetyl alcohol, citric acid, disodium edetate, disodium glycinate, glycerin, glyceryl monostearate, methylparaben, mineral oil, polyethylene glycol, propylene glycol, propylparaben, purified water, stearic acid and tolanolene	
Questions or comments? 1-800-430-5430	

Hydrocortisone Cream 1%
Anti-itch Cream

Hydrocortisone Cream 1%
Temporary Relief of Minor Skin Irritations, Itching and Rashes
Hydrocortisone 1%
144 Packets
Net Wt 1/32 oz (0.9 g) each

Distributed by
Honeywell Safety Products USA, Inc.
Smithfield, RI 02917
Re-order #2330144

Caution:
This package is for industrial use only.
Not for retail sales.
Keep this and all drugs out of the reach of children.
In case of ingestion, seek professional assistance or contact a poison control center immediately.

Hydrocortisone Cream 1%
Anti-itch Cream

Hydrocortisone Cream 1%
Temporary Relief of Minor Skin Irritations, Itching and Rashes
Hydrocortisone 1%
144 Packets
Net Wt 1/32 oz (0.9 g) each

7730144 RevA

BZK
Principal Display Panel

47001083
Rev B

Antiseptic Towelettes

Honeywell

02-16-35MD

Antiseptic Towelettes

Benzalkonium chloride
First aid antiseptic

Six-Saturated Towelettes

Distributed by
Honeywell Safety
Products USA, Inc.
Smithfield, RI 02917

47001083
Rev B

Antiseptic Towelettes

Honeywell

Drug Facts

Active Ingredient	Purpose
Benzalkonium chloride 0.133% w/v	First aid antiseptic

Uses • antiseptic cleaning of face, hands and body without soap and water. • air dries in seconds

Warnings
For external use only

When using this product • do not use in the eyes or apply over large areas of the body
Ask a doctor before use • in case of deep or puncture wounds, animal bites, or serious burns

Stop use and consult a doctor if
• irritation, redness or other symptoms develop • condition persists or gets worse

Do not use • longer than 1 week unless directed by doctor

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions • tear open packet, unfold and use as washcloth

Other information
• store at room temperature 15° -30° C (59° -86° F) • do not reuse towelette

Inactive ingredient water

Questions or comments 1-800-430-5490

4129 Kit Label
SF00004226



Distributed by Honeywell Safety Products USA, Inc Smithfield, RI 02917

4129 FIRST AID KIT

4 129 first aid kit kit

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0498-4129
---------------------	----------------	---------------------------	---------------

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-4129-01	1 in 1 KIT; Type 0: Not a Combination Product	10/18/2018	

Quantity of Parts

Part #	Package Quantity	Total Product Quantity
Part 1	10 PACKET	9 g
Part 2	10 AMPULE	3 mL
Part 3	2 CAN	28.4 g
Part 4	10 POUCH	4 mL
Part 5	10 POUCH	3 mL
Part 6	4 PACKET	5.6 mL
Part 7	10 POUCH	4 mL
Part 8	10 PACKET	9 g

Part 1 of 8

HYDROCORTISONE

anti-itch cream

Product Information

Item Code (Source) NDC:0498-0801

Route of Administration TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
HYDROCORTISONE ACETATE (UNII: 3X7931PO74) (HYDROCORTISONE - UNII:WI4X0X7BPJ)	HYDROCORTISONE ACETATE	1 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
LIGHT MINERAL OIL (UNII: N6K5787QVP)	
CETYL ALCOHOL (UNII: 936JST6JCN)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
GLYCERYL MONOSTEARATE (UNII: 230OU9XXE4)	
TROLAMINE (UNII: 9O3K93S3TK)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	
WATER (UNII: 059QF0KO0R)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
DIAZOLIDINYL UREA (UNII: H5RIZ3MPW4)	
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
GLYCERIN (UNII: PDC6A3C0OX)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1		0.9 g in 1 PACKET; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part348	03/06/2013	

Part 2 of 8

AMMONIA INHALENT

ammonia inhalent inhalant

Product Information

Item Code (Source)	NDC:0498-3334
Route of Administration	RESPIRATORY (INHALATION)

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
AMMONIA (UNII: 5138Q19F1X) (AMMONIA - UNII:5138Q19F1X)	AMMONIA	0.045 g in 0.3 mL

Inactive Ingredients

Ingredient Name	Strength
ALCOHOL (UNII: 3K9958V90M)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-3334-00	0.3 mL in 1 AMPULE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		09/18/2018	

Part 3 of 8

PYROCAINE BURN

benzocaine, benzethonium chloride aerosol, spray

Product Information

Item Code (Source)	NDC:0498-0011
Route of Administration	TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BENZOCAINE (UNII: U3RSY48JW5) (BENZOCAINE - UNII:U3RSY48JW5)	BENZOCAINE	20 g in 100 g

BENZETHONIUM CHLORIDE (UNII: PH41D05744) (BENZETHONIUM - UNII:1VU15B70BP)

BENZETHONIUM CHLORIDE

0.2 g
in 100 g

Inactive Ingredients

Ingredient Name	Strength
1,1,3-TRI(3-TERT-BUTYL-4-HYDROXY-6-METHYLPHENYL)BUTANE (UNII: BF6E9O0XJN)	
ISOBUTANE (UNII: BXR49TP611)	
1,1,3-TRIS(2-CHLOROETHOXY)PROPANE (UNII: 4FEX9N888E)	
DIPROPYLENE GLYCOL (UNII: E107L85C40)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-0011-77	14.2 g in 1 CAN; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part348	01/01/2018	

Part 4 of 8

STING RELIEF PAD

ethyl alcohol, lidocaine swab

Product Information

Item Code (Source)	NDC:0498-0733
Route of Administration	TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ALCOHOL (UNII: 3K9958V90M) (ALCOHOL - UNII:3K9958V90M)	ALCOHOL	0.5 mL in 1 mL
LIDOCAINE HYDROCHLORIDE (UNII: V13007Z41A) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE HYDROCHLORIDE ANHYDROUS	20 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
MENTHOL (UNII: L7T10EIP3A)	
BENZALKONIUM CHLORIDE (UNII: F5UM2KM3W7)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-0733-00	0.4 mL in 1 POUCH; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part348	12/23/2017	

Part 5 of 8

PVP IODINE WIPE

povidone-iodine 10% swab

Product Information

Item Code (Source)	NDC:0498-0121
Route of Administration	TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
POVIDONE-IODINE (UNII: 85H0HZU99M) (IODINE - UNII:9679TC07X4)	IODINE	10 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
NONOXYNOL-9 (UNII: 48Q180SH9T)	
WATER (UNII: 059QF0K00R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-0121-00	0.3 mL in 1 POUCH; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		09/18/2018	

Part 6 of 8

ANTISEPTIC TOWELETTE

benzalkonium chloride liquid

Product Information

Item Code (Source) NDC:0498-0501

Route of Administration TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BENZALKONIUM CHLORIDE (UNII: F5UM2KM3W7) (BENZALKONIUM - UNII:7N6JUD5X6Y)	BENZALKONIUM CHLORIDE	1.3 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0K00R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-0501-00	1.4 mL in 1 PACKET; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part333E	12/21/2017	

Part 7 of 8

ALCOHOL WIPE

isopropyl alcohol swab

Product Information

Item Code (Source) NDC:0498-0143

Route of Administration TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ISOPROPYL ALCOHOL (UNII: ND2M416302) (ISOPROPYL ALCOHOL - UNII:ND2M416302)	ISOPROPYL ALCOHOL	0.7 mL in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-0143-04	0.4 mL in 1 POUCH; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part333A	09/18/2018	

Part 8 of 8

HYDROCORTISONE

anti-itch cream ointment

Product Information

Item Code (Source)	NDC:0498-0800
Route of Administration	TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
HYDROCORTISONE ACETATE (UNII: 3X7931PO74) (HYDROCORTISONE - UNII:WI4X0X7BPJ)	HYDROCORTISONE ACETATE	1 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
LIGHT MINERAL OIL (UNII: N6K5787QVP)	
CETYL ALCOHOL (UNII: 936JST6JCN)	
METHYL PARABEN (UNII: A2I8C7HI9T)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
GLYCERYL MONOSTEARATE (UNII: 230OU9XXE4)	
TROLAMINE (UNII: 9O3K93S3TK)	
PROPYL PARABEN (UNII: Z8IX2SC1OH)	
WATER (UNII: 059QF0KO0R)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
DIAZOLIDINYL UREA (UNII: H5RIZ3MPW4)	

CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)

GLYCERIN (UNII: PDC6A3C0OX)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-0800-34	0.9 g in 1 PACKET; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part348	03/06/2013	10/15/2019

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		10/18/2018	

Labeler - Honeywell Safety Products USA, INC (079287321)

Establishment

Name	Address	ID/FEI	Business Operations
James Alexander		040756421	manufacture(0498-3334)

Establishment

Name	Address	ID/FEI	Business Operations
Honeywell Safety Products USA, INC		079287321	pack(0498-4129)

Establishment

Name	Address	ID/FEI	Business Operations
Dixon Investments		115315822	manufacture(0498-0011)

Establishment

Name	Address	ID/FEI	Business Operations
Water-Jel Technologies		155522589	manufacture(0498-0800, 0498-0801)

Establishment

Name	Address	ID/FEI	Business Operations
Chanzhou Maokang Medical		421317073	manufacture(0498-0143, 0498-0501)

Establishment

Name	Address	ID/FEI	Business Operations
Sion Medical Biotext		532775194	manufacture(0498-0121)

Establishment

Name	Address	ID/FEI	Business Operations
Safetec of America Inc		874965262	manufacture(0498-0733)

Revised: 10/2019

Honeywell Safety Products USA, INC