TYLENOL SINUS SEVERE, CVP HEALTH- acetaminophen, guaifenesin, and phenylephrine hydrochloride tablet, coated LIL DRUG STORE TYLENOL SINUS SEVERE- acetaminophen, guaifenesin, and phenylephrine hydrochloride tablet, coated TYLENOL SINUS SEVERE, TRAVEL BASIX- acetaminophen, guaifenesin, and phenylephrine hydrochloride tablet, coated Lil Drug Store Products, Inc

-----

Tylenol  $^{\$}$  Sinus Severe, Lil' Drug Store  $^{\$}$ , CVP  $_{\$}$  HEALTH, TRAVEL BASIX

### **Drug Facts**

Active ingredients (in each caplet)	Purpose
Acetaminophen 325 mg	Pain reliever/fever reducer
Guaifenesin 200 mg	Expectorant
Phenylephrine HCl 5 mg	Nasal decongestant

### Uses

- temporarily relieves these symptoms associated with hay fever or other respiratory allergies, and the common cold:
  - sinus congestion and pressure
  - headache
  - nasal congestion
  - minor aches and pains
- helps loosen phlegm (mucus) and thin bronchial secretions to make coughs more productive
- temporarily reduces fever

## Warnings

# Liver warning

This product contains acetaminophen. The maximum daily dose of this product is 10 caplets (3,250 mg acetaminophen) in 24 hours. Severe liver damage may occur if you take

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

**Allergy alert:** acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

### Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.
- if you have ever had an allergic reaction to this product or any of its ingredients.

## Ask a doctor before use if you have

- liver disease
- heart disease
- high blood pressure
- thyroid disease
- diabetes
- trouble urinating due to an enlarged prostate gland
- persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis or emphysema
- cough that occurs with too much phlegm (mucus)

Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin

# When using this product do not exceed recommended dose

# Stop use and ask a doctor if

- nervousness, dizziness, or sleeplessness occur
- pain, nasal congestion or cough gets worse or lasts more than 7 days
- fever gets worse or lasts more than 3 days
- redness or swelling is present
- new symptoms occur
- cough comes back or occurs with rash or headache that lasts

These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

# Keep out of reach of children.

# **Overdose warning**

In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222) Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

### **Directions**

do not take more than directed (see overdose warning)

adults and children 12 years and over	<ul> <li>take 2 caplets         every 4 hours</li> <li>swallow whole; do         not crush, chew         or dissolve</li> <li>do not take more         than 10 caplets in         24 hours</li> </ul>
children under 12 years	ask a doctor

### Other information

- each caplet contains: sodium 3 mg
- store between 20-25°C (68-77°F)
- do not use if pouch is torn or damaged

### **Inactive ingredients**

carnauba wax, croscarmellose sodium, flavor, hydroxypropyl cellulose, hypromellose, magnesium stearate, microcrystalline cellulose, pregelatinized starch, sucralose, titanium dioxide, triacetin

## **Questions or comments?**

call **1-877-895-3665** (toll-free) or **215-273-8755** (collect)

# Product distributed by: JOHNSON & JOHNSON CONSUMER INC.

McNeil Consumer Healthcare Division, Fort Washington, PA 19034 USA

**Repackaged and distributed by:** Lil' Drug Store Products, Inc., 9300 Earhart Lane SW

Cedar Rapids, IA 52402

# PRINCIPAL DISPLAY PANEL - 6 Caplet Pouch Carton

TYLENOL ® FOR ADULTS

SINUS SEVERE

Acetaminophen, Phenylephrine HCl, Guaifenesin Pain Reliever-Fever Reducer, Nasal Decongestant, Expectorant

- SINUS HEADACHE
- SINUS PRESSURE
- NASAL CONGESTION
- MUCUS + CHEST CONGESTION

NON-DROWSY

6

Caplets
3 POUCHES OF 2 CAPLETS EACH

Lil'

DrugStore ®



DO NOT USE IF POUCH IS TORN OR DAMAGED

### **Drug Facts**

Active ingredients (in each caplet)

Purpose

uaifenesin 200 mg Phenylephrine HCI 5 mg.

.Expectorant .Nasal decongestant

temporarily relieves these symptoms associated with hay fever or other

- respiratory allergies, and the common cold:

   sinus congestion and pressure
  - headache
- nasal congestion
- minor aches and pains
- melps loosen phlegm (mucus) and thin bronchial secretions to make coughs more productive

### Warnings

Liver warning: This product contains acetaminophen. The maximum daily dose of this product is 10 caplets (3,250 mg acetaminophen) in 24 hours. Severe liver damage may occur if you take

- more than 4,000 mg of acetaminophen in 24 hours
  with other drugs containing acetaminophen

■ 3 or more alcoholic drinks every day while using this product

Allergy alert: acetaminophen may cause severe skin reactions. Symptoms may ■ blisters skin reddening

If a skin reaction occurs, stop use and seek medical help right away.

LIFT PANEL FOR CONTINUED DRUG FACTS

etalds0 d

SINGS SEVERE TOURS

### Drug Facts (continued)

If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children.

Overdose warning: In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222) Quick medical attention is critical for adults as well as for children even if you do not notice any signs or

### Directions

■ do not take more than directed (see overdose warning)

- adults and children
- 12 years and over
- take 2 caplets every 4 hours swallow whole; do not crush, chew or dissolve
  - do not take more than 10 caplets in 24 hours

### children under 12 years ask a doctor

### Other information

each caplet contains: sodium 3 mg
 store between 20-25°C (68-77°F)
 do not use if pouch is torn or damaged

Inactive ingredients carnauba wax, croscarmellose sodium, flavor, hydroxypropyl cellulose, hypromellose, magnesium stearate, microcrystalline cellulose, pregelatinized starch, sucralose, titanium dioxide, triacetin

Questions or comments?

call 1-877-895-3665 (toll-free) or 215-273-8755 (collect)

Made in Italy, Product distributed by: JOHNSON & JOHNSON CONSUMER INC. McNeil Consumer Healthcare Division, Fort Washington, PA 19034 USA @J&JCI 2016 Visit us at www.tylenol.com or call toll-free 1-877-TYLENOL (1-877-895-3665)

Repackaged and distributed by: Lil' Drug Store Products, Inc., 9300 Earhart Lane SW Cedar Rapids, IA 52404 1-877-507-6516 (M-F 8AM-4:30PM CST) www.lildrugstore.com 97573C-US-02-17-A

### Drug Facts (continued)

 with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.

- If you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.
- if you have ever had an allergic reaction to this product or any of its ingredients.

### Ask a doctor before use if you have

- liver disease
- heart disease
- high blood pressure
   thyroid disease
   trouble urinating due to an enlarged prostate gland diabetes
- persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis or emphysema cough that occurs with too much phlegm (mucus)

Ask a doctor or pharmacist before use if you are taking the blood thinning drug

When using this product do not exceed recommended dose

### Stop use and ask a doctor if

- nervousness, dizziness, or sleeplessness occur
- pain, nasal congestion or cough gets worse or lasts more than 7 days
- fever gets worse or lasts more than 3 days
- redness or swelling is present new symptoms occur
- cough comes back or occurs with rash or headache that lasts

These could be signs of a serious condition.

LOT

# Tylenol Sinus Severe, CVP ® HEALTH, 4ct - PDP/Package

TYLENOL ® FOR ADULTS

### SINUS SEVERE

**Acetaminophen**, Phenylephrine HCl, Guaifenesin Pain Reliever–Fever Reducer, Nasal Decongestant, Expectorant

- SINUS HEADACHE
- SINUS PRESSURE
- NASAL CONGESTION
- MUCUS + CHEST CONGESTION

DAY NON-DROWSY

[caplets image]

### 4

### **Caplets**

2 POUCHES OF 2 CAPLETS EACH

[CVP ® HEALTH logo]



# Tylenol Sinus Severe, TRAVEL BASIX, 4ct - PDP/Package

TYLENOL ® FOR ADULTS

### SINUS SEVERE

**Acetaminophen**, Phenylephrine HCl, Guaifenesin Pain Reliever–Fever Reducer, Nasal Decongestant, Expectorant

- SINUS HEADACHE
- SINUS PRESSURE
- NASAL CONGESTION

MUCUS + CHEST CONGESTION

DAY NON-DROWSY

[caplets image]

### 4

### **Caplets**

2 POUCHES OF 2 CAPLETS EACH

[TRAVEL BASIX logo]



# TYLENOL SINUS SEVERE, CVP HEALTH

acetaminophen, guaifenesin, and phenylephrine hydrochloride tablet, coated

<b>Product Information</b>					
Product Type	HUMAN OTC DRUG	Item Code (S	ource)	NDC:66715	5-6557
Route of Administration	ORAL				
	_				
Active Ingredient/Active Moiety					
Ingredient Name Basis of Strength Strength					
ACETAMINOPHEN (UNII: 36209IT	L9D) (ACETAMINOPHEN - UN	NII:36209ITL9D)	ACETAMINOPHEN	N	325 mg
GUAIFENESIN (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ) GUAIFENESIN			200 mg		
DUENVI EDUDINE UVDDOCULOR	IDE (LINIII, OALAEOTNICI) (DILII	ENIXI EDIJDINE	DUENNI EDUDINE		

**Inactive Ingredients** 

TITANIUM DIOXIDE (UNII: 15FIX9V2JP)

TRIACETIN (UNII: XHX3C3X673)

Ingredient Name	Strength
CARNAUBA WAX (UNII: R12CBM0EIZ)	
CROSCARMELLOSE SODIUM (UNII: M280L1HH48)	
HYDROXYPROPYL CELLULOSE (70000 WAMW) (UNII: 6607AQVORT)	
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
STARCH, CORN (UNII: O8232NY3SJ)	
SUCRALOSE (UNII: 96K6UQ3ZD4)	

Product Characteristics				
Color	white	Score	no score	
Shape	OVAL	Size	20mm	
Flavor	MINT	Imprint Code	TYLENOL;1072	
Contains				

F	Packaging			
#	tem Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:66715- 6557-2	2 in 1 CARTON	05/06/2022	
1		2 in 1 POUCH; Type 0: Not a Combination Product		

Marketing Information					
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date		
OTC Monograph Drug	M012	05/06/2022			

# **LIL DRUG STORE TYLENOL SINUS SEVERE**

acetaminophen, guaifenesin, and phenylephrine hydrochloride tablet, coated

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:66715-9757
Route of Administration	ORAL		

Active Ingredient/Active Moiety				
Ingredient Name	<b>Basis of Strength</b>	Strength		
ACETAMINOPHEN (UNII: 36209ITL9D) (ACETAMINOPHEN - UNII: 36209ITL9D)	ACETAMINOPHEN	325 mg		
GUAIFENESIN (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)	GUAIFENESIN	200 mg		
PHENYLEPHRINE HYDROCHLORIDE (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII: 1WS297W6MV)	PHENYLEPHRINE HYDROCHLORIDE	5 mg		

Inactive Ingredients				
Ingredient Name	Strength			
CARNAUBA WAX (UNII: R12CBM0EIZ)				
CROSCARMELLOSE SODIUM (UNII: M28OL1HH48)				
HYDROXYPROPYL CELLULOSE (70000 WAMW) (UNII: 6607AQV0RT)				
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)				
MAGNESIUM STEARATE (UNII: 70097M6I30)				
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)				
STARCH, CORN (UNII: O8232NY3SJ)				
SUCRALOSE (UNII: 96K6UQ3ZD4)				
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)				
TRIACETIN (UNII: XHX3C3X673)				

Product Characteristics				
Color	white	Score	no score	
Shape	OVAL	Size	20mm	
Flavor	MINT	Imprint Code	TYLENOL;1072	
Contains				

P	Packaging					
#	Item Code	Package Description	Marketing Start Date	Marketing End Date		
1	NDC:66715- 9757-2	2 in 1 CARTON	10/23/2017			
1		2 in 1 POUCH; Type 0: Not a Combination Product				
2	NDC:66715- 9757-3	3 in 1 CARTON	08/15/2019			
2		2 in 1 POUCH; Type 0: Not a Combination Product				

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	10/23/2017	

# TYLENOL SINUS SEVERE, TRAVEL BASIX

# acetaminophen, guaifenesin, and phenylephrine hydrochloride tablet, coated

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:66715-7857
Route of Administration	ORAL		

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
ACETAMINOPHEN (UNII: 36209ITL9D) (ACETAMINOPHEN - UNII: 36209ITL9D)	ACETAMINOPHEN	325 mg	
GUAIFENESIN (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)	GUAIFENESIN	200 mg	
PHENYLEPHRINE HYDROCHLORIDE (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII: 1WS297W6MV)	PHENYLEPHRINE HYDROCHLORIDE	5 mg	

Inactive Ingredients			
Ingredient Name	Strength		
CARNAUBA WAX (UNII: R12CBM0EIZ)			
CROSCARMELLOSE SODIUM (UNII: M280L1HH48)			
HYDROXYPROPYL CELLULOSE (70000 WAMW) (UNII: 6607AQV0RT)			
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)			
MAGNESIUM STEARATE (UNII: 70097M6I30)			
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)			
STARCH, CORN (UNII: O8232NY3SJ)			
SUCRALOSE (UNII: 96K6UQ3ZD4)			
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)			
TRIACETIN (UNII: XHX3C3X673)			

Product Characteristics				
Color	white	Score	no score	
Shape	OVAL	Size	20mm	
Flavor	MINT	Imprint Code	TYLENOL;1072	
Contains				

Packaging					
#	Item Code	Package Description	Marketing Start Date	Marketing End Date	
	NDC:66715- 7857-2	2 in 1 CARTON	11/30/2022		
1		2 in 1 POUCH; Type 0: Not a Combination Product			

Marketing Information				
Marketing	Application Number or Monograph	Marketing Start	Marketing End	
Category	Citation	Date	Date	

# Labeler - Lil Drug Store Products, Inc (093103646)

Revised: 11/2023 Lil Drug Store Products, Inc