PROPYLENE GLYCOL- propylene glycol liquid Gilmer Industries, Inc.

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

Propylene Glycol

For use as an aid in the prevention and treatment of Ketosis (Acetonemia) in dairy cattle.

Repackaged from USP/EP Grade

NPE-free

FDA Acceptance: CFR 21, Part 582.1666—Animal Drugs, Feeds and Related Products

This substance is generally recognized as safe (except in cat food) when used in accordance with good manufacturing or feeding practice.

Animal Use Only

Keep Out of Reach of Children

WARNING

Causes eye irritation

- Wear chemical splash goggles.
- If skin contact causes irritation, wear impervious gloves, a synthetic apron and other protective equipment to prevent contact.
- Wash hands thoroughly after handling, before eating or before smoking.
- Do NOT eat, drink, or smoke in work areas.
- Keep container tightly closed when not in use.
- Store in a cool, dry, well-ventilated area.
- Do NOT store with poisonous or ill-smelling items.

FIRST AID

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If eye irritation persists: Get medical advice.

IF ON SKIN: Wash with soap and water. Wash clothing before reuse.

IF INHALED: Remove to fresh air.

IF SWALLOWED: Drink plenty of water. Contact a physician.

Directions

Dose at the rate of 4 oz. orally of Propylene Glycol per head twice daily as a drench for 4-6 weeks.

Propylene Glycol

Repackaged from USP/EP Grade NDC54420-27

FDA Acceptance: CFR 21, Part 582.1666—Animal Drugs, Feeds and Related Products
This substance is generally recognized as safe (except in cat food)

This substance is generally recognized as safe (except in cat food) when used in accordance with good manufacturing or feeding practice.



Animal Use Only—Keep Out of Reach of Children

WARNING

Causes eye irritation Contains propylene glycol (CAS#57-55-6)

- Wear chemical splash goggles.
- If skin contact causes irritation, wear impervious gloves, a synthetic apron and other protective equipment to prevent contact.
- Wash hands thoroughly after handling, before eating or before smoking.
- . Do NOT eat, drink, or smoke in work areas.
- Keep container tightly closed when not in use.
- Store in a cool, dry, well-ventilated area.
- · Do NOT store with poisonous or ill-smelling items.

•

Gilmer Industries, Inc.

560 Stone Spring Road PO Box 1247 Harrisonburg, VA 22801 Harrisonburg, VA 22803 Phone 540/434-8877

Indications

For use as an aid in the prevention and treatment of Ketosis (Acetonemia) in dairy cattle.

Directions

Dose at the rate of 4 oz. orally of Propylene Glycol per head twice daily as a drench for 4-6 weeks.

FIRST AID

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If eye irritation persists: Get medical advice.

IF ON SKIN: Wash with soap and water.
Wash clothing before reuse.

IF INHALED: Remove to fresh air.

IF SWALLOWED: Drink plenty of water. Contact a physician.

H21Lot: Net Content:

Propylene Glycol

Repackaged from USP/EP Grade NDC54420-27

FDA Acceptance: CFR 21, Part 582.1666—Animal Drugs, Feeds and Related Products
This substance is generally recognized as safe (except in cat food)
when used in accordance with good manufacturing or feeding practice.



Animal Use Only—Keep Out of Reach of Children

WARNING

Causes eye irritation Contains propylene glycol (CAS#57-55-6)

- · Wear chemical splash goggles.
- If skin contact causes irritation, wear impervious gloves, a synthetic apron and other protective equipment to prevent contact.
- Wash hands thoroughly after handling, before eating or before smoking.
- . Do NOT eat, drink, or smoke in work areas.
- Keep container tightly closed when not in use.
- · Store in a cool, dry, well-ventilated area.
- · Do NOT store with poisonous or ill-smelling items.



Gilmer Industries, Inc.

560 Stone Spring Road PO Box 1247 Harrisonburg, VA 22801 Harrisonburg, VA 22803 Phone 540/434-8877

Indications

For use as an aid in the prevention and treatment of Ketosis (Acetonemia) in dairy cattle.

Directions

Dose at the rate of 4 oz. orally of Propylene Glycol per head twice daily as a drench for 4-6 weeks.

FIRST AID

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If eye irritation persists: Get medical advice.

IF ON SKIN: Wash with soap and water.
Wash clothing before reuse.

IF INHALED: Remove to fresh air.

IF SWALLOWED: Drink plenty of water. Contact a physician.

H21Lot: Net Content:

PROPYLENE GLYCOL

propylene glycol liquid

Product Type OTC ANIMAL DRUG Item Code (Source) NDC:54420-027

Route of Administration ORAL

Active Ingredient/Active Moiety

Ingredient Name

Basis of Strength

PROPYLENE GLYCOL (UNII: 6DC9Q167V3) (PROPYLENE GLYCOL - UNII:6DC9Q167V3)

PROPYLENE GLYCOL

O.00103698 g in 1 L

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:54420-027-01	3.78 L in 1 JUG		
2	NDC:54420-027-05	207.9 L in 1 DRUM		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		08/04/2021	

Labeler - Gilmer Industries, Inc. (066017575)

Establishment							
Name	Address	ID/FEI	Business Operations				
Gilmer Industries, Inc.		066017575	api manufacture, manufacture, label, pack				

Revised: 8/2021 Gilmer Industries, Inc.