

MEDPRIDE PREP SOLUTION TOPICAL ANTISEPTIC MICROBICIDE- povidone-iodine solution
Shield Line LLC

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Medpride Prep Solution Topical Antiseptic Microbicide

Active Ingredient

Povidone Iodine, 10% (equivalent to 1% available Iodine)

Purpose

Antiseptic

Uses

- Health-care antiseptic for preparation of the skin prior to surgery
- First aid antiseptic to help prevent infection in minor cuts, scrapes and burns

Warnings

For External Use Only

Do not use

- In eyes
- As a first antiseptic longer than one week
- On individuals who are allergic or sensitive to iodine
- Apply over large areas of body

Discontinue use and call your doctor if

- Irritation and redness develop and persists for more than 72 hours
- Condition persists or get worse

Ask your doctor in case of

- Deep or puncture wounds
- Animal bites
- Serious burns

Keep out of reach of children

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

For preparation of the skin prior to surgery:

- Apply product to the operative site prior to surgery

As a first aid antiseptic:

- Clean the affected area
- Apply a small amount of this product on the area 1-3 times daily
- May be covered with a sterile bandage
- If bandaged, let dry first

Inactive ingredients

Citric Acid, Sodium Citrate, Glycerin, Tween 80, Disodium Phosphate, Purified Water

Principal Display Panel

NDC: 52410-4114-6




Prep Solution

Povidone Iodine 10%

- Topical Antiseptic Microbicide
- Promptly kills germs in: Cuts, Burns, Scrapes, Minor Skin Wounds

Drug Facts	
Active ingredient	Purpose
Povidone-Iodine 10% (Equivalent to 1% available Iodine).....	Antiseptic
Uses ■ Health-care antiseptic for preparation of the skin prior to surgery ■ First aid antiseptic to help prevent infection in minor cuts, scrapes and burns	
WARNINGS: For external use only	
Do not use ■ In eyes ■ As a first antiseptic longer than one week ■ On individuals who are allergic or sensitive to Iodine ■ Apply over large areas of the body	
Discontinue use and call your doctor if ■ Irritation and redness develop and persists for more than 72 hours ■ Condition persists or gets worse	
Ask your doctor in case of ■ Deep or puncture wounds ■ Animal bites ■ Serious burns	
Keep out of reach of children If swallowed, get medical help or contact a Poison Control Center right away	
Directions ■ For preparation of the skin prior to surgery: apply product to the operative site prior to surgery ■ As a first aid antiseptic: Apply a small amount of this product on the area 1-3 times daily. May be covered with a sterile bandage. If bandaged, let dry first.	
Other information: Store at room temperature 20-25°C (68-77°F)	
Inactive Ingredients: Citric Acid, Sodium Citrate, Glycerin, Tween 80, Disodium Phosphate, Purified Water	

 Manufactured for:
Shield Line LLC,
Hackensack, NJ 07601

Made in Mexico
10-41146MP-02

Unvarnished area

Reorder No:
MPR-41146



1 Gallon (3.78 Ltr)



NDC: 52410-4114-6




Prep Solution

Povidone Iodine 10%

- Topical Antiseptic Microbicide
- Promptly kills germs in: Cuts, Burns, Scrapes, Minor Skin Wounds

Drug Facts	
Active ingredient	Purpose
Povidone-Iodine 10% (Equivalent to 1% available Iodine).....	Antiseptic
Uses ■ Health-care antiseptic for preparation of the skin prior to surgery ■ First aid antiseptic to help prevent infection in minor cuts, scrapes and burns	
WARNINGS: For external use only	
Do not use ■ In eyes ■ As a first antiseptic longer than one week ■ On individuals who are allergic or sensitive to Iodine ■ Apply over large areas of the body	
Discontinue use and call your doctor if ■ Irritation and redness develop and persists for more than 72 hours ■ Condition persists or gets worse	
Ask your doctor in case of ■ Deep or puncture wounds ■ Animal bites ■ Serious burns	
Keep out of reach of children If swallowed, get medical help or contact a Poison Control Center right away	
Directions ■ For preparation of the skin prior to surgery: apply product to the operative site prior to surgery ■ As a first aid antiseptic: Apply a small amount of this product on the area 1-3 times daily. May be covered with a sterile bandage. If bandaged, let dry first.	
Other information: Store at room temperature 20-25°C (68-77°F)	
Inactive Ingredients: Citric Acid, Sodium Citrate, Glycerin, Tween 80, Disodium Phosphate, Purified Water	

 Manufactured for:
Shield Line LLC,
Hackensack, NJ 07601

Made in Mexico
10-41146MP-02

Unvarnished area

Reorder No:
MPR-41146



1 Gallon (3.78 Ltr)



MEDPRIDE PREP SOLUTION TOPICAL ANTISEPTIC MICROBICIDE

povidone-iodine solution

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:52410-4114
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
POVIDONE-IODINE (UNII: 85H0HZU99M) (IODINE - UNII:9679TC07X4)	IODINE	100 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
GLYCERIN (UNII: PDC6A3C00X)	
POLYSORBATE 80 (UNII: 6OZP39ZG8H)	
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
SODIUM CITRATE, UNSPECIFIED FORM (UNII: 1Q73Q2JULR)	
SODIUM PHOSPHATE, DIBASIC, ANHYDROUS (UNII: 22ADO53M6F)	
WATER (UNII: 059QF0KO0R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:52410-4114-5	474 mL in 1 BOTTLE; Type 0: Not a Combination Product	05/13/2019	
2	NDC:52410-4114-6	3785 mL in 1 JUG; Type 0: Not a Combination Product	05/13/2019	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part333E	05/13/2019	

Labeler - Shield Line LLC (078518916)

Revised: 4/2023

Shield Line LLC